APPROVAL SHEET

 Customer Name
 :

 Customer P/N
 :

 Frequency
 : 50.000000
 MHz

 Aker Approved P/N
 : SMAN-050000-5-AL-00

 Aker MPN
 : SMAN-050000-5-AL-00

 Rev.
 : 1

 ISSUE DATE
 : Aug.29.2022

APPROVED	CHECKED	PREPARED				
Tin		Jimmy				
APPROVED BY CUST	APPROVED BY CUSTOMER					

AKER TECHNOLOGY CO., LTD.

ADDRESS: NO 11-3, Jianguo Rd., Tanzi Dist., Taichung City 427, Taiwan.

TEL: 886-4-25335978 FAX: 886-4-25336011

Web: www.aker.com.tw MSL:Level 1

RoHS compliant



Aker Approved P/	N :	SMAN-05	SMAN-050000-5-AL-00		
APPROVED	:	Tin	SHEET: 1 of 10		
PREPARED	:	Jimmy	REV . : 1		

Confidential

	D		D
Rev.	Date	Reviser	Revise contents
1	2022/8/29	Jimmy	Initial Released
		1	



Aker Approved P/	N :	SMAN-05	SMAN-050000-5-AL-00			
APPROVED	:	Tin	SHEET: 2 of 10			
PREPARED	:	Jimmy	REV . : 1			
			Confidential			

SMD CRYSTAL OSCILLATOR

1. ELECTRICAL CHARACTERISTICS

■ Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurement and tests are as follow:

Ambient temperature: 25±5°C

Relative humidity : $40\% \sim 70\%$

If there is any doubt about the results, measurement shall be made within the following limits:

Ambient temperature: 25±3°C

Relative humidity : 40%~70%

■ AKER Model: SMAN-531

■ Cutting Mode : AT CUT


			Electrical Spec			
Parameters	Symbol	Min.	Тур.	Max.	Units.	Notes
Nominal Frequency		5	0.00000	0	MHz	
Frequency Stability			±100		ppm	
Supply Voltage	V_{CC}	1.62	~	3.63	V	
Output Load CMOS	CL			15	pF	
Aging			±3		ppm	First Year
Enable Control			Yes			Pad 1
Operating Temperature		-40	25	105	$^{\circ}\mathbb{C}$	
Storage Temperature Range		-55	~	125	$^{\circ}\mathbb{C}$	
Output Voltage High	VoH	90%V _{DD}			V	
Output Voltage Low	VoL			10%VDD	V	
Input Current	Icc			25	mA	
Standby Current	Ist			20	μΑ	
Rise Time	Tr			8	ns	10%~90%V _{DD} Level
Fall Time	Tf			8	ns	90%~10%V _{DD} Level
Symmetry (Duty ratio)	TH/T	45	~	55	%	
Start-up Time	Tosc			10	ms	
Enable Voltage High	Vhi	70%V _{DD}			V	
Disable Voltage Low	Vlo			30%V _{DD}	V	
Output Enable Delay Time	T on			10	ms	
Output Disable Delay Time	T off			200	ns	
Phase Jitter RMS				1	ps	12KHz~20MHz

^{*}Please kindly be noted that AKER DO NOT guarantee parts quality which involves human security application.*




Aker Approved P	/N :	SMAN-0	SMAN-050000-5-AL-00		
APPROVED	:	Tin	SHEET: 3 of 10		
PREPARED	:	Jimmy	REV . : 1		
			Confidential		

2. C-MOS LOAD OUTPUT WAVEFORM



3. C-MOS LOAD TEST CIRCUIT




***Because SMA series has no by pass capacitor. So,we recommend our customer to use capacitor 0.01 μF in join Vcc and GND.



Aker Approved P	/N :	SMAN-0:	SMAN-050000-5-AL-00		
APPROVED	:	Tin	SHEET: 4 of 10		
PREPARED	:	Jimmy	REV . : 1		
			Confidential		

4. MARKING:



NOTE1:

NOTET:	
T	5.0V TTL
С	4.5~5.0V CMOS
L	2.97~3.63V TTL&CMOS
R	2.8~3.0V CMOS
S	2.25~2.75V CMOS
Y	1.5~2.0V CMOS
Z	0.8~1.4V CMOS
W	Voltage Range CMOS

AKER LOGO.

Date Code Guide

Year	2021	2022	2023	2024
	2025	2026	2027	2028
Month	(4N+1)	(4N+2)	(4N+3)	(4N+0)
JAN	a	n	Α	N
FEB	ь	p	В	P
Mar	С	q	C	Q
Apr	d	r	D	R
May	e	S	E	S
Jun	f	t	F	T
Jul	g	u	G	U
Aug	h	v	H	V
Sep	j	w	J	W
Oct	k	X	K	X
Nov	1	у	L	Y
Dec	m	Z	M	Z


A cycle every four years

5. DIMENSION:

Enable / Disable Function

E/D (#1)	OUTPUT(#3)
HIGH (Open)	Operating
LOW	High impedance


PIN FUNCTION #1: Enable / Disable Control #2: GND #3: OUTPUT #4: VDD





Aker Approved P/N:	SN	SMAN-050000-5-AL-00			
APPROVED :	Ti	Tin SHEET: 5 of 10			
PREPARED :	Jin	nmy RE	V.: 1		
Confidential					

6. STRUCTURE ILLUSTRATION



COMPONENTS		MATERIALS		MPONENTS	MATERIALS
A	Base (Package)	Ceramic (Al2O3)+Kovar (Fe/Co/Ni)	D	Crystal blank	SiO ₂
В	IC chip		E	Electrode	Cr / Ag
С	Conductive adhesive	Ag / Silicon resin	F	Lid	Fe/Co/Ni





Aker Approved P/N:		SMAN-050000-5-AL-00		
APPROVED	:	Tin	SHEET: 6 of 10	
PREPARED	:	Jimmy	REV . : 1	
_			Confidential	


7. PACKING:

TAPE SPECIFICATION

(Unit:mm)








OUTLINE DIMENSION


(Unit:mm)





Aker Approved P/N:		SMAN-050000-5-AL-00	
APPROVED	:	Tin	SHEET: 7 of 10
PREPARED	:	Jimmy	REV . : 1
			Confidential


8. COVER TAPE ADHESION STRENGTH:



*** In the case, the cover tape is pulled off under the above conditions, the cover tape adhesion strength should be 10.2g~71.4g Plastic tape: 10.2g~71.4g

(Cover tape adhesion strength)


9. SOLDERING REFLOW PROFILE






Aker Approved P/N:		SMAN-050000-5-AL-00	
APPROVED	:	Tin	SHEET: 8 of 10
PREPARED	:	Jimmy	REV . : 1
			Confidential

10. PACKING:



BOX = 1000 PCS / REEL





SMD product packs 32 BOX = The outside box packs (1000 PCS * 32 BOX = 32000 PCS)(MAX)



Aker Approved P/N:		SMAN-050000-5-AL-00	
APPROVED	:	Tin	SHEET: 9 of 10
PREPARED	:	Jimmy	REV . : 1
			Confidential

11. MECHANICAL PERFORMANCE

TEST ITEMS	TEST METHODS AND TEST CONDITION	PERFORMANCE
11.1 Drop Test	The specimen is measured for its frequency before the test. It is then dropped from a hight of 75 cm or more as a free fall object onto a hard wooden plate of 30mm or more in thickness. (in accordance with JIS-C0044)	
11.2 Vibration Test	The specimen is measured for its frequency before the test. Most them into X,Y and Z axes, respectively, for the vibration test. Vibration condition: Frequency range; 20~2000HZ Peak to peak amplitude: 1.52 mm Peak acceleration: 20G Sweep time: 20 minute / axis Pendicular total test time: 4 hours	To satisfy the electrical performance.
11.3 Resistance to Soldering Test	(in accordance with MIL-STD-883F: 2007.3) The specimen is measured for its frequency before the test. Place the specimen on the belt of the converynace and let it pass through the reflow with the presetted temperature condition. After passing twice the reflow place, the specimen under the referee condition for -~2 hours and then measure its electrical performance. Temperature Condition of IR Simulation: The temperature range of the preheated section is setted at 150~180°C for 60~120 sec. For the next section the temperature range is setted at 217~260°C for 45~90 sec. and within this time range the specimen should be able to sustain at the peak temperature, 260+/-3°C, for 10 sec long. (in accordance with JESD22-B106-B)	
11.4 Fine Leak Test	Place the specimen in a pressurized container and pressurize it with the detection gas (mixed gas consisting of 95% or more helium) for at least 2 hours. Complete the measurement of the concentration of helium within 30 min after taking it out from the pressurized container. (in accordance with MIL-STD-883F: 1014.11)	Less than 1.0 * 10 ⁻⁸ atm .c.c. / sec, Helium
	The referee condition. Temperature $25 \pm 2 ^{\circ}\mathbb{C}$ Humidity $44 \sim 55 ^{\circ}\mathbb{C}$ Pressure $86 \sim 106 ^{\circ}\mathbb{C}$ (in accordance with MIL-STD-883E: 1014.9)	



Aker Approved P/N:		SMAN-050000-5-AL-00	
APPROVED	:	Tin	SHEET: 10 of 10
PREPARED	:	Jimmy	REV . : 1
			Confidential

12. CLIMATIC RESISTANCE

THOSE ACTION OF A LAID WHOSE CONTRACTOR	DED DO DE CONTROL
	PERFORMANCE
1	
at the temperature of - $40 \pm 3^{\circ}$ C for 168 ± 6 hours .	
Take the specimen out of the chamber	
and measure itselectrical performance after	
leaving $1 \sim 2$ hours under the referee condition.	
(in accordance with JIS-C0020)	
The specimen is measured for its frequency	-
before the test.	
Place the specimen in the testing chamber and keep it	To satisfy the electrical
· · · · · · · · · · · · · · · · · · ·	
-	
	performance.
1	F
(in accordance with the cooping	
The specimen is measured for its frequency	
before the test.	
Place the specimen in the testing chamber and	
kept it at the temperature of $+85 \pm 5$ °C and	
humidity of 85 ± 5 % for 168 ± 6 hours.and	
then take the specimen out and measure its	
electrical performance after leaving for $1 \sim 2$	
hours under the referee condition.	
(in accordance with MIL-STD-883F:1004.7)	
	-
1 ,	
(10± 5 mm).	
$2 \sim 3 \text{ min}$ $2 \sim 3 \text{ min}$	
2 · 5 mm.	
Low temp. -55 ± 3 °C (15 \pm 3 min).	
- LOWIGHD. = 11 = 1 (. LL)! 1 HIII).	
<u> </u>	
Measure its electrical performance after leaving it	
	and measure itselectrical performance after leaving $1 \sim 2$ hours under the referee condition. (in accordance with JIS-C0020) The specimen is measured for its frequency before the test . Place the specimen in the testing chamber and keep it at the temperature of $+125 \pm 3^{\circ}$ C for 720 ± 48 hours. And then take the specimen out of the chamber and measure its electrical performance after leaving for $1 \sim 2$ hours under the referee condition . (in accordance with JIS-C0021) The specimen is measured for its frequency before the test . Place the specimen in the testing chamber and kept it at the temperature of $+85 \pm 5^{\circ}$ C and humidity of $85 \pm 5^{\circ}$ % for 168 ± 6 hours.and then take the specimen out and measure its electrical performance after leaving for $1 \sim 2$ hours under the referee condition.