

HV Series, Radial, Conformally Coated, 500 – 10,000 VDC (Industrial Grade)

Overview

KEMET's High Voltage HV Series radial conformally coated ceramic capacitors are designed with C0G and X7R dielectrics which feature a 125°C maximum operating temperature. These devices are ideal for high voltage power supplies, DC/DC conversion and well suited for timing, resonant, bypass, and decoupling applications.

These high voltage capacitors are widely used in industries related to semiconductors, telecommunications, test/diagnostic equipment and power/grid.

Benefits

- Operating temperature range of -55°C to +125°C
- High shock and vibration capability
- Capacitance range from 180 pF – 5.6 μ F in X7R
- Capacitance range from 12 pF – 0.15 μ F in C0G
- DC voltage ratings of 500 V, 1 kV, 2 kV, 3 kV, 4 kV, 5 kV, 7.5 kV, 10 kV
- High thermal stability
- Encapsulation meets flammability standard UL 94 V-0



Applications

- Switch mode power supplies
- DC/DC Converters
- Lighting ballast
- Measuring equipment
- Inverters
- Telecom equipment
- High voltage coupling


Ordering Information

10	HV	23		N	102	K		N	M	
Voltage	Series	Style/Size		Dielectric	Capacitance Code (pF)	Capacitance Tolerance ¹		Lead Wire Barrier Layer ²	Test Level	Packaging
05 = 500 V 10 = 1,000 V 20 = 2,000 V 30 = 3,000 V 40 = 4,000 V 50 = 5,000 V 75 = 7,500 V 100 = 10,000 V	HV	20 21 22 23 24 25 26	30 31 33 34 35 36	B, W = X7R type N = C0G (NP0)	Two significant digits and number of zeros	C0G J = ±5% K = ±10% M = ±20%	X7R K = ±10% M = ±20% P = 0/+100% Z = -20%/+80%	N = Nickel C = Copper	Blank = No screening M = MIL-PRF-49467 Group A Screening	Blank = Waffle Tray

¹ Additional capacitance tolerance offerings may be available. Contact KEMET for details.

² Please refer to the Construction section in the datasheet.

Dimensions – Inches (Millimeters)



Series	Style/Size	Length (L)	Height (H)	Thickness (T)	Lead Spacing ± 0.030 (S)	Lead Diameter (F)	Lead Length Minimum (LL)
HV	20	0.250 (6.35)	0.220 (5.59)	0.200 (5.08)	0.170 (4.32)	0.025 +0.004/-0.002 (0.635 +0.102/-0.051)	1.25 (31.75)
	21	0.320 (8.13)	0.280 (7.11)	0.250 (6.35)	0.220 (5.59)		
	22	0.370 (9.40)	0.300 (7.62)	0.250 (6.35)	0.275 (6.99)		
	23	0.470 (11.94)	0.400 (10.16)	0.270 (6.89)	0.375 (9.53)		
	24	0.570 (14.48)	0.500 (12.70)	0.270 (6.89)	0.475 (12.07)		
	25	0.670 (17.02)	0.600 (15.24)	0.270 (6.89)	0.575 (14.61)		
	26	0.770 (19.56)	0.720 (18.29)	0.270 (6.89)	0.675 (17.15)		
	30	0.450 (11.43)	0.220 (5.59)	0.200 (5.08)	0.300 (7.62)		
	31	0.550 (13.97)	0.280 (7.11)	0.250 (6.35)	0.400 (10.16)		
	33	0.850 (21.59)	0.400 (10.16)	0.270 (6.89)	0.700 (17.78)		
	34	1.050 (26.67)	0.500 (12.70)	0.270 (6.89)	0.975 (24.76)		
	35	1.250 (31.75)	0.600 (15.24)	0.270 (6.89)	1.175 (29.84)		
	36	1.450 (36.83)	0.720 (18.29)	0.270 (6.89)	1.375 (34.92)		

Environmental Compliance

RoHS exemptions 7a & 7c-II apply to HV series parts that have nickel barrier layer leads.
All other parts are Not RoHS Compliant.

Table 1A – HV Series X7R Waterfall

Style		HV20			HV21				HV22				HV23				
Voltage		500	1k	2k	500	1k	2k	3k	500	1k	2k	3k	500	1k	2k	3k	4k
Capacitance	Capacitance Code																
270 pf	271	X	X	X													
330 pf	331	X	X	X													
390 pf	391	X	X	X													
470 pf	471	X	X	X													
560 pf	561	X	X	X	X	X	X	X									
680 pf	681	X	X	X	X	X	X	X									
820 pf	821	X	X	X	X	X	X	X	X	X	X	X					
1,000 pf	102	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,200 pf	122	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,500 pf	152	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,800 pf	182	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2,200 pf	222	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2,700 pf	272	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
3,300 pf	332	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
3,900 pf	392	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X
4,700 pf	472	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X
5,600 pf	562	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X
6,800 pf	682	X	X		X	X	X		X	X	X		X	X	X	X	X
8,200 pf	822	X	X		X	X	X		X	X	X		X	X	X	X	
0.01 µF	103	X	X		X	X	X		X	X	X		X	X	X	X	
0.012 µF	123	X	X		X	X	X		X	X	X		X	X	X	X	
0.015 µF	153	X	X		X	X	X		X	X	X		X	X	X	X	
0.018 µF	183	X	X		X	X			X	X			X	X	X	X	
0.022 µF	223	X	X		X	X			X	X			X	X	X		
0.027 µF	273	X			X	X			X	X			X	X	X		
0.033 µF	333	X			X	X			X	X			X	X	X		
0.039 µF	393	X			X	X			X	X			X	X	X		
0.047 µF	473	X			X	X			X	X			X	X			
0.056 µF	563	X			X	X			X	X			X	X			
0.068 µF	683				X	X			X	X			X	X			
0.082 µF	823				X	X			X	X			X	X			
0.1 µF	104				X				X	X			X	X			
0.12 µF	124				X				X				X	X			
0.15 µF	154				X				X				X	X			
0.18 µF	184				X				X				X	X			
0.22 µF	224				X				X				X	X			
0.27 µF	274				X				X				X	X			
0.33 µF	334												X				
0.39 µF	394												X				
0.47 µF	474												X				
0.56 µF	564												X				
Voltage		500	1k	2k	500	1k	2k	3k	500	1k	2k	3k	500	1k	2k	3k	4k
Style		HV20			HV21				HV22				HV23				

Table 1A – HV Series X7R Waterfall cont.

Style		HV24						HV25						HV26					
Voltage		500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k
Capacitance	Capacitance Code																		
1,000 pf	102	X	X	X	X	X	X	X	X	X	X	X	X						
1,200 pf	122	X	X	X	X	X	X	X	X	X	X	X	X						
1,500 pf	152	X	X	X	X	X	X	X	X	X	X	X	X						
1,800 pf	182	X	X	X	X	X	X	X	X	X	X	X	X						
2,200 pf	222	X	X	X	X	X	X	X	X	X	X	X	X						
2,700 pf	272	X	X	X	X	X	X	X	X	X	X	X	X						
3,300 pf	332	X	X	X	X	X	X	X	X	X	X	X	X						
3,900 pf	392	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
4,700 pf	472	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
5,600 pf	562	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
6,800 pf	682	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
8,200 pf	822	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
0.01 µF	103	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
0.012 µF	123	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
0.015 µF	153	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X
0.018 µF	183	X	X	X	X			X	X	X	X	X		X	X	X	X	X	
0.022 µF	223	X	X	X	X			X	X	X	X	X		X	X	X	X	X	
0.027 µF	273	X	X	X	X			X	X	X	X	X		X	X	X	X	X	
0.033 µF	333	X	X	X	X			X	X	X	X			X	X	X	X	X	
0.039 µF	393	X	X	X	X			X	X	X	X			X	X	X	X	X	
0.047 µF	473	X	X	X				X	X	X	X			X	X	X	X		
0.056 µF	563	X	X	X				X	X	X	X			X	X	X	X		
0.068 µF	683	X	X	X				X	X	X	X			X	X	X	X		
0.082 µF	823	X	X	X				X	X	X				X	X	X	X		
0.1 µF	104	X	X	X				X	X	X				X	X	X	X		
0.12 µF	124	X	X					X	X	X				X	X	X			
0.15 µF	154	X	X					X	X					X	X	X			
0.18 µF	184	X	X					X	X					X	X	X			
0.22 µF	224	X	X					X	X					X	X				
0.27 µF	274	X	X					X	X					X	X				
0.33 µF	334	X	X					X	X					X	X				
0.39 µF	394	X	X					X	X					X	X				
0.47 µF	474	X	X					X	X					X	X				
0.56 µF	564	X						X	X					X	X				
0.68 µF	684	X						X	X					X	X				
0.82 µF	824	X						X	X					X	X				
1 µF	105	X						X						X	X				
1.2 µF	125	X						X						X					
1.5 µF	155	X						X						X					
1.8 µF	185							X						X					
2.2 µF	225													X					
2.7 µF	275													X					
Voltage		500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k
Style		HV24						HV25						HV26					

Table 1A – HV Series X7R Waterfall cont.

Style		HV30					HV31						HV33							
Voltage		500	1k	2k	3k	4k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	7.5k	
Capacitance	Capacitance Code																			
180 pf	181	X	X	X	X	X														
220 pf	221	X	X	X	X	X														
270 pf	271	X	X	X	X	X														
330 pf	331	X	X	X	X	X														
390 pf	391	X	X	X	X	X														
470 pf	471	X	X	X	X	X	X	X	X	X	X	X								
560 pf	561	X	X	X	X	X	X	X	X	X	X	X								
680 pf	681	X	X	X	X	X	X	X	X	X	X	X								
820 pf	821	X	X	X	X	X	X	X	X	X	X	X								
1,000 pf	102	X	X	X	X	X	X	X	X	X	X	X								
1,200 pf	122	X	X	X	X	X	X	X	X	X	X	X								
1,500 pf	152	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	
1,800 pf	182	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	
2,200 pf	222	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	
2,700 pf	272	X	X	X	X		X	X	X	X	X		X	X	X	X	X	X	X	
3,300 pf	332	X	X	X	X		X	X	X	X	X		X	X	X	X	X	X	X	
3,900 pf	392	X	X	X			X	X	X	X	X		X	X	X	X	X	X	X	
4,700 pf	472	X	X	X			X	X	X	X	X		X	X	X	X	X	X	X	
5,600 pf	562	X	X	X			X	X	X	X			X	X	X	X	X	X		
6,800 pf	682	X	X	X			X	X	X	X			X	X	X	X	X	X		
8,200 pf	822	X	X	X			X	X	X	X			X	X	X	X	X			
0.01 µF	103	X	X				X	X	X	X			X	X	X	X	X			
0.012 µF	123	X	X				X	X	X				X	X	X	X	X			
0.015 µF	153	X	X				X	X	X				X	X	X	X				
0.018 µF	183	X	X				X	X	X				X	X	X	X				
0.022 µF	223	X	X				X	X	X				X	X	X	X				
0.027 µF	273	X	X				X	X	X				X	X	X	X				
0.033 µF	333	X	X				X	X	X				X	X	X	X				
0.039 µF	393	X	X				X	X					X	X	X	X				
0.047 µF	473	X	X				X	X					X	X	X					
0.056 µF	563	X	X				X	X					X	X	X					
0.068 µF	683	X					X	X					X	X	X					
0.082 µF	823	X					X	X					X	X	X					
0.1 µF	104	X					X	X					X	X						
0.12 µF	124	X					X	X					X	X						
0.15 µF	154	X					X						X	X						
0.18 µF	184	X					X						X	X						
0.22 µF	224						X						X	X						
0.27 µF	274						X						X	X						
0.33 µF	334						X						X	X						
0.39 µF	394						X						X	X						
0.47 µF	474												X	X						
0.56 µF	564												X	X						
0.68 µF	684												X	X						
0.82 µF	824												X							
1 µF	105												X							
1.2 µF	125												X							
1.5 µF	155												X							
Voltage		500	1k	2k	3k	4k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	7.5k	
Style		HV30					HV31						HV33							

Table 1A – HV Series X7R Waterfall cont.

Style		HV34							HV35							HV36								
Voltage		500	1k	2k	3k	4k	5k	7.5k	500	1k	2k	3k	4k	5k	7.5k	10k	500	1k	2k	3k	4k	5k	7.5k	10k
Capacitance	Capacitance Code																							
1,000 pF	102	X	X	X	X	X	X	X																
1,200 pF	122	X	X	X	X	X	X	X																
1,500 pF	152	X	X	X	X	X	X	X																
1,800 pF	182	X	X	X	X	X	X	X																
2,200 pF	222	X	X	X	X	X	X	X																
2,700 pF	272	X	X	X	X	X	X	X									X	X	X	X	X	X	X	X
3,300 pF	332	X	X	X	X	X	X	X									X	X	X	X	X	X	X	X
3,900 pF	392	X	X	X	X	X	X	X									X	X	X	X	X	X	X	X
4,700 pF	472	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
5,600 pF	562	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
6,800 pF	682	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
8,200 pF	822	X	X	X	X	X	X		X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
0.01 µF	103	X	X	X	X	X	X		X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
0.012 µF	123	X	X	X	X	X	X		X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
0.015 µF	153	X	X	X	X	X	X		X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
0.018 µF	183	X	X	X	X	X			X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
0.022 µF	223	X	X	X	X	X			X	X	X	X	X	X			X	X	X	X	X	X	X	X
0.027 µF	273	X	X	X	X	X			X	X	X	X	X	X			X	X	X	X	X	X	X	X
0.033 µF	333	X	X	X	X	X			X	X	X	X	X	X			X	X	X	X	X	X	X	
0.039 µF	393	X	X	X	X				X	X	X	X	X				X	X	X	X	X	X		
0.047 µF	473	X	X	X	X				X	X	X	X	X				X	X	X	X	X			
0.056 µF	563	X	X	X	X				X	X	X	X	X				X	X	X	X	X			
0.068 µF	683	X	X	X	X				X	X	X	X					X	X	X	X	X			
0.082 µF	823	X	X	X	X				X	X	X	X					X	X	X	X				
0.1 µF	104	X	X	X					X	X	X	X					X	X	X	X				
0.12 µF	124	X	X	X					X	X	X	X					X	X	X	X				
0.15 µF	154	X	X	X					X	X	X						X	X	X	X				
0.18 µF	184	X	X	X					X	X	X						X	X	X	X				
0.22 µF	224	X	X	X					X	X	X						X	X	X					
0.27 µF	274	X	X	X					X	X	X						X	X	X					
0.33 µF	334	X	X						X	X							X	X	X					
0.39 µF	394	X	X						X	X							X	X	X					
0.47 µF	474	X	X						X	X							X	X						
0.56 µF	564	X	X						X	X							X	X						
0.68 µF	684	X	X						X	X							X	X						
0.82 µF	824	X	X						X	X							X	X						
1 µF	105	X	X						X	X							X	X						
1.2 µF	125	X							X	X							X	X						
1.5 µF	155	X							X	X							X	X						
1.8 µF	185	X							X								X	X						
2.2 µF	225	X							X								X	X						
2.7 µF	275								X								X							
3.3 µF	335								X								X							
3.9 µF	395								X								X							
4.7 µF	475								X								X							
5.6 µF	565																X							
Voltage		500	1k	2k	3k	4k	5k	7.5k	500	1k	2k	3k	4k	5k	7.5k		500	1k	2k	3k	4k	5k	7.5k	
Style		HV34							HV35								HV36							

Table 1B – HV Series C0G Waterfall

Style		HV20				HV21				HV22				HV23				
Voltage		500	1k	2k	3k	500	1k	2k	3k	500	1k	2k	3k	500	1k	2k	3k	4k
Capacitance	Capacitance Code																	
12 pf	120	X	X	X	X													
15 pf	150	X	X	X	X													
18 pf	180	X	X	X	X													
22 pf	220	X	X	X	X	X	X	X	X									
27 pf	270	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
33 pf	330	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
39 pf	390	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
47 pf	470	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
56 pf	560	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
68 pf	680	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
82 pf	820	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
100 pf	101	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
120 pf	121	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
150 pf	151	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
180 pf	181	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
220 pf	221	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
270 pf	271	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
330 pf	331	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
390 pf	391	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X
470 pf	471	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X
560 pf	561	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X
680 pf	681	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X
820 pf	821	X	X			X	X	X	X	X	X	X	X	X	X	X	X	
1,000 pf	102	X	X			X	X	X	X	X	X	X	X	X	X	X	X	
1,200 pf	122	X	X			X	X	X		X	X	X	X	X	X	X	X	
1,500 pf	152	X	X			X	X	X		X	X	X		X	X	X	X	
1,800 pf	182	X	X			X	X	X		X	X	X		X	X	X	X	
2,200 pf	222	X	X			X	X	X		X	X	X		X	X	X	X	
2,700 pf	272	X				X	X	X		X	X	X		X	X	X		
3,300 pf	332	X				X	X			X	X	X		X	X	X		
3,900 pf	392	X				X	X			X	X			X	X	X		
4,700 pf	472	X				X	X			X	X			X	X	X		
5,600 pf	562					X	X			X	X			X	X	X		
6,800 pf	682					X				X	X			X	X			
7,500 pF	752					X				X				X	X			
8,200 pf	822					X				X				X	X			
0.01 µF	103					X				X				X	X			
0.012 µF	123									X				X	X			
0.015 µF	153									X				X	X			
0.018 µF	183									X				X	X			
0.022 µF	223													X				
0.027 µF	273													X				
0.033 µF	333													X				
Voltage		500	1k	2k	3k	500	1k	2k	3k	500	1k	2k	3k	500	1k	2k	3k	4k
Style		HV20				HV21				HV22				HV23				

Table 1B – HV Series C0G Waterfall cont.

Style		HV24						HV25						HV26					
Voltage		500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k
Capacitance	Capacitance Code																		
27 pf	270	X	X	X	X	X	X												
33 pf	330	X	X	X	X	X	X												
39 pf	390	X	X	X	X	X	X												
47 pf	470	X	X	X	X	X	X	X	X	X	X	X	X						
56 pf	560	X	X	X	X	X	X	X	X	X	X	X	X						
68 pf	680	X	X	X	X	X	X	X	X	X	X	X	X						
82 pf	820	X	X	X	X	X	X	X	X	X	X	X	X						
100 pf	101	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
120 pf	121	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
150 pf	151	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
180 pf	181	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
220 pf	221	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
270 pf	271	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
330 pf	331	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
390 pf	391	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
470 pf	471	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
560 pf	561	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
680 pf	681	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
820 pf	821	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,000 pf	102	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,200 pf	122	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,500 pf	152	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,800 pf	182	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X
2,200 pf	222	X	X	X	X			X	X	X	X			X	X	X	X	X	X
2,700 pf	272	X	X	X	X			X	X	X	X			X	X	X	X	X	X
3,300 pf	332	X	X	X	X			X	X	X	X			X	X	X	X	X	X
3,900 pf	392	X	X	X	X			X	X	X	X			X	X	X	X	X	X
4,700 pf	472	X	X	X	X			X	X	X	X			X	X	X	X		
5,600 pf	562	X	X	X				X	X	X	X			X	X	X	X		
6,800 pf	682	X	X	X				X	X	X				X	X	X	X		
7,500 pF	752	X	X	X				X	X	X				X	X	X	X		
8,200 pf	822	X	X	X				X	X	X				X	X	X	X		
0.01 µF	103	X	X	X				X	X	X				X	X	X			
0.012 µF	123	X	X					X	X	X				X	X	X			
0.015 µF	153	X	X					X	X					X	X	X			
0.018 µF	183	X	X					X	X					X	X	X			
0.022 µF	223	X	X					X	X					X	X	X			
0.027 µF	273	X	X					X	X					X	X				
0.033 µF	333	X	X					X	X					X	X				
0.039 µF	393	X	X					X	X					X	X				
0.047 µF	473	X	X					X	X					X	X				
0.056 µF	563	X												X	X				
0.068 µF	683	X												X	X				
0.082 µF	823													X					
0.1 µF	104	X												X					
Voltage		500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k
Style		HV24						HV25						HV26					

Table 1B – HV Series C0G Waterfall cont.

Style		HV30					HV31						HV33						
Voltage		500	1k	2k	3k	4k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	7.5k
Capacitance	Capacitance Code																		
10 pf	100					X													
12 pf	120					X													
15 pf	150	X	X	X	X	X													
18 pf	180	X	X	X	X	X													
22 pf	220	X	X	X	X	X	X	X	X	X	X	X							
27 pf	270	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
33 pf	330	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
39 pf	390	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
47 pf	470	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
56 pf	560	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
68 pf	680	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
82 pf	820	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
100 pf	101	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
120 pf	121	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
150 pf	151	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
180 pf	181	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
220 pf	221	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
270 pf	271	X	X	X	X		X	X	X	X			X	X	X	X	X	X	X
330 pf	331	X	X	X	X		X	X	X	X			X	X	X	X	X	X	X
390 pf	391	X	X	X	X		X	X	X	X			X	X	X	X	X	X	X
470 pf	471	X	X	X	X		X	X	X	X			X	X	X	X	X	X	X
560 pf	561	X	X	X	X		X	X	X	X			X	X	X	X	X	X	X
680 pf	681	X	X	X	X		X	X	X	X			X	X	X	X	X	X	X
820 pf	821	X	X	X			X	X	X	X			X	X	X	X	X	X	
1,000 pf	102	X	X	X			X	X	X	X			X	X	X	X	X	X	
1,200 pf	122	X	X	X			X	X	X	X			X	X	X	X	X	X	
1,500 pf	152	X	X	X			X	X	X	X			X	X	X	X	X	X	
1,800 pf	182	X	X	X			X	X	X	X			X	X	X	X			
2,200 pf	222	X	X				X	X	X	X			X	X	X	X			
2,700 pf	272	X	X				X	X	X				X	X	X	X			
3,300 pf	332	X	X				X	X	X				X	X	X	X			
3,900 pf	392	X	X				X	X	X				X	X	X	X			
4,700 pf	472	X	X				X	X	X				X	X	X	X			
5,600 pf	562	X	X				X	X	X				X	X	X	X			
6,800 pf	682						X	X					X	X	X	X			
7,500 pF	752						X	X					X	X	X				
8,200 pf	822						X	X					X	X	X				
0.01 µF	103						X	X					X	X	X				
0.012 µF	123						X	X					X	X	X				
0.015 µF	153						X						X	X	X				
0.018 µF	183						X						X	X	X				
0.022 µF	223						X						X	X					
0.027 µF	273						X						X	X					
0.033 µF	333						X						X	X					
0.039 µF	393												X	X					
0.047 µF	473												X	X					
0.056 µF	563												X						
0.068 µF	683												X						
0.082 µF	823												X						
0.1 µF	104												X						
Voltage		500	1k	2k	3k	4k	500	1k	2k	3k	4k	5k	500	1k	2k	3k	4k	5k	7.5k
Style		HV30					HV31						HV33						

Table 1B – HV Series C0G Waterfall cont.

Style		HV34							HV35								HV36								
Voltage		500	1k	2k	3k	4k	5k	7.5k	500	1k	2k	3k	4k	5k	7.5k	100k	500	1k	2k	3k	4k	5k	7.5k	100k	
Capacitance	Capacitance Code																								
39 pf	390	X	X	X	X	X	X	X																	
47 pf	470	X	X	X	X	X	X	X							X	X									
56 pf	560	X	X	X	X	X	X	X							X	X									
68 pf	680	X	X	X	X	X	X	X							X	X									
82 pf	820	X	X	X	X	X	X	X					X	X	X	X									
100 pf	101	X	X	X	X	X	X	X					X	X	X	X									
120 pf	121	X	X	X	X	X	X	X																	
150 pf	151	X	X	X	X	X	X	X					X	X	X	X									
180 pf	181	X	X	X	X	X	X	X					X	X	X	X									
220 pf	221	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X									
270 pf	271	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
330 pf	331	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
390 pf	391	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
470 pf	471	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
560 pf	561	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
680 pf	681	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
820 pf	821	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
1,000 pf	102	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
1,200 pf	122	X	X	X	X	X	X		X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	
1,500 pf	152	X	X	X	X	X	X		X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	
1,800 pf	182	X	X	X	X	X	X		X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	
2,200 pf	222	X	X	X	X	X	X		X	X	X	X	X	X			X	X	X	X	X	X	X	X	
2,700 pf	272	X	X	X	X	X	X		X	X	X	X	X	X			X	X	X	X	X	X	X	X	
3,300 pf	332	X	X	X	X				X	X	X	X	X	X			X	X	X	X	X	X	X	X	
3,900 pf	392	X	X	X	X				X	X	X	X	X	X			X	X	X	X	X	X	X	X	
4,700 pf	472	X	X	X	X				X	X	X	X					X	X	X	X	X	X	X	X	
5,600 pf	562	X	X	X	X				X	X	X	X					X	X	X	X	X	X	X	X	
6,800 pf	682	X	X	X	X				X	X	X	X					X	X	X	X	X	X	X	X	
7,500 pF	752	X	X	X	X				X	X	X	X					X	X	X	X	X	X	X	X	
8,200 pf	822	X	X	X	X				X	X	X	X					X	X	X	X	X				
0.01 µF	103	X	X	X	X				X	X	X	X					X	X	X	X	X				
0.012 µF	123	X	X	X	X				X	X	X	X					X	X	X	X					
0.015 µF	153	X	X	X	X				X	X	X	X					X	X	X	X					
0.018 µF	183	X	X	X					X	X	X	X					X	X	X	X					
0.022 µF	223	X	X	X					X	X	X	X					X	X	X	X					
0.027 µF	273	X	X						X	X	X						X	X	X	X					
0.033 µF	333	X	X						X	X	X						X	X	X						
0.039 µF	393	X	X						X	X	X						X	X	X						
0.047 µF	473	X	X						X	X	X						X	X	X						
0.056 µF	563	X	X						X	X							X	X	X						
0.068 µF	683	X							X	X							X	X							
0.082 µF	823	X							X	X							X	X							
0.1 µF	104	X							X	X							X	X							
0.12 µF	124	X							X	X							X	X							
0.15 µF	154	X							X	X							X	X							
0.18 µF	184								X								X								
0.22 µF	224								X								X								
0.27 µF	274								X								X								
0.33 µF	334																X								
0.39 µF	394																X								
Voltage		500	1k	2k	3k	4k	5k	7.5k	500	1k	2k	3k	4k	5k	7.5k	100k	500	1k	2k	3k	4k	5k	7.5k	100k	
Style		HV34							HV35								HV36								

Packaging Quantities

Style	Waffle Pack Quantity	Style	Waffle Pack Quantity
HV20	56	HV30	28
HV21	28	HV31	20
HV22	28	HV33	20
HV23	28	HV34	4
HV24	20	HV35	4
HV25	20	HV36	4
HV26	20	–	–


Soldering Process

Recommended Soldering Technique:

- Solder Wave
- Hand Soldering (Manual)

Recommended Soldering Profile:


- Optimum Wave Solder Profile



Soldering Process cont.

- Hand Soldering (Manual)

Manual Solder Profile with Pre-heating



KEMET recommends following the guidelines and techniques outlined in technical bulletins F2103 and F9207.

Table 2 – Performance & Reliability: Test Methods and Conditions

Stress	Reference	Test or Inspection Method	Limits										
Visual & Mechanical	KEMET Internal	No defects that may affect performance (10X)	Dimensions according KEMET Spec Sheet										
Capacitance (Cap)	"MIL-STD-202 Method 305"	C ≤ 100 pF: 1 MHz ± 100 kHz and 1.0 ±0.2 Vrms C > 100 pF: 1 kHz ±100 Hz and 1.0 ±0.2 Vrms	Dimensions according KEMET Spec Sheet										
Dissipation Factor (DF)	KEMET Internal	C ≤ 100 pF: 1 MHz ± 100 kHz and 1.0 ±0.2 Vrms C > 100 pF: 1 kHz ±100 Hz and 1.0 ±0.2 Vrms	X7R: 2.5% C0G: 0.15%										
Insulation Resistance (IR)	"MIL-STD-202 Method 302"	500 VDC applied for 120 ±5 seconds at 25°C	Within Specification To obtain IR limit, divide MΩ-μF value by the capacitance and compare to GΩ limit. Select the lower of the two limits. 1,000 MΩ microfarads or 100 GΩ, whichever is less.										
Temperature Coefficient of Capacitance (TCC)	KEMET Internal	Capacitance change with reference to +25°C and 0 VDC applied. * See part number specification sheet for voltage <table><thead><tr><th>Step</th><th>Temperature (°C)</th></tr></thead><tbody><tr><td>1</td><td>+25°C</td></tr><tr><td>2</td><td>-55°C</td></tr><tr><td>3</td><td>+25°C (Reference)</td></tr><tr><td>4</td><td>+125°C</td></tr></tbody></table>	Step	Temperature (°C)	1	+25°C	2	-55°C	3	+25°C (Reference)	4	+125°C	C0G: 0 ppm/°C ±30 ppm/°C X7R: ±15%
Step	Temperature (°C)												
1	+25°C												
2	-55°C												
3	+25°C (Reference)												
4	+125°C												

Table 2 – Performance & Reliability: Test Methods and Conditions cont.


Dielectric Withstanding Voltage (DWV)	KEMET Internal	150% of rated voltage for voltage rating of $500\text{ V} \leq V < 1,000\text{ V}$ 120% of rated voltage for voltage rating of $\geq 1,000\text{ V}$ (5 $\pm$ 1 seconds and charge/discharge not exceeding 50 mA at 25°C)	Withstand test voltage without insulation breakdown or damage.
Aging Rate (Maximum % Capacitance Loss/Decade Hour)	KEMET Internal	Capacitance measurements (including tolerance) are indexed to a referee time of 48 or 1,000 hours. Please refer to a part number specific datasheet for referee time details.	Please refer to a part number specification sheet for specific Aging rate
Terminal Strength	MIL-STD-202 Method 211	Applied force: 5 pounds (2.3 kg)	No evidence of mechanical damage
Solderability	MIL-STD-202 Method 208	Condition: 4 hours $\pm$ 15 minutes at 155°C dry bake apply all methods Test 245 $\pm$ 5°C (SnPb & Pb-Free)	Visual Inspection. 95% coverage on termination. No leaching
Temperature Cycling	JESD22 Method JA-104	1,000 cycles (-55°C to +125°C) 2 - 3 cycles per hour Soak Time: 1 or 5 minutes	Measurement at 24 hours +/- 4 hours after test conclusion. Cap: Initial Limit DF: Initial Limit IR: Initial Limit
Biased Humidity	"MIL-STD-202 Method 103"	Load Humidity: 1,000 hours 85°C/85% RH and rated voltage. Low Volt Humidity: 1,000 hours 85°C/85% RH and 1.5 V.	Measurement at 24 hours $\pm$ 4 hours after test conclusion. Within Post Environmental Limits For C0G dielectric: Cap: $\pm$ 0.3% or $\pm$ 0.25 pF shift IR: 10% of Initial Limit DF Limits Maximum: 0.5% For X7R dielectric: Cap: $\pm$ 20% shift IR: 10% of Initial Limit DF Limits Maximum: 3%
High Temperature Life	MIL-STD-202 Method 108	1,000 hours at 125°C with rated voltage applied.	Measurement at 24 hours $\pm$ 4 hours after test conclusion. Within Post Environmental Limits For C0G dielectric: Cap: $\pm$ 0.3% or $\pm$ 0.25 pF shift IR: 10% of Initial Limit DF Limits Maximum: 0.5%
Storage Life		Unpowered 1,000 hours at 125°C.	For X7R dielectric: Cap: $\pm$ 20% shift IR: 10% of Initial Limit DF Limits Maximum: 3%
Vibration	MIL-STD-202 Method 204	5 g's for 20 minutes, 12 cycles each of 3 orientations. Test from 10 – 2,000 Hz	Cap: Initial Limit DF: Initial Limit IR: Initial Limit
Mechanical Shock	MIL-STD-202 Method 213	100 g's 6 ms Half-sine, Velocity Change 12.3 feet/second (Condition C)	Cap: Initial Limit DF: Initial Limit IR: Initial Limit
Resistance to Solvents	MIL-STD-202 Method 215	Add Aqueous wash chemical OKEMCLEAN (A 6% concentrated Oakite cleaner) or equivalent. Do not use banned solvents	Capacitors shall be visually examined for evidence of mechanical damage and marking.

Storage & Handling


The un-mounted storage life of a leaded ceramic capacitor is dependent upon storage and atmospheric conditions as well as packaging materials. While the ceramic chips enveloped under the epoxy coating themselves are quite robust in most environments, solderability of the wire lead on the final epoxy-coated product will be degraded by exposure to high temperatures, high humidity, corrosive atmospheres, and long term storage. In addition, packaging materials will be degraded by high temperature and exposure to direct sunlight—reels may soften or warp, and tape peel force may increase.

KEMET recommends storing the un-mounted capacitors in their original packaging, in a location away from direct sunlight, and where the temperature and relative humidity do not exceed 40 degrees centigrade and 70% respectively. For optimum solderability, capacitor stock should be used promptly, preferably within 18 months of receipt. For applications requiring pre-tinning of components, storage life may be extended if solderability is verified. Before cleaning, bonding or molding these devices, it is important to verify that your process does not affect product quality and performance. KEMET recommends testing and evaluating the performance of a cleaned, bonded or molded product prior to implementing and/or qualifying any of these processes.

Construction



Marking



Date Code	
19	20
Manufacturing Year: 19 = 2019	Manufacturing Week: 20 = Week 20 (of manufacturing calendar year)

KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

YAGEO Corporation and its affiliates do not recommend the use of commercial or automotive grade products for high reliability applications or manned space flight.

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicated or that other measures may not be required.

KEMET is a registered trademark of KEMET Electronics Corporation.