

RFM Integrated Device, Inc.

PRODUCT SPECIFICATION

Part Number: XTC4004

TCXO,32.768 KHz, +/- 1.5 ppm max @ 25°C +/- 3°C

SMD 3.2x2.5 32.768KHz TCXO

Features:

- Miniature SMD Package
- Moisture Sensitivity Level: 2



Description and Applications:


Surface mount 3.2mmx2.5mmm TCXO

Electrical Specifications:


XTC4004	Specifications					
Nominal Frequency, Fo	32.768 KHz					
Storage Temperature Range	-55°C to +85°C					
Operating Temperature Range	-40°C to +85°C					
Power Supply Voltage, Vdd	3.3V +/- 5%					
Output Waveform	CMOS Square Wave					
Output Load	15pF					
"0" Level "1" Level	0.4V max IoL=0.1mA Vdd-0.4V min Iон=-0.1mA					
Power Supply Current, Icc	1uA typical 2uA max without load					
Initial Frequency Tolerance	+/- 1.5 ppm max @ 25°C +/- 3°C					
Duty Cycle	40% ~ 60% Typical					
Rise Time (20% -> 80% of final RF level in Vp-p) Fall Time (80% -> 20% of final RF level in Vp-p)	100 nsec max. 100 nsec max.					
Frequency Stability a. Vs. Temperature (-40~85°C) b. Vs. Load varied 15pF +/-10% c. Vs. Supply Voltage Delta Freq/V	+/- 5 ppm +/- 0.2 ppm +/- 1 ppm/V					
Timing error over time	+/-0.432 sec/day max per day +/-12.960 sec/month max per month +/-2.628 min/year max per year					
Supply Voltage Variation	0.25 V max					
Reflow	+/-1 ppm max					
Start –Up Time	1 s max @ 25°C, 3 s max over-40°C to +85°C					
Aging	+/-3 ppm per years					

Tri-State	
Enable Voltage (High)	80% Vdd min
Disable Voltage (Low) output Tri-state	20% Vdd max
Open	Forbidden

Mechanical Dimensions (mm):




Block Diagram



Marking:

Line 1: 32 + Product Code + Date Code + Traceability code (1 or 2 letters)



Product Code Table


Year	2005	2006	2007	2008
	2009	2010	2011	2012
	2013	2014	2015	2020
Product Code	X	X	<u>X</u>	<u>x</u>

Date Code Table


Date Co	Date Code Table											
WK01	WK02	WK03	WK04	WK05	WK06	WK07	WK08	WK09	WK10	WK11	WK12	WK13
Α	В	С	D	Ε	F	G	Н	I	J	K	L	М
WK14	WK15	WK16	WK17	WK18	WK19	WK20	WK21	WK22	WK23	WK24	WK25	WK26
N	0	Р	Q	R	S	T	U	ν	W	Х	Y	Z
WK27	WK28	WK29	WK30	WK31	WK32	WK33	WK34	WK35	WK36	WK37	WK38	WK39
a	b	С	d	е	f	g	h	i	j	k	- 1	m
WK40	WK41	WK42	WK43	WK44	WK45	WK46	WK47	WK48	WK49	WK50	WK51	WK52
n	0	р	q	r	s	t	u	ν	w	х	У	Z

Packing (mm):


1. Reel Dimension



2. Tape Dimension



Reflow Profile:



Notes of the Usage:

- 1. Touch the solder iron at 260+/-5 deg C onto the leads for 10+/-2 sec max or touch the solder at 350+/-5 deg C onto the leads for 3+/-0.5 sec.
- 2. In the customer's reflow process, if it will remain some mechanical stress at the soldering terminals, also make some cracks on the soldering termination. Some cracks will cause open or short circuit and cause of thermal increasing or smoking. Don't make any excess mechanical stress to soldering points.
- 3. In case of giving a heavy shock to the products, it may make an open or short circuit and cause of thermal increasing and smoking. To avoid heavy shock impact applying to products is strictly required.
- 4. Ultrasonic cleaning should be avoided to prevent damage to the TCXO.
- 5. Do Not Use Ultrasonic-Wave Soldering or Wave Solder with Package Immersed in Solder.

Notes of the Storage:

- 1. To keep products under the condition at the room temperature (-5~35 deg C) with normal humidity (45~75%). Absorption of moisture and dewdrop may make inferiority of characteristics and a short circuit.
- Oxidization of terminals shall make the solderability more inferior. Dusts and corrosive gas
 will make a cause of the open or short circuit. Keep it in the clean place where is not in
 dusty and no corrosive gas.
- 3. Use the anti-static material to the storage package.
- 4. Don't put any excess weight to the TCXO in the storage process.
- 5. Don't move the product from the cold place to the hot place in the short time, otherwise it may make some dew-drop, then a short circuit may happen in case.
- 6. Storage periods should be maximum 6 months under condition of above item 1 after delivery from the factory.
- 7. Once open the bag, there is possibility of electrical characteristics deterioration due to absorption of moisture. So, please use parts within 7 days after opening the bag.
- 8. If you have to keep parts without using after opening the bag, please put the drying agent in the bag, fold the bag and keep it in the place where temperature and humidity are controlled (nitrogen atmosphere box etc.)