

承認書

SPECIFICATION FOR APPROVAL

CUSTOMER:		
CUSTOMER P/N:		
CUSTOMER PART		
DESCRIPTION:	SMD INDUCTOR	
PRODUCTS NO:	BCRH84T-931M	
FIRST DATE:	2021-2-25	BC REV: X1
DATE:	2021-2-25	

PURCHASER CONFIRMED		

REMARK

PROVIDER ENGINEER DEPT.		
APPROVAL BY	CHECK BY	DRAWN BY
Ouyangweijun	Ouyangweijun	chenlinli



誠陽實業有限公司

TAIPEI OFFICE TAIWAN CHENG YANG COMPONENT CORP

2F-1, NO. 176, China-Yi Road., Zhonghe District, New Taipei City, TAIWAN(R.O.C)

新北市中和區建一路176號2樓之一

POSTAL CODE: 23500

TEL NO.:+886-2- 8228-0930 FAX NO.:+886-2-8228-0929 E-mail:h21803@ms29.hinet.net



寶誠電子有限公司

CHINA FACTORY ZHUHAI BAO CHENG ELECTRONICSCO.,LTD

Guan Tang Industrial Park, Tang Jia Wan Town, Zhuhai City, Guangdong Province,

中國廣東省珠海市塘家灣鎮官塘工業區

POSTAL CODE: 519085

TEL NO:86-756-3383187 FAX NO:86-756-3380704 E-mail: baocheng@baocheng.biz



昆山誠陽電子有限公司

CHINA FACTORY KUNSHAN CHENG YANG ELECTRONICSCO.,LTDP

江蘇省昆山市高科技工業園區強安路35號

POSTAL CODE: 215300

TEL NO:86-512-57823500 FAX NO:86-512-57823503 E-mail: kscy@taiwan-chengyang.com.tw

REVISION NOTES


[illegible]

TEST DATA

DIMENSION&ELECTRIC CHARACTER

CUSTOMER:	0	PART NO.:	
CUSTOMER :	SMD INDUCTOR	SERIES NO:	BCRH84T-931M

1.外观尺寸



2.绕线表

序号	绕组	线径规格	圈数
1	2-1	G1-Hφ0.5mm	89TS
2	4-3	G1-Hφ0.5mm	19TS
3	8-5	G1-Hφ0.5mm	187TS

3.电气参数表


序 号	测 试 项 目	测 试 端	技 术 要 求	测 试 条 件	测 试 仪 器
1	电感量	PIN 2-1	930uH±25%	1KHz, 0.25V T=25℃	UC2869XB
		PIN 4-3	39uH±25%		
		PIN 8-5	3.6mH±25%		
2	直流电阻	PIN 2-1	10.7 Ω max	T=25℃	
		PIN 4-3	2.6 Ω max		
		PIN 8-5	30.3 Ω max		
6	抗电强度	COIL-CORE	无击穿或拉弧现象	AC 50Hz 0.5KV/1mA /2S	---

TEST DATA

DIMENSION&ELECTRIC CHARACTER

CUSTOMER:	0	PART NO.:	
CUSTOMER :	SMD INDUCTOR	SERIES NO:	BCRH84T-931M

4.焊接条件



5.工作及存储条件

工 作

- 储存条件：
- 1. 温度及湿度条件小于40℃和70%RH；
 - 2. 建议货到6个月内使用；
 - 3. 包装材料应避免含氯和硫的环境。




APPROVED BY	CHECKED BY	PREPARED BY
Ouyangweijun	Ouyangweijun	chenlinli

TEST DATA

DIMENSION&ELECTRIC CHARACTER

CUSTOMER:	0	PART NO.:	
CUSTOMER :	SMD INDUCTOR	SERIES NO:	BCRH84T-931M

6.包装方式



1. 拉力测试范围在：10g-130g
2. 每盘数量 1000PCS;

APPROVED BY	CHECKED BY	PREPARED BY
Ouyangweijun	Ouyangweijun	chenlinli