

Note: This datasheet may be out of date. Please download the latest datasheet of DLW43SH101XP2# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DLW43SH101XP2%23

"#" indicates a package specification code.

DLW43SH101XP2#









< List of part numbers with package codes >

DLW43SH101XP2B


DLW43SH101XP2K

DLW43SH101XP2L



Appearance & Shape







Applications

Automotive Usage Powertrain/Safety



Packaging Information

| Packaging | Specifications | Standard Packing Quantity |
|-----------|---------------------|---------------------------------|
| В | Bulk(Bag) | 100 |
| K | 330mm Embossed Tape | 2500 |
| L | 180mm Embossed Tape | 500 |



Features

- 1. Small size: L4.5xW3.2xT2.7mm (ElAcode: 1812) Tolerance: +/-0.2mm
- 2. It realized common mode inductance of 100microH (at 0.1MHz) though it is small size.
- 3. Suitable for noise suppression from low frequency range (0.1MHz).

Applications

For Automotive.

Common mode noise suppression of automotive LAN for Flex Ray etc.

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





DLW43SH101XP2#

Note: This datasheet may be out of date.

Please download the latest datasheet of DLW43SH101XP2# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DLW43SH101XP2%23

"#" indicates a package specification code.



Specifications

| Shape | SMD | |
|--|----------------------------|--|
| Size Code (in mm) | 4532 | |
| Size Code (in inch) | 1812 | |
| Length | 4.5mm | |
| Length Tolerance | ±0.2mm | |
| Width | 3.2mm | |
| Width Tolerance | ±0.2mm | |
| Thickness | 2.7mm | |
| Thickness Tolerance | ±0.2mm | |
| Rated Current | 170mA | |
| Derating of Rated Current | No | |
| Rated Voltage | 50Vdc | |
| Withstanding Voltage | 125Vdc | |
| DC Resistance(max.) | 2Ω | |
| DC Resistance | 2.0Ω max. | |
| Insulation Resistance(min.) | 10ΜΩ | |
| Operating Temperature Range | -40°C to 125°C | |
| Mass(typ.) | 0.17g | |
| Number of Circuit | 1 | |
| Common Mode Inductance | 100μH-30%/+80% (at 0.1MHz) | |
| Operating Temperature Range(Self-temperature rise is included) | No | |

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





DLW43SH101XP2#


Note: This datasheet may be out of date.


Please download the latest datasheet of DLW43SH101XP2# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DLW43SH101XP2%23

"#" indicates a package specification code.







Impedance-Frequency Characteristics

Equivalent Circuit

3 of 3

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

