

PRODUCT-DETAILS

SJ202-C63

SJ202-C63 Miniature Circuit Breaker - 2P - C - 63 A



Model	SJ202-C63
Part Number	2TAZ141200R0634
EAN	6957625328641
Product Name	SJ202-C63 Miniature Circuit Breaker - 2P - C - 63 A
Product Description	Miniature Circuit Breaker - SJ200 - 2P - C - 63 A

Standard	IEC/EN 60898-1 GB 10963
Curve	C
Rated Voltage (U _r)	440 V
Rated Voltage (U _n)	400 V AC
Rated Voltage (U _i)	440 V
Rated Voltage (U _{imp})	4 kV
Rated Current (I _n)	63 A
Rated Current (I _{nc})	(400 V) 6 kA
Rated Current (I _{nc})	(400 V) 6 kA
Frequency (f)	50...60 Hz

频率 (f)	50-60 Hz
极数	3
相数	2
额定电压	2
额定电流	III
额定功率	C
Accessories Available	No
导体截面	Rigid 0 ... 25 mm² Flexible 0 ... 25 mm²

环境温度	
环境温度	-25...55 °C
运行环境温度	Operation -25...55 °C
防护等级	IP20
额定频率	2
RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS	9AKK108467A0533
REACH Declaration	CNIIB22EDMCB0928
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

尺寸	
额定电压 (U _N)	2
额定电压	0.035 m
额定电压	0.088 m
额定电压	0.044 m
额定电压	0.215 kg
重量 (m ₂)	69 mm

尺寸	
重量	1 piece

认证	
认证 - CE	No declaration needed

Installation	
安装文件	No document needed

Popular Downloads	
下载文件	1SXF400005C2013

☐☐		
ETIM 8	EC000042 - Miniature circuit breaker (MCB)	
ETIM 9	EC000042 - Miniature circuit breaker (MCB)	
WEEE ☐☐	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Business	
CN8	85362010	
e☐	V11.0 : 27141901	

☐☐		
----	--	--

☐☐☐☐☐☐ → ☐☐☐☐☐ → Miniature Circuit Breakers MCBs → ☐☐☐☐☐

