

CSG-UFFR-100-UFFR

✓ ACTIVE

TE Internal #: CSG-UFFR-100-UFFR
.328 ft [.1 m], 6 GHz Operating Frequency, 50 Ω, UMCC Plug,
UMCC Plug
[View on TE.com >](#)



Cable Assemblies > RF Cable Assemblies



Connector Type (End A): **UMCC Plug**
Cable Assembly Length: **.1 m [.328 ft]**
Connector Type (End B): **UMCC Plug**
Impedance: **50 Ω**
Operating Frequency: **6 GHz**

Features

Product Type Features

Coax Cable Type	1.37 mm
Connector Type (End A)	UMCC Plug
Connector Type (End B)	UMCC Plug

Configuration Features

Number of Connectorized Ends	2
------------------------------	---

Electrical Characteristics

Impedance	50 Ω
-----------	------

Body Features

Body Plating Material	Gold
-----------------------	------

Contact Features

Center Contact Plating	Gold
------------------------	------

Operation/Application

Operating Frequency	6 GHz
---------------------	-------

Other

Cable Assembly Length	.1 m[.328 ft]
-----------------------	---------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # CONMHF1-SMD-G-T
U.FL/MHF1 Jack 50 Ohm PCB Surface Mount



TE Part # CONMHF1-SMD-T
U.FL/MHF1 Jack 50 Ohm PCB Surface Mount



TE Part # CONUFL001-SMD
Conn UFL MHF Straight PCB Mount Jack



TE Part # CONUFL001-SMD-T
U.FL/MHF1 Jack 50 Ohm PCB Surface Mount

Customers Also Bought



TE Part #179228-7
CT CRIMP-2 REC HSG 7P NATURAL



TE Part #4-2176091-9
RP 2A 0.25W 182R 0.1% 25PPM 1K RL



TE Part #2316102-3
3P,2MM,REC,HSG,SR,CRIMP,PLAIN, BOX



TE Part #2-2316113-3
2MM,REC,CNT,CRIMP,24-28AWG,TIN, LP






TE Part #9-2176305-4
RP 1E 0.1W 1K0 0.1% 25PPM 5K RL



TE Part #605262-1
FUSION TAPE, 1" X .020" X 10FT



TE Part #ADP-SMAM-UFLF
SMA Plug to U.FL/MHF1 Jack



TE Part #CSH-SGFB-100-UFFR
SMA to U.FL/MHF1 100mm 1.32 OD

Documents

Product Drawings
U.FL/MHF1 to U.FL/MHF1 100mm 1.37 OD
English

Datasheets & Catalog Pages
U.FL Plug to U.FL Plug Cable Assembly
English