



Nanonics | [CeeLok FAS-T Connector](#), [CeeLok FAS-T Nano Connector](#)

TE Internal #: 1925261-1

Standard Circular Connectors, Wire-to-Board, 8 Position, Electroless Nickel, Size 3.5, Contacts Preloaded, Receptacle, CeeLok FAS-T Connector

[View on TE.com >](#)

Connectors > Circular Connectors > Standard Circular Connectors



Connector System: **Wire-to-Board**

Number of Positions: **8**

Shell Plating Material: **Electroless Nickel**

Circular Connector Shell Size: **3.5**

Contacts Preloaded: **Yes**

## Features

### Product Type Features

Product Type	Connector Assembly
Connector System	Wire-to-Board
Circular Connector Type	Receptacle

### Configuration Features

Number of Positions	8
Contacts Preloaded	Yes

### Signal Characteristics

Data Rate	10 Gb/s
-----------	---------

### Body Features

Shell Plating Material	Electroless Nickel
------------------------	--------------------

### Housing Features

Circular Connector Shell Size	3.5
-------------------------------	-----

### Packaging Features

Packaging Quantity	1
--------------------	---

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | CeeLok FAS-T Connector




Standard Circular Connectors(48)

Also in the Series | CeeLok FAS-T Nano Connector




Standard Circular Connectors(48)


## Customers Also Bought




TE Part #2-1589483-7  
STL065L2HN = SMT CONN



TE Part #9-1589476-1  
STM015SC2DX010N = WDUALOBE




TE Part #8-1589946-7  
STM025PCODM018N = WDUALOBE



TE Part #5-1589474-5  
STM037PC2DM024N = WDUALOBE



TE Part #CZ2802-000  
44AM1111-24-6-9CS2275B



TE Part #C31298-000  
55PC0121-22-2/6



TE Part #AAG3917-000  
BTH1-25-14-1-ZN



TE Part #EK4908-000  
BTH3-11-06-1-ZN-SB



TE Part #AAE2921-000  
BTH3-21-16-2-Z



TE Part #388236-000  
44A1111-16-3-9

## Documents

### Product Drawings

[QCM008M5P = Circular](#)

English

### CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1925261-1\\_A\\_c-1925261-1-a.2d\\_dxf.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1925261-1\\_A\\_c-1925261-1-a.3d\\_igs.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1925261-1\\_A\\_c-1925261-1-a.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

QCM008M5P

Standard Circular Connectors, Wire-to-Board, 8 Position, Electroless Nickel, Size 3.5,  
Contacts Preloaded, Receptacle, CeeLok FAS-T Connector



## Product Specifications

### Product Specification

English