

2205066-3

✓ ACTIVE

Micro-MaTch | Micro-MaTch Industrial

TE Internal #: 2205066-3


MICRO-MATCH MOW Cable Assembly, 16 Positions, .656 ft [.2 m],

Gray Cable, Equalized, 28 AWG, 159.8 – 159.88 mm<sup>2</sup>, Ribbon

Cable, MICRO-MATCH MOW Plug

[View on TE.com >](#)

Cable Assemblies &gt; Copper Cable Assemblies &gt; Pluggable I/O Cable Assemblies &gt; MICRO-MATCH STD MOW TO MOW CABLE ASSY



Cable Assembly Type: MICRO-MATCH MOW

Keyed Position: 1

Equalized: Yes

Wire Size: 159.8 – 159.88 mm<sup>2</sup>[All MICRO-MATCH STD MOW TO MOW CABLE ASSY \(27\)](#)

## Features

### Product Type Features

Cable Assembly Category	Industry Standard
Cable Assembly Type	MICRO-MATCH MOW
Connector Type (End A)	MICRO-MATCH MOW Plug
Connector Type (End B)	MICRO-MATCH MOW Plug
Cable Style	Ribbon Cable

### Configuration Features

Keyed Position	1
Number of Positions	16
Number of Signal Positions	16

### Body Features

Equalized	Yes
Cable Color	Gray
Cable Flammability Rating	UL 2651

### Mechanical Attachment

Mating Alignment	With
------------------	------

### Dimensions

Wire Size	159.8 – 159.88 mm <sup>2</sup>
-----------	--------------------------------

### Operation/Application

Shielded	No
Halogen Free	No

### Other

Cable Assembly Configuration	Double Ended
Cable Assembly Length	.2 m [.656 ft]

### Product Compliance


For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts




TE Part # CAT-M5833-F3492A  
Female-on-Board Connector, Top Entry

## Also in the Series | Micro-MaTch Industrial




Board-In Connectors(20)




Insertion & Extraction Tools(1)




PCB Headers & Receptacles(1)



Pluggable I/O Cable Assemblies(52)



Ribbon Cable Connectors(185)



Wire-to-Board Connector Contacts(4)


## Customers Also Bought



TE Part # 6609036-6  
6VSK3=F7239 SO



TE Part #2205067-3  
CA MICRO-MATCH MOW-MOW  
18POS



TE Part #280615-1  
02P MOD 1 ASSY.



TE Part #969007-1  
TIMER, RECEPTACLE AND TAB




TE Part #1-2141857-3  
AMP MCP 2.8, CONTACT



TE Part #1571610-1  
Sealed R/A Tact switch, Sealed



TE Part #1634202-2  
PRGSA1-16F-BB0AW



TE Part #HUM-868-PRO  
Module HUM-PRO 868MHz FHSS FM  
XCVR

## Documents

### Product Drawings

[CA MICRO-MATCH MOW-MOW 16POS](#)

English

---

### Product Specifications

[Application Specification](#)

English

[micro match miniature connector system](#)

English