




Connectors > Lighting Connectors > Street Lighting Controls > Street Lighting Power Management



Number of Positions: 3

Sealable: No

Features

Product Type Features

Sealable	No
----------	----

Configuration Features

Number of Positions	3
---------------------	---

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2314786-1
LUMAWISE N ENHANCED BASE, FM ON, ZC YES



TE Part # 1-2314786-2
LUMAWISE N ENHANCED BASE, FM OFF, ZC YES




TE Part # 2314786-2
LUMAWISE N ENHANCED BASE, FM OFF, ZC YES




TE Part # 2314786-1
LUMAWISE N ENHANCED BASE, FM ON, ZC YES


Also in the Series | LUMAWISE Endurance N




ANSI Street Lighting Accessories(18)




ANSI Street Lighting Base Assemblies (13)



ANSI Street Lighting Receptacles(25)




Street Lighting Open & Shorting Caps (3)




Street Lighting Power Management(6)

Customers Also Bought







TE Part #2213362-2
Rcpt Assy, Dimmable Photocontrol,
150C, 3/4




TE Part #3-1393240-3
RT33L012




TE Part #1-1546670-8
18P .437\" DR BARRIER, W/BND SCRW




TE Part #1546670-8
8P .437\" DR BARRIER, W/BND SCRW




TE Part #5-1437644-4
J8-2=J8-XX JUMPER




TE Part #2-1625885-6
1W SM M/OX 5% 180K




TE Part #2328823-1
LUMAWISE S 80MM DIA DOME
SMOKE GRAY LOW



TE Part #8-1393116-8
KUMP-14A48-120=KU



TE Part #4-2328823-1
LUMAWISE ENDURANCE S 80MM
DOME, GRAY LOW



TE Part #2318044-1
CABLE ASSEMBLY, EB, SK5 POS EP
2P5

Documents

Product Drawings
CABLE ASSEMBLY, EB, 3 POS MINICT
English

Datasheets & Catalog Pages
LUMAWISE STREET LIGHT DIMMING AND CONTROL QUICK REFERENCE GUIDE
English

Product Specifications
Application Specification
English