SST-48-17/FR/97 ~ ACTIVE

RAYCHEM | RAYCHEM SST-SR

TE Internal #: CB5378-000

Black, 3:1, Single Wall Tubing, Shrinks To .5 in [12.7 mm], Irradiated Modified Polyolefin, 1.7 in [43.18 mm] Inner Diameter, RAYCHEM

SST-SR

View on TE.com >



Heat Shrink Tubing > SST-FR Heat shrink Tubing



Primary Product Color: Black

Wall Type: Single Wall

Expanded Inside Diameter (Min): 43.18 mm [1.7 in]
Recovered Inside Diameter (Max): 12.7 mm [.5 in]

Shrink Ratio: 3:1

All SST-FR Heat shrink Tubing (46)

Features

Product Type Features

Product Type Features	
Wall Type	Single Wall
Body Features	
Fluid Type	De-Icing Fluid, Hydraulic Fluid, Lubricating Oil, Turbine Fuel
Primary Product Color	Black
Shrink Ratio	3:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Semi-Rigid
Dimensions	
Expanded Inside Diameter (Min)	43.18 mm[1.7 in]
Recovered Inside Diameter (Max)	12.7 mm[.5 in]
Usage Conditions	
Shrink Temperature (Min)	90 °C
Resistance Properties	Moisture

Flame-Retardant

-55 – 110 °C

Tubing Flammability Type

Operating Temperature Range



Recovery Temperature	121 °C
Operation/Application	
Mechanical Resistance	Abrasion, Fluids, Moisture
Product Availability	
Applicable Region	Global
Packaging Features	
Packaging Method	Piece
Other	
Meets Low Outgassing Requirements	No
Product Source	US

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






TE Part # 2326489-1 MODEL 105 TUNNEL OVEN, 36" ENTRY, STANDA



TE Part # 2394980-1 MOD 105 TUN OVEN, 69" ENTRY, STARDARD



Also in the Series | RAYCHEM SST-SR



Customers Also Bought



TE Part #HD34-24-31ST REC, 31P, AL, T, 16, S



TE Part #5747872-8 15 PLUG SP/FMS INSRT



TE Part #1-499252-3 064 STRAIN RELIEF A-L RCPT



TE Part #DT04-08PA-CE09 REC, 8P, BLK, E, XCAP, A



TE Part #1-1617029-2 HFW1130K06M = M39016/6-104M



TE Part #6-1879021-9 SMW3 68R 5%



TE Part #YDTS20W11-05PNV001 **RECP ASSY**



HFW1131K04M = M39016/6-107M

TE Part #1616056-2 A400AA=CONTACTOR-INTERMITTENT



Documents

Product Drawings

SST-48-17/FR/97

English

Datasheets & Catalog Pages

Measuring_Single_Wall_Tubing

English

SST and SST-FR Pages from 9-1773447-9

English

Selecting_Correct_Tubing_1216

English

Product Specifications

Harnessing Customer Specification Report

English

Product Specification

English