










|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | A                                                                                                                                                              | B        | C           | D                                                                                                                                | E                                                                       | F                                                                                                                                                         | G          |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|-----------------------------|---------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------|------------------|---|------|----|-----------|---------------------------------------------------------------------------------------|---------------|----|--|--|--|----------|--------|------------|------|-----------------------------|----|--|--|--|------|------|------------|------|----------------------|----|--|--|--|--------------------------|--|--|--|--|-----|------|----------|-------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|---|---|---|---|---|---|---|
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 性能参数                                                                                                                                                           |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1. Heating current: Ui: AC250V, Ith: 5A<br>发热电流: Ui: AC250V, Ith: 5A                                                                                           |          |             |                                                                                                                                  | 13. Working environment temperature: -20 ℃~+55 ℃<br>工作环境温度: -20 ℃~+55 ℃ |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2. Rated current:3A/DC36V<br>额定电流:3A/DC36V                                                                                                                     |          |             |                                                                                                                                  | 14. Compression torque: ≤ 3.00N<br>按压扭力: ≤3.00N                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 3. Power-frequency withstand voltage:2000V1min<br>工频耐压:2000V1min                                                                                               |          |             |                                                                                                                                  | 15. Electrical life: 100000 cycles<br>电气寿命: 100000 cycles               |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 4. Insulation resistance:≥1000MΩ<br>绝缘电阻 :≥1000MΩ                                                                                                              |          |             |                                                                                                                                  | 16. mechanical: 500000cycles<br>机械寿命: 500000cycles                      |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 5. Contact resistance:≤50mΩ<br>接触电阻 :≤50mΩ                                                                                                                     |          |             |                                                                                                                                  | 17. Operation method:Self repeating form<br>操作方式: 自复式                   |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 6. Pressing stroke:2.50mm ± 0.10<br>按压行程:2.50mm ± 0.10                                                                                                         |          |             |                                                                                                                                  | 18. LED lamp power consumption: 20m以下<br>LED灯功耗: 20m以下                  |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 7. Contact stroke:1.50mm±0.10<br>接触行程 :1.50mm±0.10                                                                                                             |          |             |                                                                                                                                  | 19. LED lamp lifespan: 40000h<br>LED寿命: 40000h                          |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 8. welding temperature: 320 ℃± 20 ℃<br>焊接温度: 320 ℃± 20 ℃                                                                                                       |          |             |                                                                                                                                  | 20. LED color: Red<br>LED颜色: 红色                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 9. Welding duration: Less than 3 seconds in duration<br>焊接时长: Less than 3 seconds in duration                                                                  |          |             |                                                                                                                                  | 21. LED Lamp Voltage: 24V<br>LED灯电压: 24V                                |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 10. Nut assembly torque:5-14N<br>螺帽装配力矩:5-14N                                                                                                                  |          |             |                                                                                                                                  | 22. NO reverse thrust foot torque: ≤30N<br>NO反推脚扭力: ≤30N                |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 11. Protection level:IP67<br>防护等级:IP67                                                                                                                         |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 12. Explosion prevention level: IK10<br>防暴等级: IK10                                                                                                             |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 连接形式                                                                                                                                                           |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1. Welding temperature of wire: 320 ± 20 ℃<br>线材焊接温度: 320±20℃<br>Wire welding duration: less than 3 seconds<br>线材焊接时长: 时长3秒以下                                  |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2. Can be used with dedicated connectors:<br>可配专用接插件使用:                                                                                                        |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 2.1 开关功能线材Switch function wire: green (C) blue wire (NO) yellow wire (NC)<br>开关功能线材: 绿色(C) 蓝线 (NO) 黄线 (NC)                                                     |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2.2 LED functional wire: red wire positive pole black wire negative pole LED without distinguishing positive and negative poles<br>LED功能线材: 红线正极 黑线负极 LED不分正负极 |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| <table><tr><td>A4</td><td></td><td></td><td></td><td rowspan="5"><div><div></div><div>台普<br/>ROCPO</div></div></td><td colspan="2">COMMON TOLERANCE</td><td>UNIT</td><td>MM</td><td>PROJECTED</td><td></td><td>PRODUCT NAME:</td></tr><tr><td>A3</td><td></td><td></td><td></td><td>DRAWN BY</td><td>FUYUAN</td><td>CHECKED BY</td><td>COCO</td><td>MODEL NO: TP92509P224RA5150</td></tr><tr><td>A2</td><td></td><td></td><td></td><td>DATE</td><td>2019</td><td>APPROVAL B</td><td>ALEN</td><td>Https: www.rocpcu.tw</td></tr><tr><td>A1</td><td></td><td></td><td></td><td colspan="5">ROCPO TECHNOLOGY CO.,LTD</td></tr><tr><td>REV</td><td>DATE</td><td>REVISION</td><td>DESCRIPTION</td><td>ISSUE</td><td colspan="4">Copies are issued in strict confidence and shall not be reproduced or copied, or used as the basic of manufacture or sale of apparatus without permission</td></tr><tr><td colspan="8"></td><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td><td>F</td><td>G</td></tr></table> |                                                                                                                                                                |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            | A4   |                             |                                                                                       |               | <div><div></div><div>台普<br/>ROCPO</div></div> | COMMON TOLERANCE |   | UNIT | MM | PROJECTED |  | PRODUCT NAME: | A3 |  |  |  | DRAWN BY | FUYUAN | CHECKED BY | COCO | MODEL NO: TP92509P224RA5150 | A2 |  |  |  | DATE | 2019 | APPROVAL B | ALEN | Https: www.rocpcu.tw | A1 |  |  |  | ROCPO TECHNOLOGY CO.,LTD |  |  |  |  | REV | DATE | REVISION | DESCRIPTION | ISSUE | Copies are issued in strict confidence and shall not be reproduced or copied, or used as the basic of manufacture or sale of apparatus without permission |  |  |  |  |  |  |  |  |  |  |  | A | B | C | D | E | F | G |
| A4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                |          |             | <div><div></div><div>台普<br/>ROCPO</div></div> | COMMON TOLERANCE                                                        |                                                                                                                                                           | UNIT       | MM   | PROJECTED                   |  | PRODUCT NAME: |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| A3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                |          |             |                                                                                                                                  | DRAWN BY                                                                | FUYUAN                                                                                                                                                    | CHECKED BY | COCO | MODEL NO: TP92509P224RA5150 |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| A2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                |          |             |                                                                                                                                  | DATE                                                                    | 2019                                                                                                                                                      | APPROVAL B | ALEN | Https: www.rocpcu.tw        |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| A1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                |          |             |                                                                                                                                  | ROCPO TECHNOLOGY CO.,LTD                                                |                                                                                                                                                           |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
| REV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | DATE                                                                                                                                                           | REVISION | DESCRIPTION |                                                                                                                                  | ISSUE                                                                   | Copies are issued in strict confidence and shall not be reproduced or copied, or used as the basic of manufacture or sale of apparatus without permission |            |      |                             |                                                                                       |               |                                                                                                                                  |                  |   |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                |          |             |                                                                                                                                  |                                                                         |                                                                                                                                                           |            | A    | B                           | C                                                                                     | D             | E                                                                                                                                | F                | G |      |    |           |                                                                                       |               |    |  |  |  |          |        |            |      |                             |    |  |  |  |      |      |            |      |                      |    |  |  |  |                          |  |  |  |  |     |      |          |             |       |                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |   |   |   |   |   |   |   |

|          |  |  |  |  |                          |  |  |  |  |                       |  |  |  |  |           |  |  |  |  |                         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
|----------|--|--|--|--|--------------------------|--|--|--|--|-----------------------|--|--|--|--|-----------|--|--|--|--|-------------------------|--|--|--|--|---|--|--|--|--|---|--|--|--|--|
| A        |  |  |  |  | B                        |  |  |  |  | C                     |  |  |  |  | D         |  |  |  |  | E                       |  |  |  |  | F |  |  |  |  | G |  |  |  |  |
| 材质参数     |  |  |  |  |                          |  |  |  |  |                       |  |  |  |  |           |  |  |  |  |                         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 10       |  |  |  |  | luminous zone<br>发光区     |  |  |  |  | PC<br>塑胶              |  |  |  |  | 1         |  |  |  |  |                         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 9        |  |  |  |  | LEDpin<br>LED引脚          |  |  |  |  | Brass<br>黄铜           |  |  |  |  | 1         |  |  |  |  | Silvering<br>镀银         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 8        |  |  |  |  | Base<br>底座               |  |  |  |  | PA46                  |  |  |  |  | 1         |  |  |  |  |                         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 7        |  |  |  |  | Pin<br>引脚                |  |  |  |  | Brass<br>黄铜           |  |  |  |  | 1         |  |  |  |  | gold-plating<br>镀金      |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 6        |  |  |  |  | Contact material<br>接触材质 |  |  |  |  | silver alloy<br>银合金   |  |  |  |  | 1         |  |  |  |  | Silvering<br>镀银         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 5        |  |  |  |  | LED Base<br>LED基座        |  |  |  |  | PC<br>塑胶              |  |  |  |  | 1         |  |  |  |  |                         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 4        |  |  |  |  | Arm nut<br>固定螺帽          |  |  |  |  | Brass<br>黄铜           |  |  |  |  | 1         |  |  |  |  | nickeling<br>镀镍         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 3        |  |  |  |  | Oring<br>O型圈             |  |  |  |  | Silica gel<br>硅胶      |  |  |  |  | 1         |  |  |  |  |                         |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 2        |  |  |  |  | Housing<br>外壳            |  |  |  |  | Aluminum alloy<br>铝合金 |  |  |  |  | 1         |  |  |  |  | Oxidized/Black<br>氧化/黑色 |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| 1        |  |  |  |  | Key<br>按键                |  |  |  |  | Aluminum alloy<br>铝合金 |  |  |  |  | 1         |  |  |  |  | Oxidized/Black<br>氧化/黑色 |  |  |  |  |   |  |  |  |  |   |  |  |  |  |
| NO<br>序号 |  |  |  |  | Part name<br>部件名         |  |  |  |  | Material<br>材料        |  |  |  |  | QTY<br>数量 |  |  |  |  | Remark<br>备注            |  |  |  |  |   |  |  |  |  |   |  |  |  |  |




|     |      |          |             |                                                                                                     |                  |         |                           |        |            |                                                                                       |                             |
|-----|------|----------|-------------|-----------------------------------------------------------------------------------------------------|------------------|---------|---------------------------|--------|------------|---------------------------------------------------------------------------------------|-----------------------------|
| A4  |      |          |             | <br>台普<br>ROCPCU | COMMON TOLERANCE |         | UNIT                      | MM     | PROJECTED  |  | PRODUCT NAME:               |
| A3  |      |          |             |                                                                                                     | X.XX             | ± 0.10  | DRAWN BY                  | FUYUAN | CHECKED BY | COCO                                                                                  | MODEL NO: TP92509P224RA5150 |
| A2  |      |          |             |                                                                                                     | X.X              | ± 0.15  | DATE                      | 2019   | APPROVAL B | ALEN                                                                                  | Https: www.rocpcu.tw        |
| A1  |      |          |             |                                                                                                     | X                | ± 0.25  | ROCPCU TECHNOLOGY CO.,LTD |        |            |                                                                                       |                             |
| REV | DATE | REVISION | DESCRIPTION |                                                                                                     | ISSUE            | ANGULAR |                           |        |            |                                                                                       |                             |



Function Parameter  
功能参数




Installation diagram  
安装示意图



|     |      |          |             |                                                                                               |                  |         |                           |        |                                                                                                                                                           |                                                                                       |                             |   |  |
|-----|------|----------|-------------|-----------------------------------------------------------------------------------------------|------------------|---------|---------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------|---|--|
| A4  |      |          |             | <br>ROCPCU | COMMON TOLERANCE |         | UNIT                      | MM     | PROJECTED                                                                                                                                                 |  | PRODUCT NAME:               |   |  |
| A3  |      |          |             |                                                                                               |                  |         | DRAWN BY                  | FUYUAN | CHECKED BY                                                                                                                                                | COCO                                                                                  | MODEL NO: TP92509P224RA5150 |   |  |
| A2  |      |          |             |                                                                                               | X.XX             | ± 0.10  | DATE                      | 2019   | APPROVAL B                                                                                                                                                | ALEN                                                                                  | Https: www.rocpcu.tw        |   |  |
| A1  |      |          |             |                                                                                               | X.X              | ± 0.15  | ROCPCU TECHNOLOGY CO.,LTD |        |                                                                                                                                                           |                                                                                       |                             |   |  |
|     |      |          |             |                                                                                               | X                | ± 0.25  |                           |        |                                                                                                                                                           |                                                                                       |                             |   |  |
| REV | DATE | REVISION | DESCRIPTION |                                                                                               | ISSUE            | ANGULAR | _____                     |        | Copies are issued in strict confidence and shall not be reproduced or copied, or used as the basic of manufacture or sale of apparatus without permission |                                                                                       |                             |   |  |
| A   |      | B        |             | C                                                                                             |                  | D       |                           | E      |                                                                                                                                                           | F                                                                                     |                             | G |  |



# 25 M M系列单排单色按钮开关接线说明



## 接线说明:

- 1、供电电源的负极、设备的负极、按钮开关的LED负极，并接一起。
- 2、供电电源的正极，按钮开关的C脚，并接一起。
- 3、设备的正极，按钮开关的NO脚、按钮开关的LED正极，并接一起。

## 实现功能:

- 1、按钮开关按下时: 设备通电，按钮开关LED灯亮。
- 2、按钮开关按回去时: 设备断电，按钮开关LED灯灭。

注: 说明图的电压为接线参考使用，电源电压根据实际供电电压为准。

红线为正极 (火线)  
黑线为负极 (零线)

5

A4

A3

A2

A1

REV

DATE

REVISION

DESCRIPTION

ISSUE

台普

ROCPCU

COMMON

TOLERANCE

X.XX

± 0.10

X.X

± 0.15

X

± 0.25

ANGULAR

—

UNIT

MM

PROJECTED



PRODUCT NAME:

DRAWN BY

FUYUAN

CHECKED BY

COCO

MODEL NO:

DATE

2019

APPROVAL B

ALEN

Https: www.rocpcu.tw

ROCPCU TECHNOLOGY CO.,LTD

Copies are issued in strict confidence and shall not be reproduced or copied, or used as the basis of manufacture or sale of apparatus without permission

A

B

C

D

E

F

G