
Data sheet 27120.6 PAPVMAK 2,5 GR





End plate, Width: 1.5 mm, Colour: Grey

RAL: 7032

Rusiness data

Business data		
Article number	27120.6	
Article name	PAPVMAK 2,5 GR	
GTIN (EAN)	4044211227357	
Packaging unit	20	
Quantity unit	PC	
Weight per piece (not including packaging)	7 g	
Weight per piece (including packaging)	7 g	
Unit of weight	G	
Customs number	85389099	
Country of origin	DE	
Prio-Article	27120.6	
Product description	End plate	
Colour	Grey	

Data sheet

27120.6 PAPVMAK 2,5 GR





Technical data Dimensions Length 99.5 mm Width 1.5 mm Height 91.1 mm **Materials** Material Polyamide 6.6 Flammability class UL 94 V-0 Working temperature, min. -40 °C Working temperature, max. 120 °C **Environmental Product Compliance REACH Conform** yes **REACH Reference date** 2023-06-14 **REACH Candidate Substance Note** No **RoHS Conform** yes

Data sheet 27120.6 PAPVMAK 2,5 GR



Media

Data sheet

27120.6 PAPVMAK 2,5 GR



Accessories

Terminal blocks



Three-level initiator terminal |Multi-wire terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Grey

Article number Article name		GTIN (EAN)	Packaging unit
27046.6	PVMAK 2,5 GR	4044211227289	50 ST



Three-level initiator terminal |Multi-wire terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Grey

Article number Article name		GTIN (EAN)	Packaging unit
27047.6	PVMAK 2,5/SV GR	4044211227296	50 ST

##INVERSE##CONTA-CONNECT



Three-level initiator terminal |Multi-wire terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
27046.6	PVMAK 2,5 GR	4044211227289	50 ST



Three-level initiator terminal |Multi-wire terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Grey

Article number Article name		GTIN (EAN)	Packaging unit
27047.6	PVMAK 2,5/SV GR	4044211227296	50 ST

Data sheet 27120.6 PAPVMAK 2,5 GR



##INVERSE##CONTA-CONNECT

Three-level initiator terminal |Multi-wire terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
27047.6	PVMAK 2,5/SV GR	4044211227296	50 ST