

1041900

https://www.phoenixcontact.com/us/products/1041900

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Port Guard Security Element

### Product description

Port Guard Security Element, for securing the RJ45 interface against unauthorized access, with key element

### Your advantages

- · Perfect for industrial applications
- · Compact angle
- Perfect for office, building, and protected industrial applications (e.g., in control cabinets)

#### Commercial data

Item number	1041900
Packing unit	10 pc
Sales key	AB18
Product key	ABNLAZ
Catalog page	Page 375 (C-2-2019)
GTIN	4055626600321
Weight per piece (including packing)	2.65 g
Weight per piece (excluding packing)	2.6 g
Customs tariff number	85389099
Country of origin	СН



1041900

https://www.phoenixcontact.com/us/products/1041900

### Technical data

Mounting type

Notes
-------

General	For RJ45 socket modules			
Product properties				
Product type	Female insert			
Number of slots	1			
Material specifications  Material PC				
Contact material	Copper alloy			
Contact carrier material	LCP			
Mounting				


PCB mounting



1041900

https://www.phoenixcontact.com/us/products/1041900

### Drawings





1041900

https://www.phoenixcontact.com/us/products/1041900

### Classifications

#### **ECLASS**

	ECLASS-11.0	27060308		
	ECLASS-12.0	27060308		
	ECLASS-13.0	27440292		
ETIM				
	ETIM 9.0	EC002599		
UNSPSC				
	UNSPSC 21.0	26121600		



1041900

https://www.phoenixcontact.com/us/products/1041900

### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values



1041900

https://www.phoenixcontact.com/us/products/1041900

#### Accessories

CUC-I-J1ZNI-S/R4IDC8 - RJ45 jack insert

1417274

https://www.phoenixcontact.com/us/products/1417274



RJ45 jack insert, design: RJ45, degree of protection: IP20, number of positions: 8, 10 Gbps,  $CAT6_A$ , material: Metal, connection method: IDC connection, connection cross section: AWG 26- 22, cable outlet: straight, Adapter-free design, Ethernet

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com