

1020905

https://www.phoenixcontact.com/us/products/1020905

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Component connector, with 10 kOhm resistance for wire-break monitoring, pitch: 5.2 mm, depth: 34.8 mm, width: 4.1 mm, height: 8.9 mm, number of positions: 2, color: black

Your advantages

• The component connector can easily plug into the bridge shaft of two adjacent CLIPLINE complete terminal blocks with a 5.1 mm pitch.

Commercial data

Item number	1020905
Packing unit	10 pc
Sales key	BE29
Product key	BE2Z3X
GTIN	4055626511849
Weight per piece (including packing)	1.5 g
Weight per piece (excluding packing)	1 g
Customs tariff number	85366990
Country of origin	PL



1020905

https://www.phoenixcontact.com/us/products/1020905

Technical data

Notes

General	Can be used between two neighboring CLIPLINE complete terminal blocks with 2.5 mm² conductor cross section
Product properties	
Product type	Component plug terminal block
Number of positions	2
Pitch	5.2 mm
Dimensions	
Width	4.1 mm
Height	8.9 mm
Depth	34.8 mm
Pitch	5.2 mm

Material specifications

Color	black
Material	PA



1020905

https://www.phoenixcontact.com/us/products/1020905

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1020905



EAC

Approval ID: RU C-DE.BL08.B.00511



1020905

https://www.phoenixcontact.com/us/products/1020905

Classifications

ECLASS

UNSPSC 21.0

ECLASS-	11.0	27141149
ECLASS-	12.0	27141149
ECLASS-	13.0	27250305
ETIM		
ETIM 9.0		EC002018
UNSPSC		

39121600



1020905

https://www.phoenixcontact.com/us/products/1020905

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com