## ATGBICS MSA Industry Standard Compatible Transceiver SFP+ 16GBase-ER (1550nm, SMF, 40km, DOM)

Brand : ATGBICS Product code: SFP-16G-ER-MSA-AT

**Product name :** ATGBICS MSA Industry Standard Compatible Transceiver SFP+ 16GBase-ER (1550nm, SMF, 40km, DOM)



ATGBICS MSA Industry Standard Compatible Transceiver SFP+ 16GBase-ER (1550nm, SMF, 40km, DOM)

ATGBICS MSA Industry Standard Compatible Transceiver SFP+ 16GBase-ER (1550nm, SMF, 40km, DOM):

ATGBICS SFP-16G-ER-MSA-AT SFP+ 16GBase-SR Short Wave fibre Channel supports a distance of up to 40km over multi-mode fibre (SMF) using a wavelength of 1550nm via an LC connector. Digital optical monitoring (DOM) support is also present enabling real-time monitoring of the parameters of the fibre optic transceiver. Our product meets all Multi-Source Agreement (MSA) standards for this form factor and are uniquely serialised for full date code and BOM traceability. We proudly offer a compatibility guarantee and lifetime replacement warranty.



Performance		Features	
· ·	Fiber optic	Brand compatibility	MSA Compliant
Maximum data transfer rate *	16000 Mbit/s	Certification	CE, FCC, RoHS
Interface type * Single-mode fiber (SMF) supported	SFP+ ✓	Power	
		Input voltage	3.3 V
Multi-mode fiber (MMF) supported	X	Maximum voltage	3.5 V
Fiber optic connector	LC	Power consumption (typical)	1 W
SFP transceiver standard	SW	Operational conditions	
Maximum transfer distance	40000 m	•	
Wavelength	1550 nm	Maximum operating temperature	70 °C
Ethernet LAN	<b>V</b>	Operating temperature (T-T)	0 - 70 °C
Ethernet interface type	16 Gigabit Ethernet	Storage temperature (T-T)	-40 - 85 °C
Digital Diagnostics Monitoring (DDM)	oring 🗸	Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 95% 0 - 95%
Wavelength-division multiplexing (WDM)	×	Weight & dimensions	
Features		Width	13.4 mm
Product colour	Silver	Depth	56.5 mm
Housing material	Metal	Height	8.5 mm
Plug and Play	✓	Weight	20 g
Hot-Plug support	✓ Packaging data		
Hot-swap	✓	Number of products included	1 pc(s)
Easy to install Country of origin	<b>√</b> United Kingdom	Package type	Box
		Technical details	
		Sustainability certificates	RoHS



5056468773555

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.