



DEUTSCH

TE Internal #: SRK-PC-080-35-601

Automotive Terminals, Pin, Pin Diameter 8 mm [.315 in], 2 AWG

Wire Size, 35 mm² Wire Size, Sealable, Single Wire Seal (SWS)

[View on TE.com >](#)

Terminals & Splices > Automotive Terminals



Terminal Type: Pin

Mating Pin Diameter: 8 mm [.315 in]

Terminal Transmits: 100+ A (Very High Power)

Wire Size: 35 mm²

Features

Product Type Features

Sealable	Yes
Primary Locking Feature	On the Terminal

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Contact Size	8mm
Contact Fabrication	Solid
Wire Contact Termination Area Plating Material	Silver
Typical Current Rating	150 A
Crimp Type	Hexagonal
Terminal Type	Pin
Mating Pin Diameter	8 mm [.315 in]
Interface Plating	Silver (Ag)

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To

Wire

Dimensions

Wire Size

35 mm²

Wire Size Search

2 AWG

Usage Conditions

Insulation Option

Uninsulated

Operating Temperature (Max)

80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C,
120 °C, 125 °C[176 °F][185 °F][194 °F][212 °F]
[221 °F][230 °F][248 °F][257 °F]

Operating Temperature Range

-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material

Copper

Industry Standards

Compatible With Agency/Standards Products

NFC 20.130

Packaging Features

Packaging Quantity

150

Packaging Method

Box

Other

Customer Preferred Contact

Yes

Terminal Transmits

100+ A (Very High Power)

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023
(235)
Candidate List Declared Against: JUNE
2023 (235)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # SRK-SC-080-35-601
SOC, SOLID, SIZE M8, 35mm², AG



TE Part # 2289243-1
WS-35-001, SEAL, GRN, 10.59-11.59, DTSK



TE Part # DTSK04-1-08PA
RECEPTACLE, INLINE, KEY A



TE Part # DTSK04-1-08PB
RECEPTACLE, INLINE, KEY B



TE Part # DTSK04-1-08PC
RECEPTACLE, INLINE, KEY C

Customers Also Bought



TE Part #SRK-PC-080-32-601
PIN, SOLID, SIZE M8, 32mm², AG



TE Part #DRC16-24SAE
PLG, 24P, BLK, E, A



TE Part #DTSK04-1-08PA
RECEPTACLE, INLINE, KEY A



TE Part #DTSK04-1-08PB
RECEPTACLE, INLINE, KEY B



Documents

Product Drawings

[PIN, SOLID, SIZE M8, 35mm², AG](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_SRK-PC-080-35-601_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_SRK-PC-080-35-601_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_SRK-PC-080-35-601_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH DTSK Connectors Series Brief](#)

English

[DEUTSCH DTSK Components Infographic](#)

English

Product Specifications

[Application Specification](#)

English



[Instruction Sheets](#)

[Instruction Sheet \(U.S.\)](#)

English