

### AMP | AMPSEAL 16

TE Internal #: 776299-2

Automotive Terminals, Socket, 18 - 14 AWG Wire Size, .8 - 2 mm<sup>2</sup>

Wire Size, Nickel (Ni) Interface Plating, Terminates To Wire,

AMPSEAL 16

View on TE.com >



Terminals & Splices > Automotive Terminals > Contacts: Size 16, 13A









2.26 - 3.32 mm[.089 - .131 in]



Terminal Type: Socket

Terminal Transmits: 0 – 24 A (Low Power)

Compatible Insulation Diameter Range

Wire Size: .8 – 2 mm<sup>2</sup>

Sealable: No

All Contacts: Size 16, 13A (33)

### Features

### **Product Type Features**

| Sealable                                       | No               |
|--|------------------|
| Contact Features                               |                  |
| Contact Size                                   | Size 16          |
| Contact Fabrication                            | Stamped & Formed |
| Wire Contact Termination Area Plating Material | Nickel           |
| Crimp Type                                     | F-Crimp          |
| Terminal Type                                  | Socket           |
| Interface Plating                              | Nickel (Ni)      |
| Termination Features                           |                  |
| Termination Method to Wire & Cable             | Crimp            |
| Product Terminates To                          | Wire             |
| Dimensions                                     |                  |



| Wire Size                          | $.8 - 2 \text{ mm}^2$                     |
|------------------------------------|---|
| Wire Size Search                   | 14 AWG, 15 AWG, 16 AWG, 17 AWG, 18<br>AWG |
| Usage Conditions                   |   |
| Insulation Option                  | Uninsulated                               |
| Operation/Application              |   |
| Compatible With Wire Base Material | Copper                                    |
| Packaging Features                 |   |
| Packaging Quantity                 | 1000                                      |
| Packaging Method                   | Bag                                       |
| Other                              |   |
| Customer Preferred Contact         | No  |
| Terminal Transmits                 | 0 – 24 A (Low Power)                      |

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                 |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts








## Also in the Series | AMPSEAL 16



Automotive Connector Caps & Covers (1)




Automotive Connector Locks & Position Assurance(2)




Automotive Housings(244)



Automotive Terminals(33)








Data Connectivity Headers(2)



Data Connectivity Housings(3)



Customers Also Bought















### **Documents**

### **Product Drawings**

ASSEMBLY SOCKET LOOSE PC NICKE

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_776299-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_776299-2\_A.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_776299-2\_A.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

**CONNECTOR SELECTOR** 

English

### **Product Specifications**

**Application Specification** 

English

Automotive Terminals, Socket, 18-14 AWG Wire Size, .8-2 mm $^2$  Wire Size, Nickel (Ni) Interface Plating, Terminates To Wire, AMPSEAL 16

