




Connectors > PCB Connectors > Battery Connectors & Holders > Battery Holders



Battery Compatibility: **ML614**

Connector System: **Board-to-Board**

Number of Positions: **2**

PCB Mount Orientation: **Horizontal**

Contact Mating Area Plating Material: **Gold**

Features

Product Type Features

Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	2
PCB Mount Orientation	Horizontal

Body Features

Battery Holder Material	Thermoplastic (6T Nylon)
Battery Holder Type	Coin Cell
Battery Weight	.07 g
Primary Product Color	Black
Battery Compatibility	ML614

Contact Features

Contact Underplating Material	Nickel
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	7 A



Mechanical Attachment

PCB Mount Alignment	Without
Connector Mounting Type	Board Mount

Dimensions

Compatible Battery Dimensions	6.7 x 10.6 mm[.264 x .417 in]
-------------------------------	-------------------------------

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Quantity	1500
Packaging Method	Tape & Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Customers Also Bought

TE Part #1879462-1  
RL73H 2B R10 1% 5K RL

TE Part #826629-8  
AMPMODU II HEADER

TE Part #5-1437565-0  
FSM6JSMATR=TACT SWITCH 6X6MIL

TE Part #282834-4  
TERMI-BLOK PCB MOUNT, 90 4P.

TE Part #5-1676481-6  
CPF 0603 1K2 0.1% 25PPM 1K RL

TE Part #2328702-4  
4PIN 0.5MMP FPC CONNECTOR,  
BACK FLIP LOCK

TE Part #2176237-2  
CPF A 0603 15R 0.1% 25PPM 5K RL

TE Part #3-2176326-7  
CRGP 0603 10K 1%

TE Part #3-5331677-8  
SOCKET,MIN-SPR SN-AU SER-3

TE Part #1473898-1  
025 12POS CAP ASSY V TIN

Documents

Product Drawings

BATTERY HOLDER ASSY FOR ML614

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1318164-1\_O.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1318164-1\_O.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1318164-1\_O.3d\_stp.zip

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Battery Holder 614

Japanese

Product Specification

English

Battery Holder 614

English

Product Specification

English