



引き出し方向
PULL DIRECTION



DETAIL U

NOTES

- 梱包数量：3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
- リードテープ長さ
LEAD TAPE LENGTH

引き出し方向
PULL DIRECTION


100MIN. 空ポケット部
EMPTY PART

トップテープリーダー部
TOP TAPE LEADER PART
400MIN.

部品挿入部
COMPONENT
SUPPLIER

端末部(空部)
TAIL PART
(EMPTY)
160MIN.
- カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
- 製品詳細寸法については、図面 5051101008-SD を参照下さい。
DIMENTIONS OF PRODUCT, REFER TO 5051101008-SD.
- 材料 MATERIAL
キャリアテープ：ポリスチレン
トップテープ：ポリエチレンテレフタレート、ポリエチレン
リール：ポリスチレン<リサイクル材を含む>
CARRIER TAPE : POLYSTYRENE
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
REEL : POLYSTYRENE < RECYCLE MATERIAL CONTAINED >


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE	CURRENT REV DESC:				molex		
mm		2:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 605617 DRWN: JASANUMA 2018/10/05 CHK'D: TRSUZUKI 2018/10/10 APPR: RTAKEUCHI 2018/10/10 INITIAL REVISION: DRWN: JASANUMA 2018/10/05 APPR: RTAKEUCHI 2018/10/10				0.5 FPC ZIF 2 CONT EMBT PKG		
ANGULAR TOL	±	3.0 °					PRODUCT CUSTOMER DRAWING		
4 PLACES	±	0.2					DOCUMENT NUMBER		
3 PLACES	±	0.2					5051100008-SD		
2 PLACES	±	0.2					DOC TYPE	DOC PART	REVISION
1 PLACE	±	0.25					PSD	000	A
0 PLACES	±	0.3							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER
				A3-SIZE	505110	SEE CHART			1 OF 3



11.5	----	24	29.4	25.4	10.9	14.9	16	5051102096	20
					10.4	14.4	15.5	5051101997	19
					9.9	13.9	15	5051101897	18
					9.4	13.4	14.5	5051101797	17
					8.9	12.9	14	5051101697	16
					8.4	12.4	13.5	5051101597	15
					7.9	11.9	13	5051101497	14
					7.4	11.4	12.5	5051101397	13
					6.9	10.9	12	5051101297	12
					6.4	10.4	11.5	5051101197	11
					5.9	9.9	11	5051101097	10
					5.4	9.4	10.5	5051100997	9
					4.9	8.9	10	5051100897	8
					4.4	8.4	9.5	5051100797	7
					3.9	7.9	9	5051100697	6
3.4	7.4	8.5	5051100597	5					
7.5	----	16	21.4	17.4	2.9	6.9	8	5051100497	4
H	G	F	E	D	C	B	A	EMBOSSED PACKAGE	Ckt
								オーダー番号 ORDER No.	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex	
mm		2:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 605617 DRWN: JASANUMA 2018/10/05 CHK'D: TRSUZUKI 2018/10/10 APPR: RTAKEUCHI 2018/10/10 INITIAL REVISION: DRWN: JASANUMA 2018/10/05 APPR: RTAKEUCHI 2018/10/10					
ANGULAR TOL ± 3.0 °									
4 PLACES		± 0.2							
3 PLACES		± 0.2							
2 PLACES		± 0.2							
1 PLACE		± 0.25							
0 PLACES		± 0.3							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
				A3-SIZE		505110			

DOCUMENT STATUS	P1	RELEASE DATE	2018/10/10	01:08:21
-----------------	----	--------------	------------	----------





10.07	12.6	9	14.2	5051101997	19
9.57	12.1	8.5	13.7	5051101897	18
9.07	11.6	8	13.2	5051101797	17
8.57	11.1	7.5	12.7	5051101697	16
8.07	10.6	7	12.2	5051101597	15
7.57	10.1	6.5	11.7	5051101497	14
7.07	9.6	6	11.2	5051101397	13
6.57	9.1	5.5	10.7	5051101297	12
6.07	8.6	5	10.2	5051101197	11
5.57	8.1	4.5	9.7	5051101097	10
5.07	7.6	4	9.2	5051100997	9
4.57	7.1	3.5	8.7	5051100897	8
4.07	6.6	3	8.2	5051100797	7
3.57	6.1	2.5	7.7	5051100697	6
3.07	5.6	2	7.2	5051100597	5
2.57	5.1	1.5	6.7	5051100497	4
D	C	B	A	EMBOSSED PACKAGE オーダー番号 ORDER No.	Ckt

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex			
mm		8:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.5 FPC ZIF 2 CONT HSG ASSY						
ANGULAR TOL ± 3.0 °										
4 PLACES		± 0.2		EC NO: 720907			PRODUCT CUSTOMER DRAWING			
3 PLACES		± 0.2		DRWN: RAJMOK 2022/09/09						
2 PLACES		± 0.2		CHK'D: YNUKANOB 2022/09/22						
1 PLACE		± 0.25		APPR: YNAITO 2022/09/22			DOCUMENT NUMBER			
0 PLACES		± 0.3		INITIAL REVISION:			5051101008-SD			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: JASANUMA 2018/10/05			DOC TYPE		DOC PART	REVISION
				APPR: RTAKEUCHI 2018/10/10			PSD		000	C
				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER
						A3-SIZE	505110			SHEET NUMBER
										1 OF 4


DOCUMENT STATUS	P1	RELEASE DATE	2022/09/22	11:54:38
-----------------	----	--------------	------------	----------

CONNECTOR SERIES No. 505110**17







適合FPC/FFC推奨寸法
APPLICABLE FPC/FFC RECOMMENDED DIMENSION
() : FFCに適用
() : APPLY TO FFC



適合FPC/FFC推奨寸法
APPLICABLE FPC/FFC RECOMMENDED DIMENSION
() : FFCに適用
() : APPLY TO FFC




FPC構成推奨仕様
STRUCTURE OF FPC



FFC構成推奨仕様
STRUCTURE OF FFC

*1 : 125°Cを超える環境下で使用する場合に適用。
Apply when use in over 125 deg.C environment.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 720907 DRWN: RAJMOK 2022/09/09 CHK'D: YNUKANOBU 2022/09/22 APPR: YNAITO 2022/09/22 INITIAL REVISION: DRWN: JASANUMA 2018/10/05 APPR: RTAKEUCHI 2018/10/10 THIRD ANGLE PROJECTION 		molex 0.5 FPC ZIF 2 CONT HSG ASSY					
mm		10:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)						PRODUCT CUSTOMER DRAWING					
ANGULAR TOL ± 3.0 °											
4 PLACES		± 0.2		DRWN: JASANUMA 2018/10/05 APPR: RTAKEUCHI 2018/10/10		DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION
3 PLACES		± 0.2				5051101008-SD		PSD		000	C
2 PLACES		± 0.2									
1 PLACE		± 0.25									
0 PLACES		± 0.3									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING A3-SIZE		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER 3 OF 4	

