

1

2

3

4

5

6

7

8

Dept

Qty

DC

ED

IE

ISO

PD

R&D

SD

QA

QC

QE

晨翔2.54mm拨码开关，5PIN，插板，黑色胶芯，白色推钮，红色盖子，端子镀金

晨翔料号：DS1040-05RT

REV.

DESCRIPTION

DRAWN

CHECKED

APPROVED

A

NEW RELEASE

JLZ 07/13/24'

14.2

1.3

10.16

2.54

7.62

Ø0.97

PCB孔位布局参考
公差:±0.05

9.9

1.5

1.2

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

9.9

1.5

1.2

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*0.21

2.54±0.1

10.16±0.25

1

2

3

4

5

ON

1.2

9.9

1.5

8.8

0.4

7.62

3.3

0.60*