





THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:													
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)				molex MEGA-FIT HDR ASMY TOP LATCH,VERT,2-8CKT PRODUCT CUSTOMER DRAWING <table><tr><td>DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td>2002411000</td><td>PSD</td><td>000</td><td>C4</td></tr></table>						DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION	2002411000	PSD	000	C4
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION														
2002411000	PSD	000	C4														
ANGULAR TOL ± 3.0°				EC NO: 798603 DRWN: WYATTH5 2024/09/02 CHK'D: XQZHANG 2024/09/25 APPR: XQZHANG 2024/09/25													
4 PLACES		±															
3 PLACES		±															
2 PLACES		± 0.4															
1 PLACE		± 0.5		INITIAL REVISION: DRWN: YXZHENG 2018/07/18 APPR: YXZHENG 2018/08/06													
0 PLACES		±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										THIRD ANGLE PROJECTION		DRAWING		SERIES			
												A3-SIZE		200241			



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex								
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				MEGA-FIT HDR ASMY TOP LATCH,VERT,2-8CKT											
ANGULAR TOL ± 3.0°															
4 PLACES		±		EC NO: 798603		PRODUCT CUSTOMER DRAWING									
3 PLACES		±		DRWN: WYATTH5 2024/09/02											
2 PLACES		± 0.4		CHK'D: XQZHANG 2024/09/25											
1 PLACE		± 0.5		APPR: XQZHANG 2024/09/25		DOCUMENT NUMBER 2002411000									
0 PLACES		±		INITIAL REVISION: DRWN: YXZHENG 2018/07/18 APPR: YXZHENG 2018/08/06						DOC TYPE PSD		DOC PART 000		REVISION C4	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 200241		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET		SHEET NUMBER 2 OF 4	

[illegible]

10		9			8			7		6			5		4		3			2		1																				
F	CKT	PLATING CODE	COLOR	PART NUMBER	DIM-A	DIM-B	DIM-C	PK SPEC		CKT	PLATING CODE	COLOR	PART NUMBER	DIM-A	DIM-B	DIM-C	PK SPEC		CKT	PLATING CODE	COLOR	PART NUMBER	DIM-A	DIM-B	DIM-C	PK SPEC																
	2	TIN	BLACK	2002411112	12.05	N/A	15.06	TRAY (2002411000)		2	TIN	BLACK	2002411712	12.05	N/A	15.06	TAPE&REEL WITHOUT KAPTON (2002411700)		2	TIN	BLACK	2002411612	12.05	N/A	15.06	TAPE&REEL WITH KAPTON (2002411600)																
	3			2002411113	17.75	5.7	20.76			3			2002411713	17.75	5.7	20.76			3			2002411613	17.75	5.7	20.76																	
	4			2002411114	23.45	11.4	26.46			4			2002411714	23.45	11.4	26.46			4			2002411614	23.45	11.4	26.46																	
	5			2002411115	29.15	17.1	32.16			5			2002411715	29.15	17.1	32.16			5			2002411615	29.15	17.1	32.16																	
	6			2002411116	34.85	22.8	37.86			6			2002411716	34.85	22.8	37.86			6			2002411616	34.85	22.8	37.86																	
	7			2002411117	40.55	28.5	43.56			7			2002411717	40.55	28.5	43.56			7			2002411617	40.55	28.5	43.56																	
	8			2002411118	46.25	34.2	49.26			8			2002411718	46.25	34.2	49.26			8			2002411618	46.25	34.2	49.26																	
E	2	15"GOLD	BLACK	2002411122	12.05	N/A	15.06		2	15"GOLD	BLACK	2002411722	12.05	N/A	15.06		2	15"GOLD	BLACK	2002411622	12.05	N/A	15.06																			
	3			2002411123	17.75	5.7	20.76		3			2002411723	17.75	5.7	20.76		3			2002411623	17.75	5.7	20.76																			
	4			2002411124	23.45	11.4	26.46		4			2002411724	23.45	11.4	26.46		4			2002411624	23.45	11.4	26.46																			
	5			2002411125	29.15	17.1	32.16		5			2002411725	29.15	17.1	32.16		5			2002411625	29.15	17.1	32.16																			
	6			2002411126	34.85	22.8	37.86		6			2002411726	34.85	22.8	37.86		6			2002411626	34.85	22.8	37.86																			
	7			2002411127	40.55	28.5	43.56		7			2002411727	40.55	28.5	43.56		7			2002411627	40.55	28.5	43.56																			
	8			2002411128	46.25	34.2	49.26		8			2002411728	46.25	34.2	49.26		8			2002411628	46.25	34.2	49.26																			
		2	30"GOLD	BLACK	2002411132	12.05	N/A	15.06		2	30"GOLD	BLACK	2002411732	12.05	N/A	15.06		2	30"GOLD	BLACK	2002411632	12.05	N/A	15.06																		
3		2002411133			17.75	5.7	20.76	3		2002411733			17.75	5.7	20.76	3		2002411633			17.75	5.7	20.76																			
4		2002411134			23.45	11.4	26.46	4		2002411734			23.45	11.4	26.46	4		2002411634			23.45	11.4	26.46																			
5		2002411135			29.15	17.1	32.16	5		2002411735			29.15	17.1	32.16	5		2002411635			29.15	17.1	32.16																			
6		2002411136			34.85	22.8	37.86	6		2002411736			34.85	22.8	37.86	6		2002411636			34.85	22.8	37.86																			
7		2002411137			40.55	28.5	43.56	7		2002411737			40.55	28.5	43.56	7		2002411637			40.55	28.5	43.56																			
8		2002411138			46.25	34.2	49.26	8		2002411738			46.25	34.2	49.26	8		2002411638			46.25	34.2	49.26																			
D	CKT	PLATING CODE	COLOR	PART NUMBER	DIM-A	DIM-B	DIM-C	PK SPEC																																		
	2	TIN	NATURAL	2002412112	12.05	N/A	15.06	TRAY (2002411000)																		2	TIN	RED	2002415112	12.05	N/A	15.06	TIN	BLUE	2002416112	12.05	N/A	15.06				
	3			2002412113	17.75	5.7	20.76																			3			2002415113	17.75	5.7	20.76			3	2002416113	17.75	5.7	20.76			
	4			2002412114	23.45	11.4	26.46																			4			2002415114	23.45	11.4	26.46			4	2002416114	23.45	11.4	26.46			
	5			2002412115	29.15	17.1	32.16																			5			2002415115	29.15	17.1	32.16			5	2002416115	29.15	17.1	32.16			
	6			2002412116	34.85	22.8	37.86																			6			2002415116	34.85	22.8	37.86			6	2002416116	34.85	22.8	37.86			
	7			2002412117	40.55	28.5	43.56																			7			2002415117	40.55	28.5	43.56			7	2002416117	40.55	28.5	43.56			
	8			2002412118	46.25	34.2	49.26																			8			2002415118	46.25	34.2	49.26			8	2002416118	46.25	34.2	49.26			
	C	2	TIN	RED	2002413112	12.05	N/A	15.06																			2	TIN	YELLOW	2002416112	12.05	N/A	15.06		2	TIN	YELLOW	2002416112	12.05	N/A	15.06	
		3			2002413113	17.75	5.7	20.76																			3			2002416113	17.75	5.7	20.76		3			2002416113	17.75	5.7	20.76	
4		2002413114			23.45	11.4	26.46	4	2002416114	23.45	11.4	26.46	4	2002416114	23.45	11.4	26.46																									
5		2002413115			29.15	17.1	32.16	5	2002416115	29.15	17.1	32.16	5	2002416115	29.15	17.1	32.16																									
6		2002413116			34.85	22.8	37.86	6	2002416116	34.85	22.8	37.86	6	2002416116	34.85	22.8	37.86																									
7		2002413117			40.55	28.5	43.56	7	2002416117	40.55	28.5	43.56	7	2002416117	40.55	28.5	43.56																									
8		2002413118			46.25	34.2	49.26	8	2002416118	46.25	34.2	49.26	8	2002416118	46.25	34.2	49.26																									
B		2	TIN	BLUE	2002415112	12.05	N/A	15.06		2	TIN	YELLOW	2002416112	12.05	N/A	15.06		2	TIN	YELLOW	2002416112	12.05	N/A	15.06																		
	3	2002415113			17.75	5.7	20.76	3		2002416113			17.75	5.7	20.76	3		2002416113			17.75	5.7	20.76																			
	4	2002415114			23.45	11.4	26.46	4		2002416114			23.45	11.4	26.46	4		2002416114			23.45	11.4	26.46																			
	5	2002415115			29.15	17.1	32.16	5		2002416115			29.15	17.1	32.16	5		2002416115			29.15	17.1	32.16																			
	6	2002415116			34.85	22.8	37.86	6		2002416116			34.85	22.8	37.86	6		2002416116			34.85	22.8	37.86																			
	7	2002415117			40.55	28.5	43.56	7		2002416117			40.55	28.5	43.56	7		2002416117			40.55	28.5	43.56																			
	8	2002415118			46.25	34.2	49.26	8		2002416118			46.25	34.2	49.26	8		2002416118			46.25	34.2	49.26																			
	A	2	TIN	YELLOW	2002416112	12.05	N/A	15.06		2	TIN	YELLOW	2002416112	12.05	N/A	15.06		2	TIN	YELLOW	2002416112	12.05	N/A	15.06																		
3		2002416113			17.75	5.7	20.76	3		2002416113			17.75	5.7	20.76	3		2002416113			17.75	5.7	20.76																			
4		2002416114			23.45	11.4	26.46	4		2002416114			23.45	11.4	26.46	4		2002416114			23.45	11.4	26.46																			
5		2002416115			29.15	17.1	32.16	5		2002416115			29.15	17.1	32.16	5		2002416115			29.15	17.1	32.16																			
6		2002416116			34.85	22.8	37.86	6		2002416116			34.85	22.8	37.86	6		2002416116			34.85	22.8	37.86																			
7		2002416117			40.55	28.5	43.56	7		2002416117			40.55	28.5	43.56	7		2002416117			40.55	28.5	43.56																			
8		2002416118			46.25	34.2	49.26	8		2002416118			46.25	34.2	49.26	8		2002416118			46.25	34.2	49.26																			
DOCUMENT STATUS		P1	RELEASE DATE		2024/09/25 04:24:20				7		6		5		4		3		2		1																					
FORMAT: master-B-prod-A3 REVISION: J1 DATE: 2021/05/01		9			8			7		6		5		4		3			2			1																				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
DIMENSION UNITS		SCALE		CURRENT REV DESC:						molex									
mm		NTS																	
GENERAL TOLERANCES (UNLESS SPECIFIED)																			
ANGULAR TOL ± 3.0 °																			
4 PLACES		±		EC NO: 798603						MEGA-FIT HDR ASMY TOP LATCH,VERT,2-8CKT									
3 PLACES		±		DRWN: WYATTH5 2024/09/02															
2 PLACES		± 0.4		CHK'D: XQZHANG 2024/09/25 APPR: XQZHANG 2024/09/25															
1 PLACE		± 0.5		INITIAL REVISION:						PRODUCT CUSTOMER DRAWING									
0 PLACES		±		DRWN: YXZHENG 2018/07/18 APPR: YXZHENG 2018/08/06						DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		2002411000		PSD		000		C4	
				A3-SIZE		200241		SEE TABLE		GENERAL MARKET									