


製品レイアウト
PRODUCT LAYOUT


コネクタ外形
CONNECTOR OUTLINE



基板レイアウト(参考)



PCB PATTERN LAYOUT (REFERENCE)

(参考 : メタルマスク厚さ 0.10mm, マスク開口率100%)
(REFERENCE:METAL STENCIL THICKNESS 0.10mm, APERTURE RATIO 100%)



パターン非推奨エリア

パターンを引き回す際は、製品機能に影響がないことをご確認ください。
PATTERN IS NOT RECCOMENDED ON THE HATCHED AREA.
PLEASE CHECK NOT TO HAVE PROBLEM FOR PRODUCT FUNCTION
WHEN SETTING PATTERN ON THE HATCHED AREA.




嵌合相手 : 502578 シリーズ
MATE WITH : 502578 SERIES

嵌合図
MATED CONNECTORS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE	CURRENT REV DESC:				molex CLIK-MATE 1.5 SINGLE ROW SMT VT TYPE REC ASSY TIN PLATING								
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL		±	3.0 °	EC NO: 638671 DRWN: MIKEDA012020/06/01 CHK'D: SAKIYAMA2020/06/02 APPR: KOMURAKAMI2020/06/02				PRODUCT CUSTOMER DRAWING							
4 PLACES		±	0.2												
3 PLACES		±	0.2												
2 PLACES		±	0.2												
1 PLACE		±	0.2												
0 PLACES		±	0.2	INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	DRWN: AISHIKAWA2018/03/16				5025840000-SD			PSD	000	C
						APPR: KOMURAKAMI2020/03/03									
				A3-SIZE	502584	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER					
								GENERAL		2 OF 6					


WITHOUT COVER TAPE
MATERIAL No. : 502584 **7*

ロック形状および吸着エリア
LOCK SHAPE AND VACCUME AREA




WITH COVER TAPE
MATERIAL No. : 502584 **6*

ロック形状はカバーテープなし(502584 **7*)と共通
LOCK SHAPE IS SAME AS THAT WITHOUT COVER TAPE (502584 **7*)



5.0	12.1	15
		14
		13
		12
		11
10.1	10.1	10
		9
		8
8.6	8.6	8
13.6	7.1	7
12.1	6.2	6
10.6	3.2	5
9.1	2.9	4
7.6	2.15	3
6.1	2.0	2
E	D	極数 CIRCUIT NO



3

適用製品及び各種仕様書

APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS

梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER	DOCUMENT NUMBER
	502584 **7* 502584 **6*	SPK-502584-001

適用嵌合相手 MATE WITH	HOUSING	TERMINAL (TIN PLATING)	
		#24-28	#28-30
シリーズ番号 SERIES NUMBER	502578	502579 0000	503429 0000
製品仕様書 PRODUCT SPECIFICATION	5025780000-PS		
アプリケーション仕様書 APPLICATION SPECIFICATION	AS-502578-001		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °

4 PLACES ± 0.2

3 PLACES ± 0.2

2 PLACES ± 0.2

1 PLACE ± 0.2

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 638671
DRWN: MIKEDA01
CHK'D: SAKIYAMA
APPR: KOMURAKAMI

2020/06/01
2020/06/02
2020/06/02

INITIAL REVISION:
DRWN: AISHIKAWA
APPR: KOMURAKAMI

2018/03/16
2020/03/03

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

502584

MATERIAL NUMBER

CUSTOMER

GENERAL

SHEET NUMBER

5 OF 6

molex

CLIK-MATE 1.5
SINGLE ROW SMT VT TYPE REC ASSY
TIN PLATING

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

5025840000-SD

DOC TYPE

PSD

DOC PART

000

REVISION

C

