VS-08-BU-RJ45-3/BU - RJ45 coupling

1654552

https://www.phoenixcontact.com/us/products/1654552

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

RJ45 socket insert, modular (Keystone), CAT3, 8-pos., shielded, socket on socket

Commercial data

Item number	1654552
Packing unit	5 pc
Minimum order quantity	1 pc
Sales key	AB10
Product key	ABNACB
GTIN	4017918955076
Weight per piece (including packing)	9.1 g
Weight per piece (excluding packing)	8.988 g
Customs tariff number	85366990
Country of origin	TW

Technical data

Product properties

Product type	Female insert
Type	RJ45
Sensor type	Ethernet
Number of positions	8
Connection profile	RJ45
Number of slots	1
Type	Socket
Shielded	yes

Data management status

Article revision	00

Insulation characteristics

Degree of pollution	2

Electrical properties

Rated voltage (III/3)	72 V (DC)
Insulation resistance	≥ 500 MΩ
Transmission medium	Copper
Transmission characteristics (category)	CAT3

Connection data

Connection technology

Connection method	Coupling

Material specifications

Flammability rating according to UL 94	V0
Housing material	Metal
Housing surface material	metal-plated
Contact surface material	Gold

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP20

VS-08-BU-RJ45-3/BU - RJ45 coupling

1654552

https://www.phoenixcontact.com/us/products/1654552

Classifications

ECLASS

ECLASS-11.0	27440223
ECLASS-12.0	27440223
ECLASS-13.0	27460201

ETIM

ETIM 9.0	EC002637

UNSPSC

UNSPSC 21.0	39121400

VS-08-BU-RJ45-3/BU - RJ45 coupling

1654552

https://www.phoenixcontact.com/us/products/1654552

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%