EM-CPS-DA-45S/16A - Adapter

1003291

https://www.phoenixcontact.com/us/products/1003291

Standard device adapter with CrossLink® interface and fixed DIN rail, rated current: 16 A

Your advantages

• Cable ends ultrasound-compressed

• Snap-on mechanism for quick and easy attachment to the CrossPowerSystem power distribution board

Commercial data

Item number	1003291
Packing unit	4 pc
Minimum order quantity	4 pc
Sales key	C470
Product key	CK7841
Catalog page	Page 53 (C-5-2019)
GTIN	4055626465746
Weight per piece (including packing)	103.7 g
Weight per piece (excluding packing)	103 g
Customs tariff number	85369095
Country of origin	DE

EM-CPS-DA-45S/16A - Adapter

1003291

https://www.phoenixcontact.com/us/products/1003291

Technical data

Product properties

Product type	Adapter
Product family	CrossPowerSystem
Application	Device adapter

Data management status

Article revision	00

Electrical properties

Rated voltage	690 V AC (IEC)
	600 V AC (UL)
Rated current	16 A (IEC)
	12 A (UL)
Rated surge voltage	6 kV

Dimensions

Width	45 mm
Height	160 mm
Depth	45 mm

Approvals

💡 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1003291

EAC
Approval ID: RU C-DE.BL08.B.00511

UL Listed
Approval ID: E123528

cUL Listed
Approval ID: E123528

cULus Listed

EM-CPS-DA-45S/16A - Adapter

1003291

https://www.phoenixcontact.com/us/products/1003291

Classifications

ECLASS

ECLASS-11.0	27371392
ECLASS-13.0	27371392
ECLASS-12.0	27371392

ETIM

ETIM 9.0	EC002498

UNSPSC

UNSPSC 21.0	39121100

EM-CPS-DA-45S/16A - Adapter

1003291

https://www.phoenixcontact.com/us/products/1003291

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%