

Holsworthy | Holsworthy RN73

TE Internal #: 9-1879131-6

Precision Resistor, Thin Film, 0402, .063 W, 12.4K ohm, .1 %,  $\pm 10$  ppm/ $^{\circ}\text{C}$ , Solder, 2 Termination, Height .3 mm [.012 in], Holsworthy RN73

[View on TE.com >](#)

Passive Components &gt; Resistors &gt; Surface Mount Resistors

Resistor Type: **Precision Resistor**Element Type: **Thin Film**Package Size Code: **0402**Power Rating: **.063 W**Resistance Value: **12.4K  $\Omega$** 

## Features

### Product Type Features

Resistor Type	Precision Resistor
Element Type	Thin Film
Package Size Code	0402

### Configuration Features

Number of Resistors	1
---------------------	---

### Electrical Characteristics

Operating Voltage	25 V
Power Rating	.063 W
Resistance Value	12.4K $\Omega$
Resistance Class	1k $\Omega$ – 1M $\Omega$
Passive Component Tolerance	.1 %

### Termination Features

Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

## Dimensions

Product Height	.3 mm [.012 in]
Product Length	1 mm [.039 in]
Product Width	.5 mm [.02 in]

## Usage Conditions

Temperature Coefficient	$\pm 10$ ppm/°C
-------------------------	-----------------

## Industry Standards

Moisture Sensitivity Level	1
----------------------------	---

## Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

## Product Compliance

For compliance documentation, visit the product page on [TE.com](http://TE.com)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts


TE Part # 9-1879131-3  
RN 0402 12K1 0.1% 10PPM 5K RLTE Part # 9-1879132-0  
RN 0402 19K1 0.1% 10PPM 5K RL

## Also in the Series | [Holsworthy RN73](#)



Surface Mount Resistors(3788)

## Customers Also Bought

TE Part #179228-7  
CT CRIMP-2 REC HSG 7P NATURALTE Part #1-329632-2  
LOCKWASHER, PLATEDTE Part #1-329631-2  
JAM NUT, PLATEDTE Part #1571300-2  
TACT,RTANG,SMT,SEALED,GUID PINTE Part #605262-1  
FUSION TAPE, 1" X .020" X 10FTTE Part #3-2176263-1  
RN 0402 49K9 0.1% 10PPM 5K RLTE Part #ADP-SMAM-UFL  
SMA Plug to U.FL/MHF1 JackTE Part #CSG-UFFR-100-UFFR  
U.FL/MHF1 to U.FL/MHF1 100mm 1.37  
OD



## Documents

### Product Drawings

[RN 0402 12K4 0.1% 10PPM 5K RL](#)

English

---

### Datasheets & Catalog Pages

[High Precision Resistors \(SMD\) - Type RN73 Series - Tyco Electronics Passives](#)

English