## **SMA CONNECTORS**



✓ Active



## TE CONNECTIVITY (TE) 2031 8014 92

AMP | SM , SMA

## 1051768-1

TE Internal Number: 1051768-1 Mil-Spec: M39012/55B3014 Alias ID: 2031-8014-92

## Always EU RoHS/ELV Compliant

Applies To Coaxial Cable

Panel Mount Without

Body Material **Stainless Steel** 

Body Plating Finish Passivated

50 Ohm Yes



Product Drawings SMA STRAIGHT CABLE PLUG CRIMP ATTACHMENT (M39012/55B3014) CAT B

PDF (TIFF AVAILABLE)

English

SMA STRAIGHT CABLE PLUG CRIMP ATTACHMENT (M39012/55B3014) CAT B

PDF (TIFF AVAILABLE)

English

Instruction Sheets

Instruction Sheet (U.S.) SMA Straight Cable Plug Connectors

PDF **English** 

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features Applies To Coaxial Cable

RF Connector Type SMA

|                            | Connector Style                 | Plug                          |
|----------------------------|---------------------------------|-------------------------------|
|                            | Cable Type                      | RG 58, RG 58A, RG 58B, RG 58C |
|                            | Product Type                    | Connector - RF                |
|                            | Shrink Tubing                   | Without                       |
|                            | Retractable Collar              | Without                       |
|                            | Dielectric Material             | PTFE                          |
|                            | Grade                           | Military                      |
| Configuration Features     | Snap-Lock                       | Without                       |
| Electrical Characteristics | 50 Ohm                          | Yes                           |
|                            | 75 Ohm                          | No                            |
|                            | Impedance ( $\Omega$ )          | 50                            |
| Signal Characteristics     | Frequency (GHz)                 | 12.4                          |
| Body Features              | Body Material                   | Stainless Steel               |
|                            | Body Plating Finish             | Passivated                    |
|                            | Body Style                      | Straight                      |
|                            | Ferrule Material                | Copper Alloy                  |
|                            | Interface Seal Material         | Silicone Rubber               |
|                            | Ferrule Plating Material        | Gold                          |
| Contact Features           | Captivation Method              | Mechanical                    |
|                            | Center Contact Plating Material | Gold                          |
|                            | Center Contact Material         | Copper Alloy                  |
|                            | Captivated Contacts             | With                          |
|                            | Center Contact                  | With                          |
| Termination Features       | Cable Termination Type          | Crimp                         |
|                            | Crimp Type                      | Hex                           |
| Mechanical Attachment      | Panel Mount                     | Without                       |
|                            | Coupling Nut Plating Finish     | Passivated                    |
|                            | Safety Wire Holes               | With                          |
|                            | Polarized                       | No                            |
|                            | Coupling Nut Material           | Stainless Steel               |
|                            |                                 |                               |

| Dimensions         | Length   | 31.75 mm [ 1.25 in ] |
|--------------------|--|----------------------|
| Industry Standards | Military Category  | В                    |
| Packaging Features | Packaging Method   | Package              |
| Product Compliance | Statement of Compliance PDF  VIEW ALL PRODUCT COMPLIANCE |                      |

