











spec ref		-		dr		Sunny2 Liu		2015/10/26		projection				MM		size		A2		scale		4:1	
tolerance std		-		eng		Sunny2 Liu		2015/12/09						ecn no		-		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Terris Liu		2015/12/09															
				appr		Pei-Ming Zheng		2015/12/09															
surface				linear				title		HPCE VT RECT		dwg no		10137509		rev		A					
ASME Y14.5				angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 4					



RECOMMENDED MATING BOARD



dr	Sunny2 Liu	2015/10/26	projection	MM	size	A2	scale	4:1
eng	Sunny2 Liu	2015/12/09			ecn no	-		
chr	Terris Liu	2015/12/09			rel level	Released		
appr	Pei-Ming Zheng	2015/12/09	product family	HPCE				
FCI		title				dwg no	10137509	rev
www.fci.com		HPCE VT RECT						A
		20S+28P WITH PEGS						
		cat. no.				Product - Customer Drw		sheet 3 of 4





PDS: Rev :A

STATUS:Released

Printed: Dec 09, 2015



Copyright FCI.

1		2		3		4		5		6		7		8																																																																																											
PART NUMBER		TAIL TYPE		ORIENTATION KEY		DIM T TYPICAL TAIL LENGTH																																																																																																			
10137509-001LF		SOLDER		YES		3.17 ±0.25																																																																																																			
10137509-002LF				NO																																																																																																					
10137509-003LF		PRESS-FIT		YES																																																																																																					
10137509-004LF				NO																																																																																																					
NOTES:																																																																																																									
1. CONNECTOR MATERIALS:																																																																																																									
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK UL 94V-0 COMPLIANT																																																																																																									
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.																																																																																																									
2. CONTACT FINISH REF. GS-12-604 SECTION 5.2.																																																																																																									
3. PRODUCT SPECIFICATION: GS-12-604.																																																																																																									
4. APPLICATION SPECIFICATION: GS-20-128.																																																																																																									
5. PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS FCI SPECIFICATION GS-24-007.																																																																																																									
6. PACKAGING MEETS FCI SPECIFICATION GS-14-937.																																																																																																									
7. ALL HOLE SIZES ARE FINISHED HOLE SIZES.																																																																																																									
8. MOUNTING HOLES ARE UNPLATED Ø 2.18 +/- 0.03 FOR SOLDER TAILS																																																																																																									
<table><tr><td colspan="2">dr Sunny2 Liu</td><td colspan="2">2015/10/26</td><td colspan="2">projection</td><td colspan="2">MM</td><td colspan="2">size A2</td><td colspan="2">scale 4:1</td></tr><tr><td colspan="2">eng Sunny2 Liu</td><td colspan="2">2015/12/09</td><td colspan="2" rowspan="2"></td><td colspan="2" rowspan="7"></td><td colspan="2">ecn no -</td><td colspan="2"></td></tr><tr><td colspan="2">chr Terris Liu</td><td colspan="2">2015/12/09</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">appr Pei-Ming Zheng</td><td colspan="2">2015/12/09</td><td colspan="4">product family HPCE</td><td colspan="2">rel level Released</td></tr><tr><td colspan="2"></td><td colspan="6">title HPCE VT RECT</td><td colspan="2">dwg no 10137509</td><td colspan="2">rev A</td></tr><tr><td colspan="2">www.fci.com</td><td colspan="6">20S+28P WITH PEGS</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">cat. no. -</td><td colspan="6">Product - Customer Drw</td><td colspan="2">sheet 4 of 4</td><td colspan="2"></td></tr><tr><td colspan="4">PDS: Rev :A</td><td colspan="4">STATUS:Released</td><td colspan="4">Printed: Dec 09, 2015</td></tr></table>																dr Sunny2 Liu		2015/10/26		projection		MM		size A2		scale 4:1		eng Sunny2 Liu		2015/12/09						ecn no -				chr Terris Liu		2015/12/09						appr Pei-Ming Zheng		2015/12/09		product family HPCE				rel level Released				title HPCE VT RECT						dwg no 10137509		rev A		www.fci.com		20S+28P WITH PEGS										cat. no. -		Product - Customer Drw						sheet 4 of 4				PDS: Rev :A				STATUS:Released				Printed: Dec 09, 2015			
dr Sunny2 Liu		2015/10/26		projection		MM		size A2		scale 4:1																																																																																															
eng Sunny2 Liu		2015/12/09						ecn no -																																																																																																	
chr Terris Liu		2015/12/09																																																																																																							
appr Pei-Ming Zheng		2015/12/09		product family HPCE				rel level Released																																																																																																	
		title HPCE VT RECT						dwg no 10137509		rev A																																																																																															
www.fci.com		20S+28P WITH PEGS																																																																																																							
cat. no. -		Product - Customer Drw						sheet 4 of 4																																																																																																	
PDS: Rev :A				STATUS:Released				Printed: Dec 09, 2015																																																																																																	