



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **Protective Relay**  
Input Voltage: **74 VDC**  
Phase: **Single**  
Contact Arrangement: **1 Form X SPST-NO-DM**  
Contact Current Rating: **5 A**

Features

Product Type Features

Relay & Contactor Type	Protective Relay
------------------------	------------------

Configuration Features

Phase	Single
Contact Arrangement	1 Form X SPST-NO-DM

Electrical Characteristics

Input Voltage	74 VDC
Contact Current Rating	5 A

Termination Features

Main Termination & Connection Type	Screw Terminals
Coil Termination & Connection Type	Screw Terminals

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
Product Mount Type	Panel

Dimensions

Product Width	98.29 mm[3.87 in]
Product Length	88.9 mm[3.5 in]
Product Height	50.8 mm[2 in]

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts

 <p>TE Part # 1-1618060-0 1100-42X=RELAY, OVERCURRENT</p>	 <p>TE Part # 1-1618060-7 1100DC-22SX=WILMAR CURRENT REL</p>	 <p>TE Part # 2-1618060-1 1100DCX=RELAY, DC CURRENT</p>	 <p>TE Part # 2-1618374-9 WUVT1-525=RELAY, UNDERVOLTAGE</p>
--	--	--	--

Customers Also Bought



TE Part #330896  
TERMINAL,PIDG R 16-14HD 3/8



TE Part #53434-1  
AMPPOWER QUICK DISC 400MCM



TE Part #207360-1  
PLUG HSG,3 POSN,METRIC



TE Part #66602-2  
III+ PIN,18-14,30AU/FL,LP



TE Part #66601-2  
III+ SKT,18-14,30AU/FL,LP



TE Part #5332225-5  
PLUG, TWIN BNC,



TE Part #328307  
SPARE WIRE CAP,RED 22-18 AWG



TE Part #328308  
SPARE WIRE CAP,BLU, 16-14 AWG



TE Part #201501-1  
SPIROL PIN



TE Part #1-1472973-6  
7012PHC696=RLY,STD,ON,2P,125VDC,  
30MIN,C6

Documents

Product Drawings

1100-21X=WILMAR OVERCURRENT RE

English

Datasheets & Catalog Pages

1100-21X = RELAY, CURRENT SENSITIVE

English