

Product Search Data Sheet

Note: This datasheet may be out of date.

Please download the latest datasheet of NXRT15XV103FA5B035 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NXRT15XV103FA5B035

NXRT15XV103FA5B035










Appearance & Shape







Features

- 1. NXR series can accurately detect temperature with NCP15 series on the head of parts.
- 2. The insulation coat with polyulethane on the surface of lead wire : 100VDC.
- 3. You can choose NTC characteristics from NCP15 series.
- 4. The resistance drift is small in the reliability test.
- 5. The production capacity is bigger and NXR is produced in almost all automation line.
- 6. Adopt to Sb regulation
- 7. UL/cULcertified product. (UL1434, File No. E137188)



Applications

| Limited Usage | Consumer Grade |
|---------------|----------------|
|---------------|----------------|



Packaging Information

| Packaging | Specifications | Standard Packing Quantity |
|-----------|----------------|---------------------------------|
| В | Bulk(Bag) | 500 |

1 of 3

Attentior

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of NXRT15XV103FA5B035 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NXRT15XV103FA5B035

NXRT15XV103FA5B035




Specifications

| D : ((05%C) | 101.0 | |
|------------------------------|-----------------|--|
| Resistance (25°C) | 10kΩ | |
| Resistance Value Tolerance | ±1% | |
| (at 25°C) | | |
| B-Constant (25/50°C) | 3936K | |
| B-Constant (25/50°C) | ±1% | |
| Tolerance | 1170 | |
| B-Constant(25/80°C) | 3971K | |
| (Reference Value) | | |
| B-Constant(25/85°C) | 3977K | |
| (Reference Value) | | |
| B-Constant(25/100°C) | 3989K | |
| (Reference Value) | | |
| Maximum Operating Current | 0.16mA | |
| (25°C) | | |
| Rated Electric Power (25°C) | 13.0mW | |
| Typical Dissipation Constant | 2 6mW/℃ | |
| (25°C) | 2.011107 C | |
| Operating Temperature | -40℃ to 125℃ | |
| Range | | |
| Thermal Time Constant | 4s | |
| Lead Shape | Insulation type | |
| Size Code (in mm) | 035 = 35mm | |
| Size Code (in inch) | 035 = 35mm | |
| Shape | Lead | |
| Mass | 0.11g | |
| MSL | N | |

2 of 3

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



^{1.} This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

^{2.} This datasheet has only typical specifications because there is no space for detailed specifications.

Note: This datasheet may be out of date.


Please download the latest datasheet of NXRT15XV103FA5B035 from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=NXRT15XV103FA5B035

NXRT15XV103FA5B035



Product Data





Resistance-Temperature Characteristics

Temperature Tolenrance VS. Temp.

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

