













P.C.B LAYOUT

REVISION

LTR	DESCRIPTION	DATE	APP
A0	NEW RELEASE	05/20/2020	PECK



customer unwinding direction


PACK DIRECTION

包装明细:


每盘装数300PCS

2.每箱10盘, 共计3000PCS

3.纸箱尺寸: 34X34X38CM



CONNECTOR EDGE(TOP VIEW)



HIGE RISE USB3.1+USB TYPE C

PIN	Signal NAME	NO.	PIN	Signal NAME	NO.
A 1	GND	1	B12	GND	13
A 2	SSTXp1	2	B11	SSRXp1	14
A 3	SSTXn1	3	B10	SSRXn1	15
A 4	V BUS	4	B 9	V BUS	16
A 5	CC1	5	B 8	SBU2	17
A 6	Dp1	6	B 7	Dn2	18
A 7	Dn1	7	B 6	Dp2	19
A 8	SBU1	8	B 5	CC2	20
A 9	V BUS	9	B 4	V BUS	21
A10	SSRXn2	10	B 3	SSTXn2	22
A11	SSRXp2	11	B 2	SSTXp2	23
A12	GND	12	B 1	GND	24

DIMENSION CLASSIFICATION

■ : CRITICAL

☒ : MAJOR

TOLERANCE TABLE

.X	±	0.40
.XX	±	0.25
.XXX	±	0.10
ANGLE	±	2°

台灣碩方精密電子科技有限公司
TAIWAN SOFNG PRECISION ELECTRONIC CO., LTDTITLE
USB-333-M 組合式连接器
下层3.1TYPE-C连接器開關, 连接器
SOFNG

PART NO.	USB-333-M	SERIES	SD106
APPROVED	Peck	DWG NO.	SOF-G006
CHECKED	Paul	SCALE	1:1
DRAWIN	David	UNIT	mm
REV	AO	SIZE	A4
		SHEET NO.	1/1