









LOC	DIST	REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	APVD
		-		SEE SHEET 1	-	-



6. SOLDER TAIL DETAIL
SCALE 10 : 1



SOLDER TERMINATION AREA
SCALE 40:1
RECOMMENDED PRINTED CIRCUIT HOLE
SOLDER HOLE
FINISHED HOLE: Ø 1.02 [.040] ±.008 [.0003]
DRILLED HOLE: Ø 1.15 [.0453] ±.013 [.0005]
COPPER PLATE: .025 [.0010] MIN
TIN PLATE: .008 [.0003] MIN. (PER SURFACE)

ELCON FLATPAQ

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN R.GRZYBOWSKI 20JULY06	Tyco Electronics Harrisburg, PA 17105-3608			
DIMENSIONS: mm[INCHES]		CHK S.FLICKINGER 20JULY06	NAME RIGHT ANGLE PIN CONNECTOR SOLDER TAILS AND LAYOUT			
		APVD S.FLICKINGER 20JULY06				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE			
0 PLC ±.5 [.020]		APPLICATION SPEC	CAGE CODE			
1 PLC ±.25 [.010]		WEIGHT	DRAWING NO			
2 PLC ±.5		CUSTOMER DRAWING	RESTRICTED TO			
3 PLC ±.5			A200779C-6646701			
4 PLC ±.5			SCALE 3:1 SHEET 3 OF 3 REV A			
ANGLES ±.5						
FINISH						