






LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
	A	REVISED PER ECO-12-004765			28NOV2012	KH	DD	






- ⚠ MATERIAL:  
HOUSING: LCP, GLASS FILLED, UL94V-0  
TERMINALS: HIGH PERFORMANCE COPPER ALLOY
- ⚠ FINISH:  
30u" SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN  
ON PCB TAILS, NICKEL OVERALL
3. EACH SIGNAL WAFER CONTAINS 2 COLUMNS OF TERMINALS
- ⚠ FINISH:  
30u" SELECTIVE GOLD IN CONTACT AREA, SELECTIVE TIN-LEAD  
ON PCB TAILS, NICKEL OVERALL



SCALE 3:1



⚠	2132465-5
⚠	2132465-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. HORNUNG 23NOV2010	 TE Connectivity		
DIMENSIONS:		CHK D. DIXON 23NOV2010			
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. DIXON 23NOV2010	NAME IMPACT, 4 PR, 8 COL, DAUGHTERCARD, RIGHT GUIDED SIGNAL MODULE 0.39 EYELET, ORTHOGONAL		
		PRODUCT SPEC			
	0 PLC ±0.25	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO		RESTRICTED TO
	1 PLC ±0.15				
MATERIAL	2 PLC ±0.15	WEIGHT -	A100779C=2132465		-
	3 PLC ±0.15				
	4 PLC ±0.15	CUSTOMER DRAWING	SCALE 5:1 SHEET 1 OF 1 REV A		
	ANGLES ±1/2				
	FINISH -				