






LOC		DIST		REVISONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	




RECOMMENDED BEZEL CUTOUT AND
PC BOARD AND BEZEL POSITION




0.15±0.1 (BOTTOM OF
CUTOUT IN BEZEL TO
TOP OF PC BOARD)

2.9±0.9 (DISTANCE BETWEEN BACK OF
BEZEL AND FRONT OF PC BOARD)

SECTION Y-Y






RECOMMENDED 1x4 CAGE AND PT PCB CONFIGURATION




RECOMMENDED PCB
FOR PT CONNECTOR
SCALE 15:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JASON YANG 22FEB2012	TE Connectivity	
		CHK ALEX CAI 22FEB2012		
DIMENSIONS:		APVD ALEX CAI 22ALEX CAI	NAME	
mm		PRODUCT SPEC	CAGE ASSEMBLY AND PT CONNECTOR ASSEMBLY, 1X4, SFP	
		108-2161		
		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
		114-13121		
MATERIAL		WEIGHT	A100779C=2170285	
SEE NOTES		CUSTOMER DRAWING		
		SCALE 5:1	SHEET 2 OF 3	
		REV B		

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	-	-	SEE SHEET 1	-	-



RECOMMENDED LAYOUT FOR
MATING TRANSCEIVER PCB

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: JASON YANG 22FEB2012	 TE Connectivity	
DIMENSIONS:		CHK: ALEX CAI 22FEB2012		
mm		APVD: ALEX CAI 22ALEX CAI	NAME	
		PRODUCT SPEC	CAGE ASSEMBLY AND PT CONNECTOR ASSEMBLY, 1X4, SFP	
		108-2161		
		APPLICATION SPEC		
		114-13121		
MATERIAL		WEIGHT	SIZE	
SEE NOTES		-	A100779C=2170285	
SEE NOTES		CUSTOMER DRAWING	RESTRICTED TO	
			SCALE 1:1 SHEET 3 OF 3 REV B	