

SOLISTRAND

TE Internal #: 321280

Butt Splice, 14 – 12 AWG, 2 – 3 mm² Wire, Serrated, 3.26 – 8.23 kcmil, 3260 – 8230 CMA, Copper, Length 17.53 mm [.69 in], Loose

Piece, Closed Barrel

View on TE.com >



Terminals & Splices > Splices











Splice Type: Butt Splice

Wire Size: 2-3 mm²

Sealable: No

Splice Features: Serrated

Features

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Contact Features

Terminal Plating Material	
Contact Base Material Copper	
Barrel Type Closed	

Body Features

Product Weight	1.249 g
Splice Features	Serrated

Dimensions

Outside Diameter	4.52 mm[.178 in]
Wire Size	3.26 – 8.23 kcmil
Barrel Inside Diameter	2.49 mm[.098 in]



Terminal Material Thickness	.84 mm[.033 in]
Product Length	17.53 mm[.69 in]
Product Type Features	
Splice Accessory Type	Splice
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Mechanical Attachment	
Wire Insulation Support	Without
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Splice	No
Other	
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought





















Documents

Product Drawings

SPLICE, SOLIS BUTT 14-12

English

CAD Files

Customer View Model

ENG_CVM_321280_H.3d_igs.zip

English

Customer View Model

ENG_CVM_321280_H.3d_stp.zip

English

Customer View Model

ENG_CVM_321280_H.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English