1SNK508960R0000 V ACTIVE

ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK508960R0000

End Section Cover, Used With Screw Clamp Terminal Blocks, -55 –

110 °C [-67 – 230 °F], ENTRELEC SNK, Terminal Block & Strip

Insulating Accessories

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories











Insulating Accessory Type: End Section Cover

Compatible With Block or Strip Type: Screw Clamp Terminal Blocks

Operating Temperature Range: -55 - 110 °C [-67 - 230 °F]

EU RoHS Compliance: Compliant
EU ELV Compliance: Compliant

Features

Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94V-0

Body Features

Primary Product Color	Dark Gray
Product Weight	1.8 g[.063 oz]
Primary Product Material	Polyamide

Dimensions

Product Spacing	1.5 mm[.059 in]
Product Depth	31.9 mm[1.256 in]
Product Height	59 mm[2.323 in]

Usage Conditions

Installation Temperature Range	-5 - 40 °C[23 - 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]



Product Type Features

Insulating Accessory Type	End Section Cover
Operation/Application	
Compatible With Block or Strip Type	Screw Clamp Terminal Blocks
Other	
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 1SNK508013R0000 ZS4-R1



TE Part # 1SNK508419R0000 ZS4-S-R3-T2



TE Part # 1SNK508416R0000 ZS4-S-R3



=TE

TE Part # 1SNK508413R0000 ZS4-SF1-R2



TE Part # 1SNK508414R0000 ZS4-SF1-R3



TE Part # 1SNK508415R0000 ZS4-SF1-R4






Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(319)



Terminal Block & Strip Conducting Accessories(67)




Terminal Block & Strip Insulating Accessories(31)

Customers Also Bought























Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK508960R0000_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK508960R0000_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK508960R0000_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

English

Essential Entrelec Terminal Blocks

End Section Cover, Used With Screw Clamp Terminal Blocks, -55 – 110 °C [-67 – 230 °F], ENTRELEC SNK, Terminal Block & Strip Insulating Accessories



Japanese