

### **COPALUM**


TE Internal #: 277148-7

Closed Ring Tongue Terminal, 6 AWG, 1/4 Stud, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >



### Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 28280 CMA

Stud Size: 1/4

# **Features**

Configuration Features	
Number of Holes	1
Body Features	
Product Weight	14.8 g
Electrical Characteristics	
Voltage Rating	600 V
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	25
Packaging Method	Carton
Product Type Features	
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/4

# **Contact Features**

Wire Insulation Support Retention Type

Sealable

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None

Yes

Insulation Support



#### **Dimensions**

Wire Size	28280 CMA
Stud Diameter	6.73 mm[.265 in]
Tongue Thickness	2.26 mm[.089 in]
Product Length	46.74 mm[1.84 in]
Barrel Inside Diameter	7.11 mm[.28 in]
Compatible Insulation Diameter (Max)	6.35 mm[.25 in]
Compatible Insulation Diameter Range	5.72 – 6.35 mm[.225 – .25 in]

### **Usage Conditions**

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

#### Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





# Customers Also Bought





















# **Documents**

Product Drawings
TERM,SLD COPALUM R 6 1/4

English



**CAD Files** 

**Customer View Model** 

ENG\_CVM\_CVM\_277148-7\_H.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_277148-7\_H.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_277148-7\_H.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

# Datasheets & Catalog Pages

**COPALUM Lite Sealed Terminals and Splices** 

English

**Product Specifications** 

**Application Specification** 

English

**Instruction Sheets** 

Instruction Sheet (U.S.)

English