T4042014031-000 ACTIVE



M8 Connector

TE Internal #: T4042014031-000

3 Position Circular Connector, Wire-to-Panel, Sealable, Wire &

Cable, Signal, Panel Mount, Reverse Gender, Nickel, Copper Alloy,

Code A, M8 Connector

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > M8 Panel Mount PCB











Number of Positions: 3

Connector System: Wire-to-Panel

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 3 A

All M8 Panel Mount PCB (12)

Features

Environmental Protection

| Electrical Characteristics | |
|-----------------------------|---------------------------|
| Operating Voltage | 60 VAC |
| Packaging Features | |
| Packaging Quantity | 1 |
| Industry Standards | |
| UL Flammability Rating | UL 94HB |
| Usage Conditions | |
| IP Dust Sealing Level | 6 |
| IP Water Sealing Level | IP67 |
| Operating Temperature Range | -40 - 85 °C[-40 - 185 °F] |
| Body Features | |
| O-Ring Material | Silicone |
| | |

IP67



| Environmental Protection Type | Sealed |
|--|----------------------|
| Primary Product Color | Black |
| | Silicone |
| Peripheral Seal Material Shell Plating Material | Nickel |
| Shell Base Material | |
| | Copper Alloy |
| Circular Connector Insulation Material Type | Polyamide 67 GF30 |
| Hermetically Sealed | Yes |
| Product Type Features | |
| Assembly Requirement | Factory Assembled |
| Circular Connector Shell Type | Metal-Shell |
| Connector Product Type | Connector Assembly |
| Assembly Type | Electrical Connector |
| Connector System | Wire-to-Panel |
| Sealable | Yes |
| Connector & Contact Terminates To | Wire & Cable |
| Circular Connector Type | Plug |
| Shell Type | Metal |
| Configuration Features | |
| Keying & Polarized Position Locations | A |
| Factory Installed Backshell | No |
| Number of Positions | 3 |
| Number of Power Positions | 0 |
| Number of Signal Positions | 3 |
| Contacts Preloaded | Yes |
| Contact Features | |
| Contact Current Rating (Max) | 3 A |
| Reverse Gender | Yes |
| Circular Connector Contact Type | Pin |
| Mechanical Attachment | |
| Connector Mounting Type | Panel Mount |
| | |

А

Keyed

Polarization Code

Mating Alignment Type



Housing Features

| Circular Connector Shell Size | 12.6 |
|-------------------------------|------|
| | |

Operation/Application

| Circuit Application | Signal |
|---------------------|--------|
| Shielded | No |

Other

| EU RoHS Compliance | Compliant with Exemptions |
|--------------------|---------------------------|
| EU ELV Compliance | Compliant with Exemptions |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | M8 Connector



Connector Hardware(4)



M8/M12 Cable Assemblies(147)




Standard Circular Connectors (106)

Customers Also Bought



TE Part #2-111196-4 100 RCPT SYSTEM 50, LEAD FREE



TE Part #2032440-1 C/A, UMCC TO SMA BHD JACK, 1.37 MM L200MM






















Documents

Product Drawings

M8.MLE.PNLFRONT.3POS.STR PCB

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_T4042014031-000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_T4042014031-000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_T4042014031-000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

Product Specifications

Application Specification

English

Application Specification

English

Agency Approvals

UL

English