

40595 ✓ ACTIVE

TE Internal #: 40595
Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud, 4.82 mm [.
19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated

[View on TE.com >](#)[Terminals & Splices > Ring Terminals](#)

Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **1624 – 4106 CMA**

Stud Size: **#10**

Features

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	.358 g
----------------	--------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	20000
--------------------	-------

Packaging Method	Strip/Reel
------------------	------------

Contact Features

Contact Base Material	Brass
-----------------------	-------

Barrel Type	Open
-------------	------

Terminal Orientation	Straight
----------------------	----------

Terminal Plating Material	Tin
---------------------------	-----

Contact Underplating Material	None
-------------------------------	------

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Dimensions

Wire Size	1624 – 4106 CMA
Stud Diameter	4.82 mm [.19 in]
Tongue Thickness	.51 mm [.02 in]
Product Length	13.72 mm [.54 in]
Barrel Inside Diameter	1.65 mm [.065 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 350568-1
SPADE SNAP-ON 020TPBR #8



TE Part # 42185-2
RING 22-16 .125 .020TPBR



TE Part # 2150736-1
OCEAN-2.0-APPLICATOR-E-120F-REM



TE Part # 7-2150736-7
OCEAN_2.0_SPARE_PART_KIT-120F



TE Part # 1-61795-0
RING 18-14 105-145 #10 025TPBR



TE Part # 2150736-2
OCEAN-2.0-APPLICATOR-E-120FA-REA

Customers Also Bought



TE Part #521367-2
ULTRA-POD 250 ASSY REC 18-14
AWG TPBR



TE Part #794190-1
06P MINI UMLNL2 PLUG HSG UL94V0



TE Part #41582
RING 190(4.82 MM) 24-20 AWG TPBR



TE Part #964202-1
STD TIMER CONTACT



TE Part #794221-1
MINI UMLN2 SOK 22-18 AWG SN



TE Part #62307-2
AMVAR SPLC 1500-5000 016TPBR



TE Part #1969897-1
250 FASTON HSG.,REC.,5 POS,BLACK



TE Part #2178029-3
3P ST-TIMER GEH V0



TE Part #2238196-3
FASTON 250 STD REC STR 18-14TPBR



TE Part #2238207-3
187 FASTON,REC.,20-16 AWG,TPBR

Documents

Product Drawings

RING TERMINAL 18-14 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_40595_BJ_c-40595-bj.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_40595_BJ_c-40595-bj.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_40595_BJ_c-40595-bj.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Engineering Report

English