182651-1 - ACTIVE

AMP | AMP CPC

TE Internal #: 182651-1 4 Position Circular Power Connector, Housing, 600 VDC, Wire-to-Wire, Wire & Cable, Plug, Reverse Gender, Pin, Power & Signal, Black, AMP CPC

View on TE.com >

Connectors > Power Connectors > Circular Power > Circular Power Connectors



Number of Positions: 4 Connector Product Type: Housing

Operating Voltage: 600 VDC

Connector System: Wire-to-Wire

Sealable: No

Features



Packaging Features

Packaging Quantity	100
Packaging Method	Bag
Mechanical Attachment	
Mating Retention Type	Threaded Coupling
Thread Size	5/8-24 UNEF-2A
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Connector Mounting Type Mating Retention	Cable Mount (Free-Hanging) With
Mating Retention	With
Mating Retention Panel Mount Feature	With
Mating Retention Panel Mount Feature Industry Standards	With Without

4 Position Circular Power Connector, Housing, 600 VDC, Wire-to-Wire, Wire & Cable, Plug, Reverse Gender, Pin, Power & Signal, Black, AMP CPC



Body Orientation	Straight
Housing Color	Black
Housing Material	Thermoplastic
Circular Connector Shell Size	11
Configuration Features	
Reverse Numbering	Without
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Product Type Features	
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Plug
Circular Connector Shell Type	All Plastic

Electrical Characteristics

Operating Voltage	600 VAC
Contact Features	
Reverse Gender	Yes
Contact Type	Pin
Contact Protection	With
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	None
Fluid Resistance Operation/Application	None
	None Power & Signal
Operation/Application	
Operation/Application Circuit Application	Power & Signal
Operation/Application Circuit Application Shielded	Power & Signal

4 Position Circular Power Connector, Housing, 600 VDC, Wire-to-Wire, Wire & Cable, Plug, Reverse Gender, Pin, Power & Signal, Black, AMP CPC



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Colder Process Conscility	Not applicable for colder process comphility

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




Also in the Series | AMP CPC


4 Position Circular Power Connector, Housing, 600 VDC, Wire-to-Wire, Wire & Cable, Plug, Reverse Gender, Pin, Power & Signal, Black, AMP CPC







Customers Also Bought





Documents

4 Position Circular Power Connector, Housing, 600 VDC, Wire-to-Wire, Wire & Cable, Plug, Reverse Gender, Pin, Power & Signal, Black, AMP CPC



Product Drawings CPC Plug Assy, 11-4, Rev Sex English **CAD** Files 3D PDF English Customer View Model ENG_CVM_182651-1_B3.2d_dxf.zip English Customer View Model ENG_CVM_182651-1_B3.3d_igs.zip English Customer View Model ENG_CVM_182651-1_B3.3d_stp.zip English 3D PDF 3D **Customer View Model** ENG_CVM_CVM_182651-1_B.2d_dxf.zip English **Customer View Model** ENG_CVM_CVM_182651-1_B.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_182651-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals UL Report

English