TE Internal #: 63895-1

Grounding Clip, 18 – 14 AWG, .8 – 2 mm² Wire, Unplated Plating,

Length 18.54 mm [.73 in], Reel, Wire Insulation Support, Special

Purpose Terminals

View on TE.com >



Terminals & Splices > Special Purpose Terminals











Special Purpose Terminal Type: Grounding Clip

Wire Size: .8 – 2 mm²

Terminal Plating Material: Unplated
Product Length: 18.54 mm [.73 in]

## **Features**

### **Configuration Features**

Compatible With Wire & Cable Type	Discrete Wire
Usage Conditions	
Insulation Option	Uninsulated
Packaging Features	
Packaging Quantity	5000
Packaging Method	Reel
Product Type Features	
Sealable	No
Contact Features	
Special Purpose Terminal Type	Grounding Clip
Terminal Plating Material	Unplated
Terminal Orientation	Straight
Mechanical Attachment	

With

Wire Insulation Support



### **Dimensions**

Wire Size	$.8-2 \text{ mm}^2$
Product Length	18.54 mm[.73 in]
Compatible Insulation Diameter (Max)	3.17 mm[.125 in]
Compatible Insulation Diameter Range	2.29 – 3.18 mm[.9 – .125 in]

#### Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**











# Customers Also Bought



TE Part #2306286-4
4P DUOPLUG MARK II SIDE LOCKING, FUL



TE Part #2306286-5 5P DUOPLUG MARK II SIDE LOCKING, FUL



TE Part #2296205-2 2P RCPT VAL-U-LOK GWT/V0





TE Part #3-647449-1 SL156 RCPT,SPCL LUBE, LF



TE Part #1241965-6 STD-TIMER GEH 6P



TE Part #2-1241965-4 STD TIMER PLUG HSG 4P W/EXT. LOCKING



TE Part #2306286-9
9P DUOPLUG MARK II SIDE LOCKING, FUL





## **Documents**

Product Drawings
GROUND CLIP 14-18AWG ST

English

**CAD Files** 

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_63895-1\_H.2d\_dxf.zip Grounding Clip, 18 – 14 AWG, .8 – 2 mm² Wire, Unplated Plating, Length 18.54 mm [. 73 in], Reel, Wire Insulation Support, Special Purpose Terminals



English

**Customer View Model** 

ENG\_CVM\_CVM\_63895-1\_H.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_63895-1\_H.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English

**Agency Approvals** 

UL

English