SACC-M16-SEALING PLUG SET - Screw plug

1453368

https://www.phoenixcontact.com/us/products/1453368

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Screw plug, Rear mounting, M16 x 1.5, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1239800

Commercial data

Item number	1453368
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AB27
Product key	ABQZBA
Catalog page	Page 54 (C-2-2019)
GTIN	4046356550932
Weight per piece (including packing)	12.95 g
Weight per piece (excluding packing)	9.22 g
Customs tariff number	85389099
Country of origin	DE

SACC-M16-SEALING PLUG SET - Screw plug

1453368

https://www.phoenixcontact.com/us/products/1453368

Technical data

Notes

Order information:	Lock nut is included in the scope of delivery

Product properties

Product type	Plug for cable screw gland
Thread type	M16

Connection data

Tightening torque	0.4 Nm

Material specifications

Seal material	NBR
Material of grip body	CuZn/Ni

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67 (When installed)
	IP65 (When installed)
	IP67, when screwed together

Mounting

Mounting type	Rear mounting M16 x 1.5

Classifications

ECLASS

ECLASS-11.0	23111190
ECLASS-12.0	23111190
ECLASS-13.0	23111190

ETIM

ETIM 9.0	EC000032

UNSPSC

UNSPSC 21.0	31261500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	06ce8888-34d7-4ef4-8eb3-7d649d2576ea