


Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Plug**

Connector System: **Cable-to-Cable, Cable-to-Panel**

Number of Positions: **104**

Centerline (Pitch): **3.81 mm [.15 in]**

Features

Packaging Features

Packaging Quantity	1
Packaging Method	Carton

Dimensions

Product Width	28.7 mm[1.13 in]
Product Length	57.35 mm[2.258 in]
Connector Height	71.88 mm[2.83 in]
Wire Size	.05 – 2 mm ²
Row-to-Row Spacing	3.3 mm[.13 in]

Mechanical Attachment

Strain Relief	Without
Panel Mount Feature	With
Panel Mount Feature Type	Screw Mount
Connector Mounting Type	Panel Mount

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug
Connector System	Cable-to-Cable, Cable-to-Panel
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	104
Number of Power Positions	104
Number of Signal Positions	104
Number of Rows	8
Electrical Characteristics	
Operating Voltage	250 VDC
Contact Features	
Contact Current Rating (Max)	13 A
Contact Retention Within Housing	With
Contact Type	Pin
Termination Features	
Termination Method to Wire & Cable	Crimp
Housing Features	
Centerline (Pitch)	3.81 mm [.15 in]
Housing Color	Black
Housing Material	Phenolic GF
Usage Conditions	
Operating Temperature Range	-55 – 150 °C [-67 – 302 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire
Other	
EU RoHS Compliance	Compliant

EU ELV Compliance

Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



Documents

CAD Files

3D PDF

English

Customer View Model

[ENG_CVM_201692-2_AN.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_201692-2_AN.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_201692-2_AN.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_201692-2_AY.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_201692-2_AY.3d_stp.zip](#)

English

Customer View Model[ENG_CVM_CVM_201692-2_AY.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.**Datasheets & Catalog Pages**[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

English

Instruction Sheets[Instruction Sheet \(U.S.\)](#)

English

[M Series 104-Position Plug & Receptacle Connectors w/Center Fasteners](#)

English

Agency Approvals[Agency Approval Document](#)

English