
T4145035021-001 ACTIVE



M12 Connector

TE Internal #: T4145035021-001

2 Position Circular Connector, Wire-to-Panel, Sealable, Wire &

Cable, Signal, Panel Mount, Reverse Gender, Nickel, Copper Alloy,

Code A, M12 Connector

View on TE.com >




Connectors > Circular Connectors > Standard Circular Connectors > M12 Panel Mount PCB











Number of Positions: 2

Connector System: Wire-to-Panel

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 4A

All M12 Panel Mount PCB (103)

Features

Industry Standards

UL Flammability Rating

Usage Conditions	
IP Dust Sealing Level	6
IP Water Sealing Level	7
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Rody Foatures	

UL 94HB

Body Features

Primary Product Color	Black
Shell Plating Material	Nickel
Shell Base Material	Copper Alloy
Circular Connector Insulation Material Type	Polyamide GF
Hermetically Sealed	Yes

Product Type Features



Assembly Requirement	Factory Assembled
Assembly Type	Electrical Connector
Circular Connector Shell Type	Metal-Shell
Connector Product Type	Connector Assembly
Connector System	Wire-to-Panel
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Metal
Configuration Features	
Number of Positions	2
Number of Power Positions	0
Number of Signal Positions	2
Contacts Preloaded	Yes
Contact Features	
Contact Current Rating (Max)	4 A
Contact Current Rating (Max) Reverse Gender	4 A Yes
Reverse Gender	Yes
Reverse Gender Circular Connector Contact Type	Yes
Reverse Gender Circular Connector Contact Type Mechanical Attachment	Yes Socket
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type	Yes Socket Panel Mount
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type Polarization Code	Yes Socket Panel Mount A
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type Polarization Code Mating Alignment Type	Yes Socket Panel Mount A
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type Polarization Code Mating Alignment Type Housing Features	Yes Socket Panel Mount A Keyed
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type Polarization Code Mating Alignment Type Housing Features Circular Connector Shell Size	Yes Socket Panel Mount A Keyed
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type Polarization Code Mating Alignment Type Housing Features Circular Connector Shell Size Operation/Application	Yes Socket Panel Mount A Keyed
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type Polarization Code Mating Alignment Type Housing Features Circular Connector Shell Size Operation/Application Circuit Application	Yes Socket Panel Mount A Keyed 12 Signal
Reverse Gender Circular Connector Contact Type Mechanical Attachment Connector Mounting Type Polarization Code Mating Alignment Type Housing Features Circular Connector Shell Size Operation/Application Circuit Application Shielded	Yes Socket Panel Mount A Keyed 12 Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series M12 Connector










M8/M12 Cable Assemblies(230)



Customers Also Bought



















Documents

Product Drawings

M12 R/A F PNL STAMPED PIN A-CODE 2P SHLD

English

CAD Files

Customer View Model

ENG_CVM_CVM_T4145035021-001_B1.2d_dxf.zip

English

3D PDF

2 Position Circular Connector, Wire-to-Panel, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Nickel, Copper Alloy, Code A, M12 Connector



3D

Customer View Model

ENG_CVM_CVM_T4145035021-001_B1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_T4145035021-001_B1.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL

English