1-532825-4 ACTIVE

AMP-HDI

TE Internal #: 1-532825-4

PCB Mount Receptacle, Right Angle, Board-to-Board, 150 Position, 2.54 mm [.1 in] Centerline, Gold, Through Hole - Solder, Signal,

Natural, Tube

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles



PCB Connector Assembly Type: PCB Mount Receptacle

PCB Mount Orientation: Right Angle Connector System: Board-to-Board

Number of Positions: 150

Number of Rows: 2

Features

Dimensions

Connector Height	3.05 mm[.12 in]
Packaging Features	
Packaging Quantity	2
Packaging Method	Tube
Usage Conditions	
Housing Temperature Rating	High
Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
Operation/Application	
Assembly Process Feature	None
Circuit Application	Signal
Mechanical Attachment	
Mating Alignment Type	Keyed
PCB Mount Retention	Without



	\
PCB Mount Alignment	Without
Connector Mounting Type	Board Mount
Mating Alignment	With
Termination Features	
Rectangular Termination Post & Tail Width	.58 mm[.023 in]
Rectangular Termination Post & Tail Thickness	.25 mm[.01 in]
Termination Post & Tail Length	3.05 mm[.12 in]
Termination Method to PCB	Through Hole - Solder
Contact Features	
	30 µin
Mating Square Post Dimension	.64 mm[.025 in]
Contact Shape & Form	Four Beam
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material	Gold
Contact Type	Socket
Contact Current Rating (Max)	3 A
Housing Features	
Housing Material	Thermoplastic
Housing Material Centerline (Pitch)	Thermoplastic 2.54 mm[.1 in]
Centerline (Pitch)	
Centerline (Pitch) Configuration Features	2.54 mm[.1 in]
Centerline (Pitch) Configuration Features Stackable	2.54 mm[.1 in] No
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation	2.54 mm[.1 in] No Right Angle
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation Number of Positions	2.54 mm[.1 in] No Right Angle 150
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation Number of Positions Number of Rows	2.54 mm[.1 in] No Right Angle 150
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation Number of Positions Number of Rows Product Type Features	2.54 mm[.1 in] No Right Angle 150 2
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation Number of Positions Number of Rows Product Type Features PCB Connector Assembly Type	2.54 mm[.1 in] No Right Angle 150 2 PCB Mount Receptacle
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation Number of Positions Number of Rows Product Type Features PCB Connector Assembly Type Connector System	2.54 mm[.1 in] No Right Angle 150 2 PCB Mount Receptacle Board-to-Board
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation Number of Positions Number of Rows Product Type Features PCB Connector Assembly Type Connector System Sealable	2.54 mm[.1 in] No Right Angle 150 2 PCB Mount Receptacle Board-to-Board No
Centerline (Pitch) Configuration Features Stackable PCB Mount Orientation Number of Positions Number of Rows Product Type Features PCB Connector Assembly Type Connector System Sealable Connector & Contact Terminates To	2.54 mm[.1 in] No Right Angle 150 2 PCB Mount Receptacle Board-to-Board No



Industry Standards

UL Flammability Rating	UL 94V-0

Other

EU RoHS Compliance	Not Compliant
EU ELV Compliance	Compliant with Exemptions

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (.13%) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 532436-7 HDI PIN ASSY 4 ROW 200 POS









Customers Also Bought





















Documents



Product Drawings

HDI RECP ASSY 2 ROW 150 POS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-532825-4_P.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-532825-4_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-532825-4_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1-1773957-5_AMP_HDI_BTB_CONNECTORS_EN

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English