PIDG

TE Internal #: 34974


Closed Ring Tongue Terminal, 16 – 14 AWG, M6 Stud, 6.73 mm [. 265 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially

Insulated, PIDG

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: M6

All PIDG Ring Tongue Terminals (410)

Features

Configuration Features

Number of Holes 1 Mechanical Attachment Wire Insulation Support With Electrical Characteristics Voltage Rating 300 V Industry Standards Government Qualified Terminal No Body Features Product Weight 4.947 g Stripe Color Black Packaging Features Packaging Quantity 500		
Wire Insulation Support Electrical Characteristics Voltage Rating 300 V Industry Standards Government Qualified Terminal No Body Features Product Weight 4.947 g Stripe Color Black Packaging Features	Number of Holes	1
Electrical Characteristics Voltage Rating 300 V Industry Standards Government Qualified Terminal No Body Features Product Weight 4.947 g Stripe Color Black Packaging Features	Mechanical Attachment	
Voltage Rating 300 V Industry Standards Government Qualified Terminal No Body Features Product Weight 4.947 g Stripe Color Black Packaging Features	Wire Insulation Support	With
Industry Standards Government Qualified Terminal No Body Features Product Weight 4.947 g Stripe Color Black Packaging Features	Electrical Characteristics	
Government Qualified Terminal Body Features Product Weight 4.947 g Stripe Color Black Packaging Features	Voltage Rating	300 V
Body Features Product Weight 4.947 g Stripe Color Black Packaging Features	Industry Standards	
Product Weight 4.947 g Stripe Color Black Packaging Features	Government Qualified Terminal	No
Stripe Color Packaging Features Black	Body Features	
Packaging Features	Product Weight	4.947 g
	Stripe Color	Black
Packaging Quantity 500	Packaging Features	
	Packaging Quantity	500

Loose Piece

Packaging Method



Product Type Features

Terminal Features	Heavy Duty
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M6
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Dimensions

Wire Size	2050 – 5180 CMA
Stud Diameter	6.73 mm[.265 in]
Tongue Thickness	1.27 mm[.05 in]
Product Length	28.39 mm[1.12 in]
Compatible Insulation Diameter (Max)	5.84 mm[.23 in]
Compatible Insulation Diameter Range	3.81 – 5.84 mm[.15 – .23 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)



Candidate List Declared Against: JUNE 2024 (241)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts























Also in the Series | PIDG



Compression Connectors(17)



Crimp Wire Pins, Tabs & Ferrules(41)




Knife Disconnects(11)



Quick Disconnects(38)



Ring Terminals(588)



Spade Terminals(228)



Special Purpose Terminals(1)



Splices(41)

Customers Also Bought



TE Part #1-2035366-0 Backshell, AS16, 6P, 90Deg, NC12, LP, Plug



TE Part #205840-4 CPC RCPT ASSY 17-28 W/INSERTS












TE Part #327743 TERMINAL, PIDG R 16-14HD 1/4











Documents

Product Drawings

TERMINAL, PIDG R 16-14HD 1/4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_34974_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_34974_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_34974_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English