

深圳市胜丰宏电子有限公司

APPROVAL SHEET

Customer:					
Customer P/N:	SFZ	120258	L5 LED 四	彩	
Description:		DC FA	N.		
Model NO.:	S	FZ1202	5SL5		
Version.:	A Issue NO.: SF220211				
Issue date: 202	2-02-11 Qu	antity:	2pcs		
Please sign back	this specifi	cation	for our re	cord upon y	our approval.
hanks!					
Company	/		CUSTOMER	APPROVAL	
Stamp			Stam	p	

Stamp	
制作: 陈剑龙	
复核:李厚群	
核准:罗安中	

CUSTOMER	APPROVAL	
Stamp		
承认:		
核准:		
日期:		

工厂地址: 东莞市凤岗镇竹塘下围村大塘北路6号合泰工业园A栋3楼

免费咨询和订购热线: 400-9920-988 官方网站 http://www.fancool.net/

E-Mail: fancool8@163.com

1.0: 一般规格 (General Speci fication)

项目(Item)		规格/条件		
		(Specification/Condition)		
1	型号(Mode1 No.)	SFZ12025SL5		
2	外型尺寸(Outline. Dimension)	120*120*25		
3	工作電压 (Operating Voltage)	DC 3.5-6.80V		
4	額定電压(Rated .voltage)	DC 5.0 V		
5	起动電压 Starting Voltage	DC ≤3.5V on/off		
6	额定电流(Rated current)	0.28A±10%	a. 額定電压(Rated .voltage)	
7	消耗功率(Power consumption)	1.40W	b.25℃ 65% RH	
8	转速 (Speed)	950±10%RPM	C.After testing for 5 minutes	
9	最大风量: (Max Airflow)	50.12CFM	a. 额定电压(Rated .voltage) b. AMCA 标准(Standard)	
9	最大静压: (Air .Static Pressure)	1.68mmH2O	C. 额定电流(Rated current)	
10	最大噪音 (Max Noise)	Max:27.80Db-A	a. 额定电压 (Rated Voltage) b. 18dB无响室 (18dB Non-Echo Chamber) c. 标准 (Standard):CNS 8753 / ISO 3744 d. Test Condition :ISO 7779 e. 距离 (Distance): 1.0 M	
11	扇叶数 (No.of.Blade)	11 叶	,	
12	极数 (No.of.Pole)	4 极		
13	运转方向 (Rotating Direction)	逆时针/运转方向是从扇叶	面看	
锁住保护 Lock Protection		□无 NO		
15 极性保护 Polarity Protection		o无 NO		
过流保护 (Over current protection)		□无 NO		
17	恒速功能			
PWM 功能 PWM function		□无 NO		

2.0:主要材料/零件规格(Main Materials/parts Specification)

材料/零件(Materials/parts)		规格(Specification)		
1	塑料材料/扇叶 外框 1 (Plastic Material/Blade,Housing) 双极光 ABS 方框(LED 四彩色) 透明 PC11 叶		PC11 叶	
2	轴承 (Bearing Type)	含油轴承 (Sleeve Bearing)		
3	AWM 2468#26#370mm 黑黑黑并线三 P2510 正验 大四 P		三 P2510 正端转	
4	端子 (Connector)	黑 1(VCC)	黑 2(GND)	黑 3(FG)
5	环保要求 (EnvironmentalRequirement	⊠ROHS	□fireproof	□ 无卤

3.0 電性規格 (Electrical Specifically)


1	绝缘阻抗 Insulation Resistance	10MΩ/裸线与外框间测量, 500VDC/min 10MΩ/between unshackled wire and frame at 500VDC/min
2	绝缘耐压 Dielectric Strength	5Ma Max./导线与外框间测量, 500VAC/min 5Ma Max./Measured between lead wire(+)and frame at 500VAC/min
3	防水等级 Waterproof level	IP XO

4.0 环境测试 (Environmental Specification)

1	运转温/湿度范围	温度/Temperature:-10°C - +70°C
1	Operating Temp .Range	湿度/Humidity:5% - 95%RH
2	保存温/湿度范围	温度/Temperature:-40°C - +75°C
2	Storage Temperature	湿度/Humidity:5% - 95%RH
3	耐湿性	电气规格依据 MIL-STD 202F Method 103B
3	Humidity	湿度: 95%RH 温度: 40±2℃
4	热冲击	电气规格依据 MIL-STD 202F Method 107D
4	Thermal Shock	Per MIL-STD 202F Method 107D,Condition D
5	绝缘阶段	UL: A 级
3	Insulation Shock	UL: Class A
6	包装耐振动试验	包装后, XYZ 三方向施 1.1G load vibration test for
0	Packing Vibration Test	30min .No serious damage
	包装耐冲击试验	捆包后,高60公分,1棱角3边6面自然落下,无
	Packing Shock Proof Test	严重损坏.
7		1comer,3edges, 6faces natural drop from 60cm high
'		packing No serious damage

5.0 在无响室额定电压下之噪音测试

(Noise is measured at rated voltage in anechoic



(在背景噪音不超过 18dB(A)的无响室内,将待测风扇通入额定的工作电压,悬掉入空中,将麦克风放于风扇同一平面且离待测风扇进风口一米处进行测试其 B&K 值)


Noise is measured rated voltage in free air in anechoic chamber with B&K sound level meter with microphone at a distance of one meter from the fan intake. The background noise is 18Db(A) max.

6.0 平均寿命说明 (Life Expectancy Explanation)

在指定恒温下持续工作后,经检验,90%能正常运转即可估算其平均使用寿命(The continuous duty life at given temperature after which,90% of testing units shall still be running)。

Bearing System	Test Temperature	Test time (H)
Sleeve Bearing	25℃	25000

7.0 外观图:





 400-9920-988
 制图: 陈卿伟

 www.fancool.net
 审核: 陈惠

8.0 商标(Label Marking)



型号/Model No.	SFZ12025SL5 LED 四彩
额定电压/Rated Voltage	5V DC
标签电流/Label Current	0.35A
标签尺寸/Label Size	直径 35MM
说明/Explain	标签电流标识最大电流
安规/Safety Approvals	DC
附加码/Appendix Code	无/No

9. 注意事项 (Nores)

9-1. 使用时请勿超出本规定所规定之极限,否则我们不保证此产品

We, will nor guarantee the products if the application of our products are exceeded the limitation which isspecified on the specification

9-2. 倘若要变更此份文件任何规格,请务必事先提出要求

In case of changes of the specification specified on thid document A WRITTEN NOTICEIS REQUESTED INADVANCE

- 9-3. 请勿触压着叶片以电源线缠绕着风扇或用力拉扯电源线,如此轴心与电源线将会被损坏 please do not touch the impeller with the pressure and never bring the fan with lead wire The bearing and lead wirenay be damaged
- 9-4. 本产品不保证因粉尘、水滴、小虫进入,而影响寿命与不良产生

No guarantee on the products against the safety problem or failure caused by powder dust,drop of water or insect

9-5. 如有任何资料及文件与此份资料不同,将以此份资料为主要参考

If there is any data or related documentation different from this data sheet. This data sheet is the preciple reference

9-6. 请勿在可燃性气体与任何有害环境中使用

please do not use the fan in the environment of corrosive gas or liquid or any detrimental gas

9-7. 请于六个月内使用,否则风扇存放在很高温或很低温及湿度很高的室温中,风扇于六个月后将可能会有漏电流产生

piease do not store the fan in the environment of high/low temperarure, high humidity or detrimental gas. Pleasestore within six months, every six months, shall be a leakage of electric current to the fan, even though the fan isstored in room temperature

9-8. 当风扇于运转转中,请勿企图将风扇锁死特别长的时间,如此,会因连续停止不转,产生高热而烧毁风扇

while the fan is in operarion, please do not lock the fan intentionally for a long period of time, since the continuous stoppage will result in overheat and thus burnt out the fan..

9-9. 组装风扇时,请特别注意,因共振或振动产生的噪音

During the installation of the fan, please pay sudstantial attention to possible notice caused by resonance vibrationand shock

9-10. 当搬运或作业中,风扇如从 60cm 的高底落下,将会对叶片的平衡产生若干影响,特别是滚珠轴承避免掉落

It is very important to notify that avoid to drop fron 60cm height when in any movement or operation, it will impact the balance of blade. Especially ball bearing structure is avoided to drop down

9-11. 锁外壳之螺丝扭力不得超 4.6 kg -5.3 kg

The torque of the screw that locked the frame should not exceed 4.6kg-5.3kg



CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder

SHENZHEN SHENGFENGHONG ELECTRONICS CO., LTD.

Address

Third floor, building a, Hetai Industrial Park, NO:6, Datang North Road, Xiawei village, Zhutang, Fenggang town, Dongguan City, China

Manufacturer

SHENGFENGHONG ELECTRONICS CO., LTD.

Address

: No.1-2205 Yabao Rd., Bantian , Longgang Distict, Shenzhen, China

Product Name

cooling fan

SF12038, SF1504, SF1805, SF2006, SF2010, SF2507, SF2510, SF3007, SF3010, SF3507, SF3510, SF4007, SF4010, SF4015, SF4020, SF4028, SF4056, SF5010, SF5012, SF5015, SF5020, SF6010, SF6015, SF6020,

Product Model (S)

SF6025, SF6038, SF7010, SF7015, SF7020, SF7025, SF7030, SF7530, SF8010, SF8015, SF8020, SF8025, SF8038, SF8076, SF9010, SF9015, SF9025, SF9038, SF9215, SF9225, SF9238, SF9733, SF10025, SF11025, SF12025, SF12032, SF14025, SF14038, SF15050, SF16038, SF16050, SF17238, SF17250, SF17251, SF18060, SF20060, SF22060, SF25489

Trade Mark

N/A

Related Directive

2014/30/EU

Related Standards

EN 55032:2015 + A1:2020 + A11:2020

EN 55035:2017 + A11:2020

Certificate Number

HK2109183572E

Report No.

HK2109183572-1ER

Registration Date

Sep. 24, 2021

2200





The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.



Shenzhen HUAK Testing Technology Co., Ltd.

Add.:1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China Tel.:+86-755-2302 9901 Http://www.cer-mark.com Postcode:518103 E-mail: service@cer-mark.com



CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RoHS Directive 2015/863/EU amending Annex II to Directive 2011/65/EU has been taken as references for these processes.

Certificate's Holder : SHENZHEN SHENGFENGHONG ELECTRONICS CO., LTD.

Third floor, building a, Hetai Industrial Park, NO:6,

Address : Datang North Road, Xiawei village, Zhutang,

Fenggang town, Dongguan City, China

Manufacturer : SHENZHEN SHENGFENGHONG ELECTRONICS CO.,LTD.

Address : No.1-2205 Yabao Rd., Bantian, Longgang Distict, Shenzhen China

Product Name : cooling fan

SF12038, SF1504, SF1805, SF2006, SF2010, SF2507, SF2510, SF3007, SF3010, SF3507, SF3510, SF4007, SF4010, SF4015, SF4020, SF4028, SF4056, SF5010, SF5012, SF5015, SF5020, SF6010, SF6015, SF6020, SF6025, SF6028, SF7010, SF7015, SF7020, SF7020, SF7030, SF7530, SF7530, SF7030, SF703

SF6025, SF6038, SF7010, SF7015, SF7020, SF7025, SF7030, SF7530, SF8010, SF8015, SF8020, SF8025, SF8038, SF8076, SF9010, SF9015,

Product Model (S) : SF8010, SF8015, SF8020, SF8025, SF8038, SF8076, SF9010, SF9015, SF9025, SF9038, SF9215, SF9225, SF9238, SF9733, SF10025, SF11025,

SF12025, SF12032, SF12038, SF14025, SF14038, SF15050, SF16038, SF16050, SF17238, SF17250, SF17251, SF18060, SF20060, SF22060,

SF25489

Trade Mark

Related Directive : Directive 2015/863/EU amending Annex II to Directive 2011/65/EU

Certificate Number : HK2109183877R

Report No. : HK2109183877-1RR

Registration Date : October 09, 2021





The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.



Shenzhen HUAK Testing Technology Co., Ltd.

Add.:1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China Tel.:+86-755-2302 9901 Http://www.cer-mark.com Postcode:518103 E-mail: service@cer-mark.com