




© 2016 AFCI

Amphenol FCi

				1	2			F	Ci						3					4
	PART NO.	DIM.A	DIM.B	DIM.C	DIM.D	DIM.E		PART NO.	DIM.A	DIM.B	DIM.C	DIM.D	DIM.E		PART NO.	DIM.A	DIM.B	DIM.C	DIM.D	DIM.E
1	10153118-Y20XALF				13.80	20.78		10153118-Y26XALF				13.80	27.98	34Pos.	10153118-Y34XALF	34.60		34.60	13.80	33.38
20Pos. 1	10153118-Y20XBLF	22.00	24.00	22.00	16.60	20.78	26Pos	10153118-Y26XBLF	27.40	29.40	27.40	23.80	27.98		10153118-Y34XBLF		36.60		29.20	33.38
	10153118-Y20XCLF	22.00	21.00	22.00	13.80	19.30	201 03.	10153118-Y26XCLF	27.10	20.10	27.10	13.80	26.50	0 11 03.	10153118-Y34XCLF	01.00	00.00	0 1.00	13.80	31.90
1	10153118-Y20XDLF				15.20	19.30		10153118-Y26XDLF				22.40	26.50		10153118-Y34XDLF				27.80	31.90
1	10153118-Y22XALF				13.80	22.58		10153118-Y28XALF				13.80	26.18		10153118-Y36XALF				17.80	35.18
	10153118 Y22XBLF			23.80	18.40	22.58		10153118_V28VRLF	29.20			22.00	26.18	36Pos.	10153118 - Y36XBLF	36.40	38.40	36.40		35.18
[22Pos.	10153118 Y22XCLF	23.80	25.80		13.80	21.10	28Pos.	10153118 – Y28XCLF		31.20	29.20	13.80	24.70		10153118 - Y36XCLF					33.70
	10153118 Y22XDLF				17.00	21.10		10153118 - Y28XDLF				20.60	24.70		10153118 - Y36XDLF					
	10100110 122/061				17.00	21.10		TOTOSTTO TZONDEI				20.00	24.70		10133110 130ADEI				13.80	33.70
1	10153118-Y24XALF				13.80	24.38		10153118-Y30XALF				13.80	29.78		10153118-Y38XALF				29.60 33.70 13.80 36.98	36.98
24Pos 1	10153118-Y24XBLF	25.60	27.60	25.60	20.20	24.38	30Pos	10153118-Y30XBLF	31.00	33.00	31.00	25.60	29.78	38Pos.	10153118-Y38XBLF	38.20	40.20	38.20	32.80	36.98
	10153118-Y24XCLF				13.80	22.90		10153118-Y30XCLF				13.80	28.30		10153118-Y38XCLF				13.80	35.50
1	10153118-Y24XDLF				18.80	22.90		10153118-Y30XDLF				24.20	28.30		10153118-Y38XDLF				31.40	35.50
								10153118-Y32XALF				13.80	31.58		10153118-Y40XALF				13.80	38.78
DEM	MADIZ THIC CHEET (CHOME 00	ND - TO 4	10D				10153118_Y32XRLF	32.80			27.40	31.58	40Pos	10153118_Y/0YRLF					38.78
KEM	MARK, THIS SHEET S	SHUWS 20	iros. 10 4	HUMOS.			32Pos	10153118 – Y32XCLF		34.80	32.80	13.80	30.10		10153118 - Y40XCLF	40.00	42.00	40.00	13.80	37.30
								10153118-Y32XDLF				26.00	30.10		10153118-Y40XDLF				33.20	37.30









	⊥'⊢ _					ourf	£000		+ 010	ran	2.0		: L:			ا میاد	£	! !					
mat'l. code				1 / 1						pro	jecti	ion	product family										
					ISO 1302 V ISO 406/ISO 110 tolerances unless otherwise s										HPL649								
ltr	ecn	no	dr	dat	е	toler	ance	s un	less	other	wise	speci	fied	\neg	titl∈)							
J						l	les ₀	1		±.5		mm		PIN HEADER, DUAL ROW, THT									
						lang	1690	.00±.25				-											
						0°±2	2° -=	.000				sca	le 1:	:1		WireLock® Series R/A Connector							
						dr	NIC	K ZH	ZHANG		22/19				dwg	no			S	heet	:2 (of 3	size
						eng	NIC	K ZH	ANG	05/2	05/22/19		Amphenol FCi		10157110						_{^ .}		
						chr z		ZK HU		05/2	22/19	FCi		-Ci	10153118 A4						M4		
						app	dт	IM YA			22/19	1						t Customer Dra				ing	
she	et	revi	sion	J																			
ind	ex [she	et	1~3																			


В

form: A4mmXLc-2016-02-24





	PART NO.	DIM.A	DIM.B	DIM.C	DIM.E									
10Pos.	10153118-Y10XALF	13.00	15.00	12.80	11.78									
12Pos.	10153118-Y12XALF	14.80	16.80	14.80	13.03									
REMAR	REMARK, FOR 10 Pos. TO 12 Pos., ONLY PROVIDE A CODE.													



mat'l. code					surface / tolerance							jecti	ion product family										
						ISO 1302 V ISO 406/ISO 110								1	HPL649								
Itr ecn no dr date						tolerances unless otherwise							fied	J	title	9							
J						angles 0.0±					mm				PIN HEADER, DUAL ROW, THT								
						.00±			±.25		_												
						0°±2	· :=	.000±			1	scale 1:1		WireLock® Series R/A Connector									
						dr	r NICK ZHANG				22/19			. ~	no			S	heet	: 3	of 3	siz€	
						engr	NIC	K ZH	ANG	05/2	22/19	Amphenol FCi			10153118 A							\wedge	
						chr		ZK Hl	J	05/2	22/19		F	Ci	10153118 A4								 4
						app	d TIM YAO			05/2	22/19				t yp e	Э	Pro	duct	: Cu	stom	ner	Draw	ing
sheet		revi	sion	J																			
index sheet 1~3																							

В

form: A4mmXLc-2016-02-24 1 PDS: Rev :J STATUS: Released Printed: Nov 19, 2024