








SECTION A-A




SECTION A-A



SECTION B-B

1-2394070-3	M	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	M	PA66-GF	AQUA RED	(165)	1	9
1-2394070-2	L	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	L	PA66-GF	AQUA BROWN	(165)	1	9
1-2394070-1	K	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	K	PA66-GF	AQUA GREEN	(165)	1	9
2394070-9	J	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	J	PA66-GF	ORANGE	(165)	1	9
2394070-8	H	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	H	PA66-GF	YELLOW	(165)	1	9
2394070-7	G	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	G	PA66-GF	RED	(165)	1	9
2394070-6	F	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	F	PA66-GF	BROWN	(165)	1	9
2394070-5	E	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	E	PA66-GF	GREEN	(165)	1	9
2394070-4	D	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	D	PA66-GF	PURPLE	(165)	1	9
2394070-3	C	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	C	PA66-GF	BLUE	(165)	1	9
2394070-2	B	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	B	PA66-GF	NATURE	(165)	1	9
2394070-1	A	1POS,PIN DIA 10.0 HDR ASSY,90DEG	CODE HOUSING FOLLOW 2394070-1	A	PA66-GF	BLACK	(165)	1	9
TE-ASSY-NO.	CODE	DESCRIPTION	DESCRIPTION	CODE	MATERIAL	SURFACE COLOR	WEIGHT (g)	QTY	ITEM



1. MATING CONNECTOR REFER TO DRAWING 2394115
2. CODING VARIANT
3. FREE SPACE FOR HEADER
4. SEALING AREA: NO BURR, TOOL PARTING, SHRINKAGE, CAVITIES AND GATE MARKS PERMITTED. SURFACE ROUGHNESS: Ra<1.6
5. DRAFT ANGLE UP TO 0.5° PERMITTED
6. MOUNTING SCREW M5, SCREW TYPE UP TO MANUFACTURER, DRILL HOLE DESIGN ACCORDING TO SCREW TYPE
7. MATERIAL: CORROSION RESISTANT, ELECTROCONDUCTIVE
8. SCREW M6 FOR BUSBAR CONNECTION
9. ALL THREAD HOLES ARE BLIND HOLES
10. INTERFACE PANEL CODE SEE SHEET 5

THIS DRAWING IS A CONTROLLED DOCUMENT.				DRAWN	26AUG2021	IE Connectivity					
DIMENSIONS: (mm)				CHECK	26AUG2021	NAME					
TOLERANCES UNLESS OTHERWISE SPECIFIED				APPROVE	26AUG2021	1POS,PIN DIA 10.0 HDR ASSY,90DEG HYP-HD1000					
1. DIM ±0.5				1.1IN				SIZE	CASE CODE	DRAWING NO.	REVISIONS
2. DIM ±0.1				PRODUCT SPEC							
3. DIM ±0.05				108-160341							
4. DIM ±0.0001				APPLICATION SPEC							
5. DIM ±0.0001				114-160181							
6. DIM ±0.0001				WEIGHT							
7. DIM ±0.0001				SEE TABLE							
8. DIM ±0.0001				CUSTOMER DRAWING							
9. DIM ±0.0001				SCALE							
10. DIM ±0.0001				2:1							
11. DIM ±0.0001				SHEET 1 OF 5							
12. DIM ±0.0001				REV A3							

