



ADAPTERS series

R191 / R192

Pages

Between series 50 Ω adapters

Adapters for Radiall proprietary interfaces: MC-CARD, Moebius, MQ (MiniQuick), R-MCX, QMA, QN and QRE series
(needed to connect to your analyzer)

Finder guide	18-4
Drawing	18-10 to 18-12

Adapters with high frequency and precision connectors: N18GHz, PC7, SMA2.4, SMA2.9, SMA3.5 and TNC18GHz series

Finder guide	18-5
Drawing	18-13 to 18-15

Adapters with all standard series: 1.0/2.3, 7/16, BMA, BNC, C, HN, MCX, MMBX, MMCX, N, SMA, SMB, SMC, SMP, SSMA, SSMC, TNC and UHF series

Finder guide	18-6 to 18-7
Drawing	18-16 to 18-26

PUSH-ON adapters: N, SMA and TNC series

(for time savings during testing activity)

Finder guide	18-5
Drawing	18-27

Between series 75 Ω adapters

Adapters with standard series: 1.0/2.3, 1.6/5.6, BNC, MCX and N series

Finder guide	18-4
Drawing	18-28
Panel drilling	18-29 to 18-30

In-series 50 Ω and 75 Ω adapters

Finder guide	18-8 to 18-9
--------------------	--------------

INTRODUCTION

Radiall propose an extended family of coaxial connectors and adapters. The following finder guides and drawing pages will help you to find the between series adapters that you need.

We categorize the adapters by the following families:

FINDER GUIDE

75Ω ADAPTERS

1 st interface		2 nd interface		Part number	Page
Series	Gender	Series	Gender		
1.0/2.3	F	MCX	M	R192 810 300	18-28
1.6/5.6	F	BNC	M	R192 430 000	
	M		F	R192 432 000	
BNC	F	1.6/5.6	M	R192 432 000	
		N	F	R192 418 000	
			M	R192 421 000	
	M	1.6/5.6	F	R192 430 000	
		N	F	R192 419 000	
MCX	M	1.0/2.3	F	R192 810 300	
N	F	BNC	F	R192 418 000	
			M	R192 419 000	
	M	BNC	F	R192 421 000	

50Ω ADAPTERS FOR RADIAL PROPRIETARY INTERFACES

1 st interface		2 nd interface		Part number	Page	
Series	Gender	Series	Gender			
MC-Card	F	SMA	F	R191 366 091	18-10	
	M			R191 366 071		
Moebius	M	SMA	F	R191 857 000		
MQ	F	BNC	F	R191 416 000		
	M			R191 413 000		
R-MCX	F	SMA	F	R191 976 020		
			M	R191 977 020		
	M	SMA	M	R191 984 008		
QMA	F	N	F	R191 764 000	18-11	
			M	R191 762 000		
		SMA	F	R191 913 000		
			M	R191 912 000		
	M	N	F	R191 763 000	18-12	
			M	R191 765 000		
		SMA	F	R191 911 000	18-11	
			M	R191 910 000		
QN	F	7/16	M	R191 923 000	18-12	
		N	F	R191 760 010		
				R191 760 000		
	R191 759 000					
	M	M	R191 757 000			
QRE	F	SMA	M	R191 927 L01	18-15	
		SMA3.5	F	R191 946 700		
	M	SMA	F	R191 926 L01		18-12
		SMA3.5	F	R191 944 700		18-15
UMP H2	M	SMA	F	R107 009 901	18-11	
UMP H2.6	M	SMA	F	R107 009 902		
UMP H3	M	SMA	F	R107 009 903		

50Ω ADAPTERS WITH HIGH FREQUENCY AND PRECISION CONNECTORS

1 st interface		2 nd interface		Part number	Page			
Series	Gender	Series	Gender					
N18GHz	F	SMA3.5	F	R191 330 000	18-13			
			M	R191 333 000				
	M		M	R191 326 000				
			F	R191 328 000				
			M	R191 324 000				
PC7		BNC	F	R191 015 000	18-14			
			M	R191 013 000				
		N	F	R191 027 000				
			M	R191 025 000				
		SMA	F	R191 011 000				
			M	R191 009 000				
		SMA3.5	F	R191 012 000				
			M	R191 010 000				
		SMB	F	R191 007 000				
			SMC	F		R191 003 000		
		SMA2.4	F	SMA2.9		F	R191 970 091	18-15
						M	R191 970 071	
M	F		R191 970 081					
	M		R191 970 061					
SMA2.9	F	SMA2.4	F	R191 970 091	18-14			
			M	R191 970 081				
	M	SMP	F	R191 969 002	18-13			
			M	R191 968 001				
		SMA2.4	F	R191 970 071	18-15			
			M	R191 970 061				
SMA3.5	F	QRE	F	R191 967 002	18-14			
			M	R191 966 001				
		N18 GHz	F	R191 946 700	18-15			
			M	R191 944 700				
		PC7	F	R191 330 000	18-13			
			M	R191 333 000				
	M	TNC18	F	R191 328 000	18-14			
			M	R191 012 000				
		N18 GHz	F	R191 316 700	18-15			
			M	R191 326 000				
TNC18GHz	F	SMA	F	R191 324 000	18-13			
			M	R191 318 700				
		SMA3.5	F	R191 010 000	18-14			
			M	R191 314 730				

50Ω PUSH-ON ADAPTERS

1 st interface		2 nd interface		Part number	Page
Series	Gender	Series	Gender		
MCX Push-on	F	SMA	M	R191 977 520	18-27
N Push-on	M	N	F	R161 791 500	
TNC Push-on	M	TNC	F	R143 713 000	
SMA Push-on	F	SMA	F	R125 792 501	
			M	R125 791 501	

FINDER GUIDE

50Ω ADAPTERS WITH ALL STANDARD SERIES

1 st interface		2 nd interface		Part number	Page
Series	Gender	Series	Gender		
10/2.3	M	SMA	F	R191 368 020	18-16
2B4 (Banana plug 4mm)	F	BNC	M	R191 453 000	
	M	BNC	F	R191 454 000	
7/16	F	HN	M	R191 908 000	
			F	R191 723 000	18-17
		N	M	R191 720 000	
	M	HN	F	R191 907 000	18-16
		N	F	R191 722 000	18-17
		QN	F	R191 721 000	
BMA	F	SMA	F	R191 353 711	18-17
			M	R191 353 701	
		SMP	M	R191 815 100	18-18
	M	SMA	F	R191 352 001	18-17
			M	R191 355 001	
			M	R191 352 100	
			M	R191 354 001	
		SMP	F	R191 350 001	18-18
BNC	F	2B4	M	R191 811 100	18-18
		C	M	R191 455 000	18-16
		HN	M	R191 429 000	18-18
		MCX	M	R191 449 000	
		MQ	F	R191 477 120	18-10
			M	R191 416 000	
		N	M	R191 413 000	18-18
			F	R191 422 000	
			M	R191 424 000	
		PC7	M	R191 422 020	18-19
			F	R191 421 000	
		SMA	M	R191 015 000	18-13
	M	SMB	F	R191 303 000	18-19
			M	R191 215 000	
			M	5512-7501-000	
		SMC	F	R191 212 500	18-20
			M	R191 213 000	
			M	R191 212 000	
		TNC	F	R191 123 000	18-20
			M	R191 124 000	
		UHF	M	R191 120 000	18-21
		2B4	M	R191 405 000	
		N	F	R191 447 000	18-16
C	F	2B4	F	R191 453 000	
			M	R191 454 000	18-18
		N	F	R191 419 000	
		PC7	M	R191 417 000	18-19
		SMA	F	R191 013 000	18-13
		SMB	M	R191 305 000	
	M	SMC	M	R191 301 000	18-19
			F	R191 214 000	
		TNC	M	R191 209 000	18-20
		UHF	M	R191 117 000	
		BNC	F	R191 403 000	18-21
			M	R191 445 000	
HN	F	N	F	R191 708 000	18-21
			M	R191 703 000	
		7/16	F	R191 429 000	18-18
	M	HN	F	R191 933 000	18-21
		N	F	R191 705 000	
		7/16	M	R191 907 000	18-16
LC	F	C	M	R191 933 000	18-21
		7/16	F	R191 908 000	18-16
		BNC	F	R191 449 000	18-18
		N	F	R191 737 000	18-21
		N	F	R191 741 000	

1 st interface		2 nd interface		Part number	Page	
Series	Gender	Series	Gender			
MCX	F	BNC	F	R191 477 120	18-18	
		SMA	F	R191 388 000	18-21	
			M	R191 386 000	18-22	
	M	SMA	F	R191 387 107	18-21	
			M	R191 387 000		
		SMA	M	R191 385 000	18-22	
MMBX	F	R191 389 400				
	M	R191 389 200				
MMCX	F	SMA	F	R191 399 100		
			M	R191 389 300		
	M		F	R191 398 020		
			M	R191 389 100		
N	F	7/16	F	R191 723 000	18-16	
			M	R191 722 000		
			BNC	F	R191 422 000	18-18
		R191 424 000				
		R191 422 020				
		M	R191 419 000			
			C	F	R191 708 000	18-21
		M		R191 705 000		
		HN	M	R191 737 000		
		LC	F	R191 741 000		
		PC7		R191 027 000	18-13	
		QMA	F	R191 764 000	18-11	
			M	R191 763 000		
		QN	F	R191 760 010	18-12	
				R191 760 000		
				R191 759 000		
		SMA	F	R191 334 000	18-23	
				R191 332 000		
				R191 331 000		
				R191 381 000		
				R191 327 000		
				R191 377 000		
		SMB	F	R191 239 000	18-24	
			M	R191 236 000		
		TNC	F	R191 514 000		
			M	R191 511 000		
		UHF	M	R191 733 000		
		M	7/16	F	R191 720 000	18-17
				M	R191 721 000	
			BNC	F	R191 421 000	18-19
				M	R191 417 000	
			C	F	R191 703 000	18-21
					R191 025 000	18-13
	QMA		F	R191 762 000	18-11	
	QN		M	R191 765 000	18-12	
			M	R191 757 000		
	SMA		F	R191 329 000	18-23	
			M	R191 325 000		
	SMB		M	R191 233 000	18-24	
	TNC		F	R191 513 000		
				R191 513 050		
	UHF		F	R191 731 000		

50Ω ADAPTERS WITH ALL STANDARD SERIES

1 st interface		2 nd interface		Part number	Page
Series	Gender	Series	Gender		
SMA	F	1.0/2.3	M	R191 368 020	18-16
		BMA	F	R191 353 711	18-17
			F	R191 353 701	
			M	R191 352 001	
			M	R191 355 001	
			M	R191 352 L00	
		BNC	M	R191 305 000	18-19
		MC-Card	F	R191 366 091	18-10
			M	R191 366 071	
		MCX	F	R191 388 000	18-21
			M	R191 387 107	
			M	R191 387 000	
		MMBX	F	R191 389 400	18-22
			M	R191 389 200	
		MMCX	F	R191 399 100	18-22
			M	R191 398 020	
		Moebius	M	R191 857 000	18-10
		N	F	R191 334 000	18-23
				R191 332 000	
				R191 331 000	
				R191 381 000	
				R191 329 000	
		PC7		R191 011 000	18-14
		QMA	F	R191 913 000	18-11
			M	R191 911 000	
		QRE	M	R191 926 L01	18-12
		R-MCX	F	R191 976 020	18-10
		SMB	F	R191 203 007	18-24
			M	R191 201 007	
		SMP	F	R191 844 002	18-25
			M	R191 843 001	
			M	R191 843 421	
			M	R191 843 401	
			M	R191 843 401	
		SSMA	F	R191 349 000	18-26
		SSMC	F	5945-9503-000	
		TNC	F	R191 315 000	
			M	R191 365 000	
		TNC18 GHz	F	R191 313 000	18-15
				R191 318 700	
				R191 314 730	
		BMA	F	R191 351 701	18-17
			M	R191 354 001	
			M	R191 350 001	
		BNC	F	R191 303 000	18-19
			M	R191 301 000	
		MCX	F	R191 386 000	18-22
			M	R191 385 000	
		MMCX	F	R191 389 300	18-22
			M	R191 389 100	
		N	F	R191 327 000	18-23
			M	R191 377 000	
			M	R191 325 000	
		PC7		R191 009 000	18-14
		QMA	F	R191 912 000	18-11
			M	R191 910 000	
		QRE	F	R191 927 L01	18-12
		R-MCX	F	R191 977 020	18-10
			M	R191 984 008	
		SMB	M	R191 200 007	18-25
		SMC	F	R191 374 000	
		SMP	F	R191 842 002	
			M	R191 841 001	
		SSMA	F	R191 347 000	
		SSMC	M	5938-1503-000	18-26
		TNC	F	R191 311 000	
			M	R191 309 000	

1 st interface		2 nd interface		Part number	Page
Series	Gender	Series	Gender		
SMB	F	BNC	F	R191 215 000	18-19
			M	5512-7501-000	
		N	F	R191 214 000	18-21
			F	R191 239 000	
		PC7		R191 007 000	18-14
	M	SMA	F	R191 203 007	18-24
		BNC	F	R191 212 500	18-19
			F	R191 213 000	18-20
			M	R191 212 000	
		N	F	R191 209 000	18-23
			F	R191 236 000	
		SMA	M	R191 233 000	18-24
			F	R191 201 007	
		SMA	M	R191 200 007	18-25
			F	R191 123 000	
SMC	F	BNC	F	R191 124 000	18-20
		PC7		R191 003 000	18-14
		SMA	M	R191 374 000	18-25
	M	BNC	F	R191 120 000	18-20
		BNC	M	R191 117 000	
			M	R191 117 000	
SMP	F	BMA	M	R191 811 100	18-18
		SMA	F	R191 844 002	18-25
			M	R191 842 002	
		SMA2.9	F	R191 969 002	18-15
			M	R191 967 002	
	M	BMA	F	R191 815 100	18-18
		SMA	F	R191 843 001	18-25
			F	R191 843 421	
			M	R191 843 401	
		SMA2.9	F	R191 841 001	18-15
			M	R191 968 001	
		SMA	F	R191 966 001	18-15
			M	R191 349 000	
		SMA	F	R191 347 000	18-26
			M	5945-9503-000	
SSMA	F	SMA	F	5938-1503-000	18-20
SSMC	M	SMA	M	R191 403 000	
TNC	F	BNC	M	R191 514 000	18-24
			F	R191 513 000	
		N	M	R191 513 050	18-26
			F	R191 315 000	
		SMA	F	R191 365 000	18-20
			M	R191 311 000	
	M	BNC	F	R191 405 000	18-20
		N	F	R191 511 000	18-24
		SMA	F	R191 313 000	18-26
			M	R191 309 000	
UHF	F	BNC	M	R191 445 000	18-21
		N	M	R191 731 000	18-24
	M	BNC	F	R191 447 000	18-21
		N	F	R191 733 000	18-24

FINDER GUIDE

50Ω AND 75Ω IN SERIES ADAPTERS

(For reference only)

In Series Adaptors	Part Number	Gender (Male-Female)				Type					Function							
						Str.	R/A	U	T	X	Bulkhead	Sealed		Function				
		Side 1	Side 2	Side 3	Side 4							Panel	Inside Line	Panel Isolated	Flange	Press-in	Locked on Panel	Hermetic
7/16	R185 703 000	M	M			X												
	R185 705 000	F	F			X												
	R185 707 000	M	F			X												
	R185 710 000	F	F			X									X			
	R185 730 020	F	F			X					X	X						
16 / 5.6	R129 796 215	M	M					X										
BNC	R141 703 000	M	M			X												
	R141 704 000	F	F			X												
	R141 710 000	F	F			X									X			
	R141 717 000	F	F			X								X	X			
	R141 720 000	F	F			X					X							
	R141 723 000	F	F			X					X			X				
	R141 723 161	F	F			X					X			X				
	R141 730 000	F	F			X					X	X						
	R141 753 000	F	F			X					X	X						X
	R141 770 000	M	F				X											
	R141 780 000	F	F	M					X									
	R141 782 000	F	F	F					X									
	R141 789 000	F	M	F					X									
	R141 799 000	F	F	F	M					X								
	BNC 75 Ω	R142 703 000	M	M			X											
R142 704 000		F	F			X												
R142 710 000		F	F			X									X			
R142 720 000		F	F			X					X							
R142 723 000		F	F			X					X			X				
R142 770 000		M	F				X											
R142 780 000		F	F	M														
R142 782 000		F	F	F														
R142 789 000	M	F	F															
BNC HT	R316 704 000	F	F			X												
	R316 714 000	F	F			X									X			
	R316 754 000	F	F			X					X	X	X					
	R316 770 000	M	F				X											
C	R316 780 000	F	F	M					X									
	R166 705 000	F	F			X												
	R166 770 000	M	F				X											
DT-F	R139 705 023	F	F			X												
HN	R176 754 000	F	F			X					X	X	X					X
	R176 754 150	F	F			X					X	X						
	R176 770 000	M	F				X											
HN2	R616 705 000	F	F			X												
MCC2	R199 001 703	M	M			X										X		
	R199 001 713	M	M			X												
	R199 001 733	M	M			X											X	
MCX	R113 704 000	F	F			X												
MMBX	R223 703 000	M	M			X												
	R223 720 020	M	M			X					X							
MMS	R209 307 000	M	M			X												
	R209 703 070	M	M			X												
MMT	R210 703 507	F	F Slide on			X												
N	R161 703 000	M	M			X												
	R161 705 000	F	F			X												
	R161 715 000	F	F			X									X			
	R161 730 000	F	F			X					X	X						
	R161 753 000	F	F			X					X	X	X					X
	R161 771 000	M	F				X											
	R161 780 000	F	F	M														
	R161 782 000	F	F	F														
	R161 791 500	F	M Slide on			X												
N18 GHz	R163 705 001	F	F			X												
N75Ω	R162 703 000	M	M			X												
	R162 705 000	F	F			X												
N75Ω	R123 703 000	M	M			X												
	R123 704 000	M	F			X												
	R123 705 000	F	F			X												

Note: drawings can be found in the corresponding series' section

www.radiall.com


50Ω AND 75Ω IN SERIES ADAPTERS

(For reference only)


In Series Adaptors	Part Number	Gender (Male-Female)				Type					Function							
						Str.	R/A	U	T	X	Bulkhead	Sealed		Panel Isolated	Flange	Press-in	Locked on Panel	Hermetic
		Side 1	Side 2	Side 3	Side 4							Panel	Inside Line					
QN	R164 705 000	F	F			X												
	R164 708 000	M	F			X												
SHV	R317 720 000	M	M			X					X							
SMA	R125 703 000	M	M			X												
	R125 703 001	M	M			X												
	R125 704 000	M	F			X												
	R125 704 001	M	F			X												
	R125 705 000	F	F			X												
	R125 705 001	F	F			X												
	R125 720 000	F	F			X					X							
	R125 720 001	F	F			X					X							
	R125 753 000	F	F			X					X	X	X					X
	R125 753 001	F	F			X					X	X	X					X
	R125 771 000	M	F					X										
	R125 771 001	M	F					X										
	R125 780 000	F	F	M						X								
	R125 780 001	F	F	M						X								
	R125 791 501	F	M Slide on			X												
R125 792 501	F	F Slide on			X													
SMA 29	R127 703 001	M	M			X												
	R127 704 001	M	F			X												
	R127 705 001	F	F			X												
	R127 712 001	F	F			X									X			
	R127 753 000	F	F			X					X	X	X					X
	R127 870 001	F	F			X												
R127 872 001	M	F			X													
SMA Com	R124 703 003	M	M			X												
	R124 704 003	M	F			X												
	R124 705 003	F	F			X												
	R124 720 003	F	F			X					X							
SMB	R114 703 000	M	M			X												
	R114 704 000	F	F			X												
	R114 720 000	M	M			X					X							
	R114 753 000	M	M			X					X	X	X					X
	R114 780 000	M	M	F														
R114 781 000	M	M	M															
SMC	R112 720 000	M	M			X					X							
	R112 780 000	M	M	F					X									
SMP	R222 705 000	F	F			X												
	R222 705 200	F	F			X												
	R222 705 220	F	F			X												
SSMA	R121 703 000	M	M			X												
	R121 705 000	F	F			X												
TNC	R143 703 000	M	M			X												
	R143 703 700	M	M			X												
	R143 704 000	F	F			X												
	R143 704 700	F	F			X												
	R143 705 700	M	F			X												
	R143 710 000	F	F			X									X			
	R143 710 700	F	F			X									X			
	R143 713 000	F	M Slide on			X									X			
	R143 720 000	F	F			X					X							
	R143 730 700	F	F			X					X	X						
	R143 753 000	F	F			X					X	X	X					X
	R143 753 120	F	F			X					X	X	X					X
	R143 770 000	M	F					X										
R143 780 000	F	F	M						X									
R143 782 000	F	F	F						X									
UHF	R155 705 000	F	F			X												

Note: drawings can be found in the corresponding series' section


RADIAL PROPRIETARY INTERFACE ADAPTERS




Part number	Interface
R191 366 091	MC-Card Female - SMA Female




Part number	Interface
R191 366 071	MC-Card Male - SMA Female




Part number	Interface
R191 857 000	Moebius Male - SMA Female




Part number	Interface	Panel drilling
R191 416 000	MQ Female - BNC Female	P06




Part number	Interface
R191 413 000	MQ Male - BNC Female



Part number	Interface
R191 976 020	R-MCX Female - SMA Female




Part number	Interface
R191 977 020	R-MCX Female - SMA Male




Part number	Interface
R191 984 008	R-MCX Male - SMA Male

RADIAL PROPRIETARY INTERFACE ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R107 009 901	UMP H2 - SMA Female




Part number	Interface
R107 009 902	UMP H2.6 - SMA Female




Part number	Interface
R107 009 903	UMP H3 - SMA Female




Part number	Interface
R191 913 000	QMA Female - SMA Female




Part number	Interface
R191 912 000	QMA Female - SMA Male




Part number	Interface
R191 911 000	QMA Female - SMA Female



Part number	Interface
R191 910 000	QMA Male - SMA Male



Part number	Interface
R191 764 000	QMA Female - N Female




Part number	Interface
R191 762 000	QMA Female - N Male

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


RADIALL PROPRIETARY INTERFACE ADAPTERS




Part number	Interface
R191 763 000	QMA Male - N Female




Part number	Interface
R191 765 000	QMA Male - N Male




Part number	Interface
R191 923 000	QN Female - 7/16 Male




Part number	Interface
R191 760 010	QN Female - N Female




Part number	Interface
R191 760 000	QN Female - N Female




Part number	Interface
R191 759 000	QN Male - N Female



Part number	Interface
R191 757 000	QN Male - N Male




Part number	Interface
R191 927 L01	QRE Female - SMA Male




Part number	Interface
R191 926 L01	QRE Male - SMA Female

HIGH FREQUENCY AND PRECISION CONNECTOR ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R191 330 000	N18 Female - SMA3.5 Female




Part number	Interface	Panel drilling
R191 333 000	N18 Female - SMA3.5 Female	P11




Part number	Interface
R191 326 000	N18 Female - SMA3.5 Male




Part number	Interface
R191 328 000	N18 Male - SMA3.5 Female




Part number	Interface
R191 324 000	N18 Male - SMA3.5 Male




Part number	Interface
R191 015 000	PC7 - BNC Female



Part number	Interface
R191 013 000	PC7 - BNC Male



Part number	Interface
R191 027 000	PC7 - N Female




Part number	Interface
R191 025 000	PC7 - N Male

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


HIGH FREQUENCY AND PRECISION CONNECTOR ADAPTERS




Part number	Interface
R191 011 000	PC7 - SMA Female




Part number	Interface
R191 009 000	PC7 - SMA Male




Part number	Interface
R191 012 000	PC7 - SMA3.5 Female




Part number	Interface
R191 010 000	PC7 - SMA3.5 Male




Part number	Interface
R191 007 000	PC7 - SMB Female




Part number	Interface
R191 003 000	PC7 - SMC Female




Part number	Interface
R191 970 091	SMA2.4 Female - SMA2.9 Female



Part number	Interface
R191 970 071	SMA2.4 Female - SMA2.9 Male




Part number	Interface
R191 970 081	SMA2.4 Male - SMA2.9 Female




Part number	Interface
R191 970 061	SMA2.4 Male - SMA2.9 Male

HIGH FREQUENCY AND PRECISION CONNECTOR ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R191 969 002	SMA2.9 Female - SMP Female




Part number	Interface
R191 968 001	SMA2.9 Female - SMP Male




Part number	Interface
R191 967 002	SMA2.9 Male - SMP Female




Part number	Interface
R191 966 001	SMA2.9 Male - SMP Male




Part number	Interface
R191 946 700	SMA3.5 Female - QRE Male




Part number	Interface
R191 944 700	SMA3.5 Female - QRE Male




Part number	Interface	Panel drilling
R191 316 700	TNC18 Female - SMA3.5 Female	P04



Part number	Interface	Panel drilling
R191 318 700	TNC18 Female - SMA Female	P04



Part number	Interface	Panel drilling
R191 314 730	SMA Female - TNC18 Female	P08




Part number	Interface	Panel drilling
R191 314 700	SMA Female - TNC18 Female	P04

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


STANDARD SERIES ADAPTERS




Part number	Interface
R191 368 020	1.0/2.3 Male - SMA Female




Part number	Interface
R191 455 000	2B4 Male - BNC Female




Part number	Interface
R191 453 000	2B4 Female - BNC Male




Part number	Interface
R191 454 000	2B4 Female - BNC Male




Part number	Interface
R191 907 000	7/16 Male - HN Female



Part number	Interface
R191 908 000	7/16 Female - HN Male




Part number	Interface
R191 723 000	7/16 Female - N Female




Part number	Interface
R191 722 000	7/16 Male - N Female

STANDARD SERIES ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R191 720 000	7/16 Female - N Male




Part number	Interface
R191 721 000	7/16 Male - N Male




Part number	Interface
R191 353 711	BMA Female - SMA Female




Part number	Interface	Panel drilling
R191 353 701	BMA Female - SMA Female	P12




Part number	Interface
R191 352 001	BMA Male - SMA Female




Part number	Interface	Panel drilling
R191 355 001	BMA Male - SMA Female	P03




Part number	Interface	Panel drilling
R191 352 L00	BMA Male - SMA Female	P09



Part number	Interface
R191 351 701	BMA Female - SMA Male



Part number	Interface	Panel drilling
R191 354 001	BMA Male - SMA Male	P03




Part number	Interface
R191 350 001	BMA Male - SMA Male

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


STANDARD SERIES ADAPTERS




Part number	Interface	Panel drilling
R191 811 100	BMA Male - SMP Female	P13




Part number	Interface
R191 815 100	BMA Female - SMP Male




Part number	Interface
R191 429 000	BNC Female - C Male




Part number	Interface
R191 449 000	BNC Female - HN Male




Part number	Interface	Panel drilling
R191 477 120	BNC Female - MCX Female	P10




Part number	Interface	Panel drilling
R191 422 000	BNC Female - N Female	P11



Part number	Interface	Panel drilling
R191 424 000	BNC Female - N Female	P01




Part number	Interface	Panel drilling
R191 422 020	BNC Female - N Female	P11




Part number	Interface
R191 419 000	BNC Male - N Female

STANDARD SERIES ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R191 421 000	BNC Female - N Male




Part number	Interface
R191 417 000	BNC Male - N Male




Part number	Interface
R191 305 000	BNC Male - SMA Female




Part number	Interface
R191 303 000	BNC Female - SMA Male




Part number	Interface
R191 301 000	BNC Male - SMA Male




Part number	Interface
R191 215 000	BNC Female - SMB Female



Part number	Interface	Panel drilling
5512-7501-000	BNC Female - SMB Male	P17



Part number	Interface
R191 214 000	BNC Male - SMB Female




Part number	Interface	Panel drilling
R191 212 500	BNC Female - SMB Male	P14

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


STANDARD SERIES ADAPTERS




Part number	Interface	Panel drilling
R191 213 000	BNC Female - SMB Male	P04




Part number	Interface	Panel drilling
R191 212 000	BNC Female - SMB Male	P02




Part number	Interface
R191 209 000	BNC Male - SMB Male




Part number	Interface
R191 123 000	BNC Female - SMC Female




Part number	Interface	Panel drilling
R191 124 000	BNC Female - SMC Female	P06




Part number	Interface	Panel drilling
R191 120 000	BNC Female - SMC Male	P02



Part number	Interface
R191 117 000	BNC Male - SMC Male




Part number	Interface
R191 403 000	BNC Male - TNC Female




Part number	Interface
R191 405 000	BNC Female - TNC Male

STANDARD SERIES ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R191 445 000	BNC Male - UHF Female




Part number	Interface
R191 447 000	BNC Female - UHF Male




Part number	Interface
R191 933 000	C Male - HN Female




Part number	Interface	Panel drilling
R191 708 000	C Female - N Female	P01




Part number	Interface
R191 705 000	C Male - N Female




Part number	Interface
R191 703 000	C Female - N Male




Part number	Interface
R191 737 000	HN Male - N Female



Part number	Interface
R191 741 000	LC Female - N Female



Part number	Interface
R191 388 000	MCX Female - SMA Female




Part number	Interface	Panel drilling
R191 387 107	MCX Male - SMA Female	P07

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


STANDARD SERIES ADAPTERS




Part number	Interface
R191 387 000	MCX Male - SMA Female




Part number	Interface
R191 386 000	MCX Female - SMA Male




Part number	Interface
R191 385 000	MCX Male - SMA Male




Part number	Interface
R191 389 400	MMBX Female - SMA Female




Part number	Interface
R191 389 200	MMBX Male - SMA Female




Part number	Interface	Panel drilling
R191 399 100	MMCX Female - SMA Female	P07



Part number	Interface
R191 398 020	MMCX Male - SMA Female




Part number	Interface
R191 389 300	MMCX Female - SMA Male



Part number	Interface
R191 389 100	MMCX Male - SMA Male


STANDARD SERIES ADAPTERS

ADAPTERS 50Ω




Waterproof


Part number	Interface	Panel drilling
R191 334 000	N Female - SMA Female	P05




Part number	Interface	Panel drilling
R191 332 000	N Female - SMA Female	P05




Part number	Interface
R191 331 000	N Female - SMA Female




Part number	Interface	Panel drilling
R191 381 000	N Female - SMA Female	P01




Part number	Interface
R191 329 000	N Male - SMA Female




Part number	Interface
R191 327 000	N Female - SMA Male




Part number	Interface	Panel drilling
R191 377 000	N Female - SMA Male	P01



Part number	Interface
R191 325 000	N Male - SMA Male



Part number	Interface
R191 239 000	N Female - SMB Female




Part number	Interface	Panel drilling
R191 236 000	N Female - SMB Male	P01

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


STANDARD SERIES ADAPTERS




Part number	Interface
R191 233 000	N Male - SMB Male




Part number	Interface	Panel drilling
R191 514 000	N Female - TNC Female	P01




Part number	Interface
R191 513 050	N Male - TNC Female




Part number	Interface
R191 731 000	N Male - UHF Female




Part number	Interface
R191 203 007	SMA Female - SMB Female




Part number	Interface
R191 513 000	N Male - TNC Female



Part number	Interface
R191 511 000	N Female - TNC Male




Part number	Interface
R191 733 000	N Female - UHF Male




Part number	Interface
R191 201 007	SMA Female - SMB Male

STANDARD SERIES ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R191 200 007	SMA Male - SMB Male




Part number	Interface
R191 374 000	SMA Male - SMC Female



Part number	Interface
R191 844 002	SMA Female - SMP Female




Part number	Interface
R191 843 001	SMA Female - SMP Male




SMP full detent

Part number	Interface	Panel drilling
R191 843 401	SMA Female - SMP Male	P15




Part number	Interface
R191 842 002	SMA Male - SMP Female



SMP smooth bore

Part number	Interface	Panel drilling
R191 843 421	SMA Female - SMP Male	P15



SMP full detent


Part number	Interface
R191 841 001	SMA Male - SMP Male

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


STANDARD SERIES ADAPTERS




Part number	Interface
R191 349 000	SMA Female - SSMA Female




Part number	Interface
R191 347 000	SMA Male - SSMA Female




Part number	Interface
5945-9503-000	SMA Female - SSMC Female




Part number	Interface
5938-1503-000	SMA Male - SSMC Male




Part number	Interface
R191 315 000	SMA Female - TNC Female




Part number	Interface	Panel drilling
R191 365 000	SMA Female - TNC Female	P02



Part number	Interface
R191 311 000	SMA Male - TNC Female




Part number	Interface
R191 313 000	SMA Female - TNC Male




Part number	Interface
R191 309 000	SMA Male - TNC Male

PUSH-ON ADAPTERS


ADAPTERS 50Ω




Part number	Interface
R125 791 501	SMA Push-on Male - SMA Female




Part number	Interface
R125 792 501	SMA Push-on Female - SMA Female



Part number	Interface	Panel drilling
R143 713 000	TNC Push-on Male - TNC Female	P02



Part number	Interface
R161 791 500	N Push-on Male - N Female




Part number	Interface
R191 977 520	MCX Push-on Female - SMA Male

To download data sheets and assembly instructions, visit www.radiall.com & enter the part number in the Search box.


Bold part numbers represent products typically in stock & available for immediate shipment.

See page 8 and 9 for packaging information.


75 OHMS ADAPTERS




Part number	Interface	Panel drilling
R192 810 300	1.0/2.3 Female - MCX Male	P16




Part number	Interface
R192 430 000	1.6/5.6 Female - BNC Male




Part number	Interface
R192 432 000	1.6/5.6 Male - BNC Female



Part number	Interface
R192 418 000	BNC Female - N Female




Part number	Interface
R192 421 000	BNC Female - N Male




Part number	Interface
R192 419 000	BNC Male - N Female


P01




P02




P03




P04




P05




P06




P07




P08




P09




P10



P11



P12




PANEL DRILLING

P13




	mm	
	Maxi	mini
A	5.02	5.00

P14




	mm	
	Maxi	mini
A	11.3	11.2
B	2.7	2.6
C	12.8	12.7

P15



	mm	
	Maxi	mini
A	4.5	4.4
B	2.65	2.6
C	10.72	10.62

P16



	mm	
	Maxi	mini
A	5.8	5.73
B	4.6	4.53

P17



	mm	
	Maxi	mini
A	12,93	12,83
B	12,06	11,96



AEROSPACE



AUTOMOTIVE



DEFENSE



INDUSTRIAL



INSTRUMENTATION



MEDICAL



SPACE



TELECOM

EUROPE

France - RADIALL S.A.

101, Rue Ph. Hoffmann
93116 ROSNY sous BOIS (Paris)
Tel.: +33 1 49 35 35 35 - Fax: +33 1 48 54 63 63
E-Mail: info@radiall.com

Finland - RADIALL SF

P.O. Box 202 - 90101 OULU
Tel.: +358 407 522 412
E-Mail: infofi@radiall.com

Germany - RADIALL GmbH

Carl-Zeiss Str. 10 Postfach 200143
D63307 - RÖDERMARK (Frankfurt)
Tel.: +49 60 74 91 07 0 - Fax: +49 60 74 91 07 70
E-Mail: infode@radiall.com

Italy - RADIALL Elettronica S.R.L.

Via Concordia, 5 - 20090 ASSAGO MILANO
Tel.: +39 02 48 85 121 - Fax: +39 02 48 84 30 18
E-Mail: infoit@radiall.com
Regional office: Roma

Netherlands - RADIALL B.V.

Hogebrinkerweg 15b - 3871 KM HOEVELAKEN
Tel.: +31 33 253 40 09 - Fax: +31 33 253 45 12
E-Mail: infofl@radiall.com

Sweden - RADIALL A.B.

Sjöängsvägen 2 - SE-192 72 SOLLENTUNA (Stockholm)
Tel.: +46 844 434 10 - Fax: +46 875 449 16
E-Mail: infose@radiall.com

U.K. - RADIALL Ltd.

Ground Floor, 6 The Grand Union Office Park,
Packet Boat Lane
UXBRIDGE Middlesex UB8 2GH (London)
Tel.: +44 1895 425 000 - Fax: +44 1895 425 010
E-Mail: infouk@radiall.com

NORTH AMERICA

USA - RADIALL USA, Inc.

6825 West Galveston Street
CHANDLER, Arizona 85226
Tel.: +1 480 682 9400 - Fax: +1 480 682 9403
E-Mail: infousa@radiall.com

ALSO REPRESENTED IN

Australia	Hungary	Poland
Austria	Indonesia	Russia
Belgium	Israel	Singapore
Brazil	Korea	Spain
Czech Republic	Latvia	Switzerland
Denmark	Lithuania	Taiwan
Estonia	Malaysia	Thailand
Greece	Norway	Vietnam
	Philippines	South Africa

For the above countries, please contact the local agent or RADIALL at info@radiall.com

ASIA

China - SHANGHAI RADIALL Electronic Co., Ltd.

N° 390 Yong He Road 200072 - SHANGHAI
Tel.: +86 21 66 52 37 88 - Fax: +86 21 66 52 11 77
E-Mail: infozh@radiall.com

Japan - NIHON RADIALL

Shibuya-ku Ebisu 1-5-2, Kougetsu Bldg 405
TOKYO 150-0013
Tel.: +81 3 3440 6241 - Fax: +81 3 3440 6242
E-Mail: infojp@radiall.com

Hong Kong - RADIALL Electronics Ltd.

Flat D, 6/F, Ford Glory Plaza,
37-39 Wing Hong Street
Cheung Sha Wan
KOWLOON HONG KONG
Tel: +852-2959-3833 - Fax: +852-2959-2636
E-Mail: infohk@radiall.com

India - RADIALL India Pvt. Ltd.

25 D, II Phase, Peenya Industrial Area
BANGALORE 560058
Tel.: +91 80 83 95 271 - Fax: +91 80 83 97 228
E-Mail: infoin@radiall.com

